

1997 – 2001 Fourteenth Edition



TABLE OF CONTENTS

Forewordi
Acknowledgments ii
Introductioniii
DRG Discharge Counts Included in This Report
Factors to Consider in Reviewing this Report
General Acute Care Hospitals
Specific Listing of DRG Tables by Major Diagnostic Category
Blank Page 9
Discussion and Graphics: 39 Diagnostic Related Groups

FOREWORD

Personal Health Choices is a joint publication of the Department of Human Resources, Health Division, Bureau of Health Planning and Statistics and the University of Nevada - Las Vegas, Center for Health Information Analysis. The document presents hospital patient discharge data for 39 of the most common medical and surgical diagnoses by DRG (Diagnosis-Related Group) as reported by Nevada's 25 general acute care hospitals which were discharging patients during the period 1997 to 2001. The data were compiled for the Division by the Center for Health Information Analysis at the University of Nevada-Las Vegas, using information from hospital billing records for patients discharged January 1, 1997 through December 31, 2001, inclusive. This information was gathered, computerized, and analyzed by the Center as part of a contractual agreement between the Department and the University under the authority granted in Section 439B of the Nevada Revised Statutes.

<u>Personal Health Choices</u> has been published annually since 1988 except for the 1991 and 1992 editions which were published concurrently in February 1994. This edition of <u>Personal Health Choices</u> presents 1997 through 2001 discharge data for each DRG by age, sex, region (counties), and for each acute-care hospital covering discharge totals, average lengths of hospital stays, and average billed charges. The discussion of each DRG -- in total as well as by sex and age -- additionally includes data on the percent of the patients who died while in the hospital.

Additional copies of this publication are available for a fee of \$6.00 each including postage. Requests for copies and any other inquiries should be directed to:

Bureau of Health Planning and Statistics Nevada State Health Division 505 East King Street, Room 102 Carson City, Nevada 89710 Telephone: (775) 684-4218 1-800-992-0900, Ext. 4-4218

Published October, 2002

PERSONAL HEALTH CHOICES: 1997 - 2001

ACKNOWLEDGMENTS

The following individuals are recognized for the preparation, editing and review of PERSONAL HEALTH CHOICES:

Donald Carns, Ph.D., Principal Investigator Center for Health Data Analysis University of Nevada-Las Vegas

Emil DeJan, M.P.H., Bureau Chief Bureau of Health Planning and Statistics Nevada State Health Division

Wei Yang, M.D., Ph.D, State Biostatistician Bureau of Health Planning and Statistics Nevada State Health Division

Brian Wellins, Biostatistician II Bureau of Health Planning and Statistics Nevada State Health Division

Joseph Greenway, Director Center for Health Information Analysis University of Nevada-Las Vegas

Kim Le, Data Quality Manager Center for Health Information Analysis University of Nevada-Las Vegas

Charles Duarte, Administrator
Division of Health Care Financing and Policy
Nevada Department of Human Resources

Yvonne Sylva, M.P.A., Administrator Nevada State Health Division

Michael J. Willden, Director Department of Human Resources

INTRODUCTION

This fourteenth edition of Personal Health Choices compares the twenty-five Nevada general acute care hospitals with respect to forty of the most common medical diagnoses and surgical procedures, defined by Diagnosis Related Groups (DRG's: see below). The calendar years covered are 1997 to 2001 for data on average billed charges per discharge, average lengths of hospital stays, numbers of discharges and the percent of discharges expiring inhospital. The number of discharges from Nevada's 25 acute care hospitals increased from xxx.xxx in 1997 to xxx.xxx in 2001, a xx.x percent increase over five years. In 2001, xx.x percent of all hospital discharges were covered by the 39 DRG's reported in this issue, and another 46 DRG's, related closely to the core 39 and also discussed in this publication, raise to xx.x percent the discharges covered in the 2001 report. The core 39 DRG's featured in this issue represent 7.4% of the defined 525 DRG's in use in 2001 (a few of these DRG's remain unassigned by the Centers for Medicare and Medicaid Services). With the additional 46 related DRG's, 16.2 percent of the 525 Diagnosis Related Groups are represented in this report.

THE DIAGNOSIS RELATED GROUP (DRG) SYSTEM

DRG, Diagnosis Related Group, is a classification system that takes into account principal and secondary disease diagnoses, medical and surgical procedures performed, complications, comorbidities (coexisting conditions), signs and symptoms, and age and discharge status. The DRG system is very complex in its construction, but is functional to use and is based upon complete documentation in the patient's medical record. DRG's are assigned to enable hospitals to recover the appropriate reimbursement for services rendered. The DRG system's current 525 classifications comprise a reimbursement system based on averages in which patients demonstrate similar resource utilization and length of hospital stay patterns. The DRG payment base is determined by the estimated resource needs of the average Medicare patient for a given set of diseases or disorders, although the classification system pertains to all hospitalizations. Included in these resource needs are the length of hospital stay and the number and intensity of services provided. The primary outcome of the DRG system is that the more efficiently a hospital delivers care, the greater its operating margin will be.

INFORMATION LEVEL

Personal Health Choices is intended as a useful source of information regarding general acute care hospitals in Nevada, but should not be construed as a definitive guide for selecting a hospital in order to receive inpatient medical care. The financial information in this report is based on billed charges rather than the amount actually collected on each discharged patient, and therefore serves as an approximation of the relative prices among hospitals. This report should broaden the reader's knowledge about one component of healthcare pricing -- inpatient hospitalization -- which currently accounts for 35 to 40% of total healthcare expenditures. Hospital outpatient services as well as professional physician and other non-hospital inpatient ancillary healthcare services are not covered in this report, and are consuming an increasingly larger share of the total healthcare dollar as we enter the second millennium.

FACTORS TO CONSIDER IN REVIEWING THIS REPORT

The information provided in this report is formatted so as to present narrative and tabular data on the first page and detailed tabular data on the second. This report covers the calendar year periods 1997 through 2001, thus providing a five year trend line for DRG-related data. The first page presents gender and age breakdowns of the hospital inpatient population, factored by the total number of discharges, average length of hospital stays, average billed charges, and the percent of the patient population expiring prior to discharge. The age groups consist of 0-17, 18-35, 36-49, 50-64, and 65+ categories. These age categories were selected to best illustrate the impact of the disease diagnoses and medical and surgical procedures on the populations affected. The page also contains three charts showing discharges, average billed charges and average length of stays. DRG's come in single, double and triple form, usually broken out by age factors and/or presence of comorbidity. The second page looks at hospitals in Clark and Washoe counties and the hospitals in the 11 rural counties for the period 1997-2001, with regard to total discharges, average length of stays, and average daily billed charges. The information on the first page for each DRG makes limited inferences which are based on the available data and may contain information on specific diagnoses and surgical procedures involved in the treatment of the patient. The second page features tables which feature patient counts, average length of stays, and average billed charges.

It should be noted that, when comparing hospitals as to average stays and billed charges, information based on small numbers of cases cannot provide a reliable statistical base upon which information can reflect a given hospital's experience. Further, it should be noted that physician charges (including those of surgeons) are normally separate from hospital charges, except in rural areas where some physician services -- such as radiology, anesthesia, and laboratory tests -- may be included in the hospital charges.

General Acute Care Hospitals

Hospitals	Beds	County
Boulder City Hospital 901 Adams Blvd. Boulder City, NV 89005 (702) 293-4111	67	Clark
Desert Springs Hospital 2075 E. Flamingo Rd. Las Vegas, NV 90119 (702) 369-7610	238	Clark
Sunrise Hospital and Medical Center 3186 S. Maryland Parkway Las Vegas, NV 89109 (702) 731-8000	688	Clark
Lake Mead Hospital and Medical Center 1409 E. Lake Mead Blvd. North Las Vegas, NV 89030 (702) 649-7711	198	Clark
Mountain View Hospital 3100 N. Tenaya Las Vegas, NV 89128 (702) 255-5000	120	Clark
Saint Rose Dominican Hospital 102 E. Lake Mead Dr. Henderson, NV 89015 (702) 616-5000	143	Clark
Saint Rose Siena Campus 3001 Lake Mead Dr. Henderson, NV 89052 (702) 616-5000	138	Clark
Summerlin Hospital Medical Center 657 Town Center Dr. Las Vegas, NV 89134 (702) 233-7000	169	Clark

Hospitals (Cont.)	Beds	County
University Medical Center (UMC) 1800 W. Charleston Blvd. Las Vegas, NV 89102 (702) 383-2000	508	Clark
Valley Hospital and Medical Center 620 Shadow Lane Las Vegas, NV 89106 (702) 388-4000	406	Clark
Incline Village Community Hospital 880 Alder St. Incline Village, NV 89451 (775) 833-4100	8	Washoe
Northern Nevada Medical Center 2375 E. Prater Way Sparks, NV 89434 (775) 356-4001	100	Washoe
Saint Mary's Regional Medical Center 235 w. Sixth St. Reno, NV 89520 (775) 323-2041	367	Washoe
Washoe Medical Center 77 Pringle Way Reno, NV 89520 (775) 328-4792	529	Washoe
Battle Mountain General Hospital 535 Humboldt St. Battle Mountain, NV 89820 (775) 635-2550	25	Lander
Carson Tahoe Hospital 775 Fleischmann Way Carson City, NV 89703 (775) 882-1361	128	Carson City

Hospitals (Cont.)	Beds	County
Churchill Community Hospital 801 E. Williams Ave. Fallon, NV 89406 (775) 423-3151	40	Churchill
Northeastern Nevada Regional Hospital 1297 College Ave. Elko, NV 89801 (775) 738-5151	50	Elko
Grover C. Dils Medical Center 700 N. Spring St. Caliente, NV 89008 (775) 726-3171	20	Lincoln
Humboldt General Hospital 118 E. Haskell St. Winnemucca, NV 89445 (775) 623-5222	52	Humboldt
Mount Grant General Hospital 1 st . & A St. Hawthorne, NV 89415 (775) 945-2461	35	Mineral
Nye Regional Medical Center 825 Erie Main Tonopah, NV 89409 (775) 482-6233	42	Nye
Pershing General Hospital 855 6 th . Street Lovelock, NV 89419 (775) 273-2621	37	Pershing
South Lyon Medical Center 213 Whitacre Yerington, NV 89447 (775) 463-2301	63	Lyon

Hospitals (Cont.)	Beds	County
William Bee Ririe Hospital	13	White Pine
1500 Avenue H		
Ely, NV 89301		
(775) 289-3001		

Specific Listing of DRG Tables by Major Diagnostic Category (MDC)

MDC 01	Diseases and	Disorders	of the l	Nervous System

DRG 005 - Extracranial Vascular Procedures	10 - 11
DRG 014 - Specific Cerebrovascular Disorders Except Transient Ischemic Attack	12 - 13
DRG 015 - Transient Ischemic Attack and Precerebral Occlusions	14 - 15
DRG 024 - Seizure and Headache, Age Greater than 17 W CC	16 - 17
MDC 04 Diseases and Disorders of the Respiratory System	
DRG 075 - Major Chest Procedures	18 - 19
DRG 079 - Respiratory Infections and Inflammations, Age Greater than 17 W CC	20 - 21
DRG 088 - Chronic Obstructive Pulmonary Disease	22 - 23
DRG 089 - Simple Pneumonia and Pleurisy, Age Greater than 17 W CC	24 - 25
DRG 098 - Bronchitis and Asthma, Age 0-17	26 - 27
MDC 5 Diseases and Disorders of the Circulatory System	
DRG 110 - Major Cardiovascular Procedures W CC	28 - 29
DRG 116 - Other Permanent Cardiac Pacemaker Implant	30 - 31
DRG 122 - Circulatory Disorders W Acute Myocardial Infarction W/out Major Comp	
Discharged Alive	32 - 33
DRG 125 - Circulatory Disorders Except Acute Myocardial Infarction W Cardiac Catl	herization,
W/Out Complex Diagnosis	34 - 35
DRG 127 - Heart Failure and Shock	36 - 37
DRG 132 - Atherosclerosis W CC	38 - 39
DRG 138 - Cardiac Arrhythmia & Conduction Disorders W/CC	40 - 41
DRG 143 - Chest Pain	42 - 43
MDC 6 Diseases and Disorders of the Digestive System	
DRG 148 - Major Small & Large Bowel Procedures W CC	44 - 45
DRG 167 - Appendectomy W/O Complicated Principal Diagnosis, W/O CC	46 - 47
DRG 174 - Gastrointestinal Hemorrhage W CC	48 - 49
DRG 182 - Esophagitis, Gastroenteritis, and Miscellaneous Digestive Disorders, Age	Greater than 17 W CC50 - 51
MDC 7 Diseases & Disorders of the Hepatobiliary System and Pancreas	
DRG 202 - Cirrhosis & Alcoholic Hepatitis	52 - 53
DRG 204 - Disorders of Pancreas Except Malignancy	54 - 55
DRG 494 - Lanaroscopic Cholecystectomy W/O C D F W/O CC	56 - 57

MDC 8	Diseases & Disorders of the Musculoskeletal System and Connective Tissue	
DRG 209	- Major Joint & Limb Reattachment Procedures of Lower Extremity	58 - 59
	- Hip & Femur Procedures Except Major Joint Procedures, Age Greater than 17 with CC	
	- Medical Back Problems	
DRG 498	- Spinal Fusion Except Cervical W/O CC	64 - 65
DRG 500	- Back and Neck Procedures Except Spinal Fusion W/O CC	66 - 67
MDC10	Endocrine, Nutritional, and Metabolic Diseases and Disorders	
	- Diabetes Age Greater than 35	
DRG 296	- Nutritional & Metabolic Disorders, Age Greater Than 17 W CC	70 - 71
MDC 11	Diseases and Disorders of the Kidney and Urinary Tract	
	- Renal Failure	
DRG 320	- Kidney and Urinary Tract Infections, Age Greater than 17 with CC	74 - 75
MDC 13	Diseases and Disorders of the Female Reproductive System	
DRG 359	- Uterine and Adnexa Procedures for non-malignancy W/O CC	76 - 77
MDC 14	Pregnancy, Childbirth and the Puerperium	
DRG 373	- Vaginal Delivery W/O Complicating Diagnoses	78 - 79
MDC 15	Newborns and Other Neonates with Conditions Originating in the Perinatal Period	
DRG 391	- Normal Newborn	80 - 81
MDC 18	Infectious and Parasitic Diseases	
DRG 416	- Septicemia, Age Greater than 17	82 - 83
MDC 19	Mental Diseases & Disorders	
DRG 430	- Psychoses	84 - 85
MDC 21	Injuries, Poisonings & Toxic Effects of Drugs	
DRG 449	- Poisoning & Toxic Effects of Drugs. Age > 17 W/CC	86 - 87

DIAGNOS	SIS RELAT	ED GROUPS	S: PATIEN	NT DISCHA	ARGES
DRG	1997	1998	1999	2000	2001
005	984	1,000	949	972	1,006
014	3,154	3,242	3,087	3,291	3,351
015	1,168	1,227	1,449	1,479	1,745
024	692	690	692	841	916
075	652	715	665	701	735
079	1,643	974	869	834	795
088	3,882	4,211	4,856	3,979	4,025
089	3,587	4,109	4,465	3,917	4,071
098	1,735	1,532	1,761	1,827	1,692
110	978	902	858	905	929
116	1,286	3,801	3,990	4,802	3,837
122	946	970	972	1,021	1,066
125	1,238	1,471	1,909	2,158	2,303
127	4,782	5,141	4,882	4,624	4,713
132	1,011	1,098	1,034	1,026	1,084
138	1,446	1,445	1,649	1,762	1,899
143	3,445	4,345	5,112	5,995	6,900
148	1,522	1,494	1,459	1,617	1,716
167	958	1,029	1,143	1,340	1,462
174	2,078	2,087	2,118	2,344	2,467
182	1,822	2,076	2,105	2,556	2,572
202	648	721	703	737	736
204	1,100	1,246	1,263	1,358	1,432
209	2,571	2,657	2,838	3,227	3,784
210	911	939	886	993	905
243	979	1,059	1,132	1,270	1,427
294	839	973	1,195	1,119	1,246
296	1,474	1,528	1,861	1,762	1,878
316	914	965	1,056	1,251	1,442
320	1,102	1,220	1,203	1,264	1,418
359	3,105	3,407	3,522	3,960	3,990
373	16,635	17,428	18,238	19,673	19,706
391	18,415	19,218	20,452	21,533	22,415
416	1,742	1,479	1,270	1,181	1,224
430	1,490	1,456	1,530	1,946	2,318
449	760	739	756	894	956
494	735	775	820	861	984
498 500	286	1,325	1,528	1,633	1,532
500	296	1,382	1,534	1,485	1,636
TOTAL	93,011	102,076	107,811	114,138	118,313

DRG	Descriptions
005	EXTRACRANIAL VASCULAR PROCEDURES
014	SPECIFIC CEREBROVASCULAR DISORDERS EXCEPT TIA
015	TRANSIENT ISCHEMIC ATTACK & PRECEREBRAL OCCLUSIONS
024	SEIZURE & HEADACHE AGE >17 W CC
025	SEIZURE & HEADACHE AGE >17 W/O CC
026	SEIZURE & HEADACHE AGE 0-17
075	MAJOR CHEST PROCEDURES
079	RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC
080	RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC
081	RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17
880	CHRONIC OBSTRUCTIVE PULMONARY DISEASE
089	SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC
090	SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC
091	SIMPLE PNEUMONIA & PLEURISY AGE 0-17
096	BRONCHITIS & ASTHMA AGE >17 W CC
097	BRONCHITIS & ASTHMA AGE >17 W/O CC
098	BRONCHITIS & ASTHMA AGE 0-17
110	1MAJOR CARDIOVASCULAR PROCEDURES W CC
111	MAJOR CARDIOVASCULAR PROCEDURES W/O CC
116	OTH PERM CARD PACEMAK IMPL OR PTCA W CORONARY ARTERY STENT IMPLNT
121	CIRCULATORY DISORDERS W AMI & MAJOR COMP, DISCHARGED ALIVE
122	CIRCULATORY DISORDERS W AMI W/O MAJOR COMP, DISCHARGED ALIVE
123	CIRCULATORY DISORDERS W AMI, EXPIRED
124 125	CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH & COMPLEX DIAG CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O COMPLEX DIAG
125	HEART FAILURE & SHOCK
132	ATHEROSCLEROSIS W CC
133	ATHEROSCLEROSIS W/O CC
138	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC
139	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W/O CC
140	ANGINA PECTORIS
143	CHEST PAIN
148	MAJOR SMALL & LARGE BOWEL PROCEDURES W CC
149	MAJOR SMALL & LARGE BOWEL PROCEDURES W/O CC
166	APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC
167	APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC
174	G.I. HEMORRHAGE W CC
175	G.I. HEMORRHAGE W/O CC
182	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC
183	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC
184	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17
202	CIRRHOSIS & ALCOHOLIC HEPATITIS
203	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS
204	DISORDERS OF PANCREAS EXCEPT MALIGNANCY
209	MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF LOWER EXTREMITY
210	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W CC
211 212	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W/O CC HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE 0-17
243	MEDICAL BACK PROBLEMS
243 294	DIABETES AGE >35
295	DIABETES AGE 0-35
296	NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC
297	NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC
298	NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17
316	RENAL FAILURE
320	KIDNEY & URINARY TRACT INFECTIONS AGE >17 W CC
321	KIDNEY & URINARY TRACT INFECTIONS AGE >17 W/O CC
322	KIDNEY & URINARY TRACT INFECTIONS AGE 0-17


- 358 UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC
- 359 UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC
- 370 CESAREAN SECTION W CC
- 371 CESAREAN SECTION W/O CC
- 372 VAGINAL DELIVERY W COMPLICATING DIAGNOSES
- 373 VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES
- 385 NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY
- 386 EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE
- 387 PREMATURITY W MAJOR PROBLEMS
- 388 PREMATURITY W/O MAJOR PROBLEMS
- 389 FULL TERM NEONATE W MAJOR PROBLEMS
- 390 NEONATE W OTHER SIGNIFICANT PROBLEMS
- 391 NORMAL NEWBORN
- 416 SEPTICEMIA AGE >17
- 417 SEPTICEMIA AGE 0-17
- 430 PSYCHOSES
- 449 POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W CC
- 450 POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W/O CC
- 451 POISONING & TOXIC EFFECTS OF DRUGS AGE 0-17
- 475 RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT
- 493 LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W CC
- 494 LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W/O CC
- 497 SPINAL FUSION W CC
- 498 SPINAL FUSION W/O CC
- 499 BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W CC
- 500 BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W/O CC


DRG 005: EXTRACRANIAL VASCULAR PROCEDURES


This Diagnostic Related Group (DRG) includes endarterectomies, arterial sutures, vessel repairs, and related procedures. Over the five years of this report, this DRG increased by only 22 patients or 2.2 percent. Male patients were more numerous than females for each of the five reporting years, with the largest difference in the year 2000. On the other hand, average billed charges were larger for females in some years, and larger for males in others. Very few extracranial vascular procedures were performed on patients under the age of 50; in 2001, 98.2 percent of discharges were for patients age 50 and older.

Clark County facilities, and particularly Sunrise Hospital and Valley Hospital, accounted for 73.3 percent of DRG 005 discharges in 2001; this share remained relatively constant over the five reporting years. Except for 39 cases in the rural sector of Nevada, the remaining cases were in Washoe County, particularly at Washoe Medical Center and St. Mary's Hospital. Of the 39 discharges in the rural sector during 2001, 31 were at Carson-Tahoe Hospital, with Northeastern and Humboldt hospitals discharging the remaining 8 patients. Average billed charges were somewhat lower at rural facilities, a pattern caused, to a great extent, by the significantly lower average length of hospital stay in this sector of Nevada.

GENDER		1997	1998	1999	2000	2001
	Cases	449	436	416	402	441
Female	Avg. LOS	3.7	3.9	3.4	3.6	3.7
	Avg. Bill	\$21,537	\$23,588	\$22,554	\$23,824	\$28,121
	Cases	535	564	533	570	565
Male	Avg. LOS	3.6	3.4	3.7	3.4	3.4
	Avg. Bill	\$21,270	\$21,512	\$24,642	\$24,193	\$27,085
GENDER		1997	1998	1999	2000	2001
	Cases	1	1	0	1	3
Age 0-17	Avg. LOS	3.0	2.0	0.0	2.0	3.7
	Avg. Bill	\$24,604	\$21,259	\$0	\$16,614	\$25,642
	Cases	5	3	2	4	3
Age 18-35	Avg. LOS	4.8	5.3	1.5	6.3	9.3
	Avg. Bill	\$22,093	\$29,528	\$11,297	\$28,338	\$48,626
	Cases	19	13	18	12	12
Age 36-49	Avg. LOS	4.3	6.2	5.1	2.8	4.9
	Avg. Bill	\$25,910	\$44,375	\$28,031	\$23,743	\$33,594
	Cases	228	204	195	224	255
Age 50-64	Avg. LOS	3.7	4.0	3.6	3.1	3.2
	Avg. Bill	\$22,459	\$23,175	\$23,276	\$22,986	\$26,601
	Cases	731	779	734	731	733
Age 65 +	Avg. LOS	3.6	3.5	3.5	3.5	3.6
	Avg. Bill	\$20,933	\$21,826	\$23,775	\$24,355	\$27,687
TOTAL		984	1,000	949	972	1,006
AVG. LOS		3.6	3.7	3.5	3.5	3.5
AVG. BILL		\$21,392	\$22,417	\$23,727	\$24,040	\$27,539







DRG 005: EXTRACRANIAL VASCULAR PROCEDURES

COUNTY	CALENDAR YEARS					
NAME	1997	1998	1999	2000	2001	
CLARK						
	Cases	0	0	0	0	0
Boulder City	Avg LOS	0.0	0.0	0.0	0.0	0.0
,	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	164	195	155	141	161
Desert Springs	Avg LOS	3.6	3.3	3.5	3.4	3.0
]	Avg. Bill	\$19,937	\$20,217	\$24,117	\$25,939	\$29,545
	Cases	27	10	13	15	13
Lake Mead	Avg LOS	4.9	7.5	7.6	6.7	6.9
	Avg. Bill	\$29,555		\$46,875	\$53,110	\$52,505
	Cases	29	83	67	73	96
Mountain View	Avg LOS	4.0	3.1	3.3	3.2	3.2
Woditalli View	Avg. Bill			\$20,454	\$18,656	\$19,098
	Cases	35	32	36	50	28
St. Rose Domin.		3.5	3.8	2.4	2.9	4.1
ot. Nose Domin.	"					\$32,630
	Avg. Bill Cases	\$22,087 0	\$25,089	\$18,704 0	\$20,158 13	\$32,630
Ct Dage Cione						
St. Rose Siena	Avg LOS	0.0	0.0	0.0	4.4	3.1
	Avg. Bill	\$0	\$0	\$0	\$25,922	\$24,401
	Cases	1	2	11	23	26
Summerlin	Avg LOS	12.0	17.0	6.2	6.4	5.4
	Avg. Bill	\$34,614		\$33,751	\$32,155	\$36,266
	Cases	275	251	265	218	184
Sunrise	Avg LOS	3.5	3.7	3.6	3.5	4.0
	Avg. Bill	\$20,622	\$22,351	\$23,320	\$21,257	\$27,094
	Cases	35	38	51	45	50
University Med.	Avg LOS	4.3	8.4	6.7	5.5	6.2
	Avg. Bill	\$22,686	\$28,339	\$34,069	\$33,610	\$33,606
	Cases	193	150	131	130	131
Valley Hospital	Avg LOS	4.4	4.6	3.9	4.2	4.8
	Avg. Bill	\$24,996	\$29,245	\$26,312	\$28,622	\$36,283
TOTAL		759	761	729	708	737
AVG. LOS		3.9	4.0	3.9	3.9	4.0
AVG. BILL		\$22,092	\$23,553	\$24,865	\$25,096	\$29,470
WASHOE						
	Cases	0	0	0	0	0
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	16	34	38	57	41
Northern NV	Avg LOS	4.8	1.5	2.4	1.9	1.5
	Avg. Bill	\$20,772	\$17,127	\$22,397	\$19,393	\$17,442
	Cases	60	49	60	54	73
St. Mary's	Avg LOS	3.2	2.9	2.5	2.6	2.8
	Avg. Bill	\$20,037	\$19,432	\$20,752	\$26,484	\$28,232
	Cases	119	123	96	122	116
Washoe Med.	Avg LOS	2.9	2.8	2.5	2.7	2.5
	Avg. Bill	\$20,580	\$21,397	\$21,079	\$21,727	\$22,878
TOTAL		195	206	194	233	230
AVG. LOS		3.1	2.6	2.5	2.5	2.4
AVG. BILL		\$20,428		\$21,236	\$22,259	\$23,608
		Ψ=0, 1 <u>=</u> 0	7-0,220	72.,200	4 ,_00	4_3,000


COUNTY			CALENDA	AR YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	0	0
Battle Mtn.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	28	31	21	27	31
Carson Tahoe	Avg LOS	1.4	1.5	1.4	1.7	1.5
	Avg. Bill	\$10,142	\$9,927	\$11,099	\$13,220	\$14,352
	Cases	0	0	0	0	0
Churchill	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Grover C. Dils	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	2	2	0	0	3
Humboldt Gen.	Avg LOS	2.0	2.0	0.0	0.0	2.0
	Avg. Bill	\$7,156	\$9,745	\$0	\$0	\$10,024
	Cases	0	0	0	0	0
Mt. Grant	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	5	4	5
Northeastern	Avg LOS	0.0	0.0	1.2	3.0	3.2
	Avg. Bill	\$0	\$0	\$7,367	\$13,984	\$15,993
	Cases	0	0	0	0	0
Nye General	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Pershing	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Wm Bee Ririe	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
TOTAL		30	33	26	31	39
AVG. LOS		1.5	1.5	1.4	1.8	1.8
AVG. BILL		\$9,942	\$9,916	\$10,382	\$13,319	\$14,229
		984	1,000	949	972	1,006
ALL COUNTI	ES	3.6	3.7	3.5	3.5	3.5
		\$21,392	\$22,417	\$23,727	\$24,040	\$27,539


DRG 014: SPECIFIC CEREBROVASCULAR DISORDERS EXCEPT T.I.A.


In 2001 a total of 3,351 cases of specific cerebro-vascular disorders (except those having trans-ischemia attacks) were discharged from Nevada's hospitals, an increase of only 200 cases since 1997. Female patient discharges were slightly higher than male for all five reporting years, while male average lengths of stays and average billed charges were generally higher. Patients who were 65 and older made up two-thirds of all DRG 014 discharges in 2001, and the age range 50 through 64 contributed another 24 percent. Average lengths of hospital stays were fairly equal across five years for the top three age groups.

As usual, Clark County hospitals discharged 75 percent of Nevada's DRG 014 patients in 2001. Sunrise Hospital's 552 discharges were highest in the state, with University Medical Center and Valley Hospital discharging another 742 patients between them. Washoe Medical Center was discharge leader in Washoe County with 355 in 2001, followed by St. Mary's Hospital with 236. In the rural sector of Nevada, as usual Carson-Tahoe Hospital was discharge leader with 117 in 2001, 54.4 percent of the rural total. Churchill Hospital was a distant second with 38 discharges, and Northeastern Nevada Regional Hospital third with 25 patient discharges in 2001.

GENDER		1997	1998	1999	2000	2001
	Cases	1,638	1,716	1,648	1,725	1,750
Female	Avg LOS	6.2	5.7	5.3	5.5	5.4
	Avg Bills	15,932	16,019	16,756	18,920	21,571
	Cases	1,516	1,526	1,439	1,566	1,601
Male	Avg LOS	6.0	6.0	5.7	5.6	5.6
	Avg Bills	17,799	18,213	18,914	19,868	22,321
AGE GROUP		1997	1998	1999	2000	2001
	Cases	5	12	7	5	10
Age 0-17	Avg LOS	11.2	10.3	4.3	4.4	4.4
	Avg Bills	15,602	29,010	12,459	14,599	17,040
	Cases	41	42	42	44	55
Age 18-35	Avg LOS	8.0	5.7	4.2	6.4	6.3
	Avg Bills	28,772	21,338	16,246	24,992	22,626
	Cases	210	209	217	230	245
Age 36-49	Avg LOS	6.6	6.5	5.2	6.2	5.9
	Avg Bills	18,577	18,845	19,676	22,772	26,543
	Cases	657	670	716	752	804
Age 50-64	Avg LOS	6.2	6.2	6.2	6.2	5.8
	Avg Bills	17,705	19,434	19,155	21,368	21,943
	Cases	2,241	2,309	2,105	2,260	2,237
Age 65 +	Avg LOS	6.0	5.7	5.3	5.3	5.3
	Avg Bills	16,194	16,058	17,139	18,261	21,424
TOTAL		3,154	3,242	3,087	3,291	3,351
AVG. LOS		6.1	5.9	5.5	5.6	5.5
AVG. BILL		16,830	17,052	17,762	19,371	21,929







DRG 014: SPECIFIC CEREBROVASCULAR DISORDERS EXCEPT T.I.A.

COUNTY		С				
NAME		1997			2000	2001
CLARK						
	Cases	19	31	20	26	29
Boulder City	Avg LOS	4.5	5.7	5.4	5.8	4.3
	Avg. Bill	\$10,900	\$12,129	\$8,376	\$15,391	\$10,164
	Cases	395	391	308	305	297
Desert Springs	Avg LOS	5.6	4.9	5.9	5.1	4.7
	Avg. Bill	\$16,027	\$15,147	\$19,819	\$18,777	\$21,044
	Cases	143	149	119	153	147
Lake Mead	Avg LOS	7.4	6.9	5.5	5.7	5.1
	Avg. Bill	\$21,884	\$21,760	\$25,995	\$31,512	\$29,479
	Cases	198	171	185	195	265
Mountain View	Avg LOS	5.8	5.0	4.5	4.4	4.2
	Avg. Bill	\$17,549	\$17,150	\$16,999	\$17,154	\$16,896
	Cases	131	147	112	118	150
St. Rose Domin.	Avg LOS	4.8	4.9	4.7	5.0	4.9
	Avg. Bill	\$13,629	\$15,229	\$17,064	\$14,911	\$20,708
	Cases	0	0	0	33	146
St. Rose Siena	Avg LOS	0.0	0.0	0.0	5.8	5.7
	Avg. Bill	\$0	\$0	\$0	\$21,080	\$23,885
	Cases	18	182	186	179	186
Summerlin	Avg LOS	4.2	10.5	5.9	4.9	5.7
	Avg. Bill	\$12,191	\$22,529	\$20,750	\$18,724	\$25,454
	Cases	672	600	569	583	552
Sunrise	Avg LOS	6.1	5.6	5.5	5.5	5.8
	Avg. Bill	\$19,112	\$18,602	\$18,821	\$20,578	\$24,246
	Cases	290	321	391	453	399
University Med.	Avg LOS	8.2	7.5	6.4	6.0	5.9
	Avg. Bill	\$18,535	\$17,127	\$16,795	\$16,837	\$18,477
	Cases	424	411	391	368	343
Valley Hospital	Avg LOS	6.3	5.8	5.7	7.2	6.1
	Avg. Bill	\$20,521	\$23,979	\$21,579	\$29,198	\$29,357
TOTAL		2,290	2,403	2,281	2,413	2,514
AVG. LOS		6.3	6.1	5.6	5.7	5.4
AVG. BILL		\$18,369	\$18,862	\$19,287	\$20,916	\$22,875
WASHOE						
	Cases	0	1	0	0	0
Incline Village	Avg LOS	0.0	2.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$4,897	\$0	\$0	\$0
	Cases	46	41	33	47	31
Northern NV	Avg LOS	4.7	4.3	4.9	4.6	7.7
	Avg. Bill	\$10,873	\$11,279	\$14,007	\$13,214	\$23,217
	Cases	197	232	223	245	236
St. Mary's	Avg LOS	7.5	5.6	5.9	6.1	6.4
	Avg. Bill	\$16,399	\$13,295	\$15,951	\$18,883	\$22,511
	Cases	392	338	350	354	355
Washoe Med.	Avg LOS	5.9	5.4	5.4	6.0	6.2
	Avg. Bill	\$13,570	\$13,165	\$14,597	\$16,927	\$20,189
TOTAL		635	612	606	646	622
AVG. LOS		6.3	5.4	5.6	5.9	6.4
AVG. BILL		\$14,252		\$15,063	\$17,399	\$21,221
		+,===	, ,	, ,	+ ,000	


COUNTY			DAL ENDA	D VEADO		
COUNTY			CALENDA		0000	0004
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	2	2	1	1	1
Battle Mtn.	Avg LOS	4.5	5.0	1.0	4.0	1.0
	Avg. Bill	\$2,784	\$2,606	\$998	\$2,150	\$1,678
	Cases	144	138	126	124	117
Carson Tahoe	Avg LOS	4.2	3.8	3.6	3.2	4.0
	Avg. Bill	\$9,103	\$9,608	\$9,430	\$8,384	\$14,633
	Cases	36	37	25	36	38
Churchill	Avg LOS	4.5	6.2	3.7	5.4	4.1
	Avg. Bill	\$10,408	\$8,278	\$7,546	\$12,811	\$12,366
	Cases	2	2	3	6	1
Grover C. Dils	Avg LOS	1.0	4.0	3.0	5.0	5.0
	Avg. Bill	\$3,273	\$3,103	\$3,714	\$5,079	\$6,779
	Cases	6	5	9	11	9
Humboldt Gen.	Avg LOS	4.8	5.2	3.7	4.3	5.3
	Avg. Bill	\$5,949	\$8,125	\$4,819	\$7,092	\$8,517
	Cases	2	7	5	3	5
Mt. Grant	Avg LOS	5.5	3.1	4.4	4.0	4.2
	Avg. Bill	\$8,092	\$4,436	\$5,572	\$8,133	\$8,567
	Cases	25	25	17	25	25
Northeastern	Avg LOS	3.0	3.6	3.5	3.2	4.4
	Avg. Bill	\$5,368	\$6,866	\$8,319	\$8,321	\$12,515
	Cases	6	1	0	6	5
Nye General	Avg LOS	5.7	9.0	0.0	3.2	4.0
	Avg. Bill	\$10,425	\$16,901	\$0	\$8,570	\$7,815
	Cases	0	1	0	0	3
Pershing	Avg LOS	0.0	1.0	0.0	0.0	7.0
	Avg. Bill	\$0	\$964	\$0	\$0	\$10,536
	Cases	0	1	0	9	5
South Lyon	Avg LOS	0.0	1.0	0.0	3.9	3.6
	Avg. Bill	\$0	\$930	\$0	\$5,197	\$5,102
	Cases	6	8	14	11	6
Wm Bee Ririe	Avg LOS	1.8	3.6	3.4	4.1	4.8
	Avg. Bill	\$3,077	\$6,066	\$7,726	\$8,951	\$9,654
TOTAL		229	227	200	232	215
AVG. LOS		4.1	4.2	3.6	3.7	4.2
AVG. BILL		\$8,580	\$8,609	\$8,549	\$8,795	\$12,916
		3,154	3,242	3,087	3,291	3,351
ALL COUNTIE	ES .	6.1	5.9	5.5	5.6	5.5
		\$16,830	\$17,052	\$17,762	\$19,371	\$21,929


DRG 015: TRANSIENT ISCHEMIC ATTACK & PRECEREBRAL OCCLUSIONS


Patients discharged under this DRG may have been treated for vertebral artery syndrome, trans cerebral ischemia, cerebral embolisms, and related disorders. Female patients remained in the hospital for a slightly longer period of time and outnumbered male patients for all the five years covered in this report. Average billed charges were nearly equal, year by year, between the genders. Patients who were age 65 and older accounted for just under 64 percent of all discharges for DRG 015's diagnoses, with the age group 50 through 64 adding 24 percent, the two age groups totaling about 88 percent of all dischages in 2001.

Hospital facilities in Clark County discharged just over 82 percent of patients in 2001; Washoe County with 210 discharges more than doubled the rural facilities' 101 discharges, patterns quite similar across the five year period. Washoe County's average length of hospital stays was slightly higher than Clark County's, while the latter's average billed charges were \$1500 to \$2000 higher on average across the five reporting years. Discharge counts in Clark County were led by Sunrise Hospital and University Medical Center, with Desert Springs, Mountain View, St. Rose Siena, Summerlin, and Valley hospitals were not far behind. Washoe Medical Center had the most discharges in Washoe County, followed fairly closely by St. Mary's Hospital.

GENDER		1997	1998	1999	2000	2001
	Cases	613	661	770	836	983
Female	Avg. LOS	3.1	3.2	3.1	3.1	2.9
	Avg. Bill	\$8,795	\$9,432	\$10,226	\$11,022	\$11,909
	Cases	555	566	678	643	762
Male	Avg. LOS	2.7	3.0	2.9	2.9	2.8
	Avg. Bill	\$8,322	\$9,562	\$10,217	\$11,468	\$12,342
GENDER		1997	1998	1999	2000	2001
	Cases	0	2	2	1	3
Age 0-17	Avg. LOS	0.0	2.5	2.0	1.0	1.7
	Avg. Bill	\$0	\$8,628	\$13,878	\$7,572	\$9,394
	Cases	17	19	16	22	31
Age 18-35	Avg. LOS	2.4	2.6	3.5	2.5	2.4
	Avg. Bill	\$8,039	\$10,711	\$12,446	\$10,620	\$11,708
	Cases	86	92	114	129	179
Age 36-49	Avg. LOS	2.7	2.7	2.4	2.9	2.8
	Avg. Bill	\$8,749	\$9,250	\$8,382	\$10,630	\$12,156
	Cases	265	259	354	344	419
Age 50-64	Avg. LOS	2.7	2.6	2.7	2.7	2.6
	Avg. Bill	\$8,369	\$9,039	\$9,427	\$10,686	\$11,565
	Cases	800	855	962	983	1,113
Age 65 +	Avg. LOS	3.0	3.3	3.2	3.2	3.0
	Avg. Bill	\$8,629	\$9,630	\$10,687	\$11,496	\$12,308
TOTAL		1168	1,227	1,448	1,479	1,745
AVG. LOS		2.9	3.1	3.0	3.0	2.8
AVG. BILL		\$8,570	\$9,492	\$10,222	\$11,216	\$12,098







DRG 015: TRANSIENT ISCHEMIC ATTACK & PRECEREBRAL OCCLUSIONS

COUNTY		C				
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	9	4	15	10	15
Boulder City	Avg. LOS	1.8	3.3	2.4	2.7	3.2
	Avg. Bill	\$5,502	\$9,082	\$7,046	\$8,964	\$7,681
	Cases	137	167	168	129	144
Desert Springs	Avg. LOS	3.0	3.0	3.0	2.5	3.1
3.	Avg. Bill	\$9,328	\$10,146		\$10,683	\$14,185
	Cases	48	47	61	74	73
Lake Mead	Avg. LOS	3.5	3.1	4.6	3.4	2.7
	Avg. Bill	\$11,236	\$11,128	\$17,883	\$18,435	\$16,385
	Cases	71	96	91	99	165
Mountain View	Avg. LOS	2.9	3.2	2.8	2.4	2.3
	Avg. Bill	\$10,776	\$11,374		\$10,547	\$10,712
	Cases	65	47	49	72	94
St. Rose Domin.	Avg. LOS	2.5	2.6	2.4	2.9	3.5
za racco Borriari.	Avg. Eds	\$8,182	\$9,505	\$8,889	\$10,623	\$13,687
	Cases	0	0	0	27	156
St. Rose Siena	Avg. LOS	0.0	0.0	0.0	3.1	2.6
ot. 1030 olena	Avg. Bill	\$0	\$0	\$0	\$10,513	\$11.572
	Cases	8	69	123	118	140
Summerlin	Avg. LOS	2.5	4.2	2.9	3.1	3.0
Summenin	_	\$7,913			\$11,874	
	Avg. Bill Cases	234	227	250	275	280
Sunrise				2.7	3.3	2.9
Surinse	Avg. LOS	3.0	3.0			
	Avg. Bill	\$9,289 125	\$10,002	\$10,369 229	\$12,460 180	\$12,558
Liniversity Med	Cases		133			207
University Med.	Avg. LOS	2.7	2.6	2.7	3.0	2.7
	Avg. Bill	\$6,927	\$7,291	\$7,746	\$8,385	\$8,891
\/=!!=!!===: ! =!	Cases	192	190	193	190	160
Valley Hospital	Avg. LOS	3.0	3.1	3.2	3.7	3.2
TOTAL	Avg. Bill	\$9,599	\$10,879	\$11,226	\$14,264	\$15,296
TOTAL		889	980	1,179	1,174	1,434
AVG. LOS		2.9	3.1	3.0	3.1	2.9
AVG. BILL		\$9,122	\$10,051	\$10,700	\$11,901	\$12,652
WASHOE	ا	•		•		
L	Cases	0	1	0	0	0
Incline Village	Avg. LOS	0.0	1.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$1,683	\$0	\$0	\$0
NI. (I	Cases	12	22	25	22	13
Northern NV	Avg. LOS	2.5	2.6	2.5	1.9	2.0
	Avg. Bill	\$7,661	\$6,744	\$7,308	\$6,473	\$8,389
	Cases	69	61	81	80	81
St. Mary's	Avg. LOS	3.2	3.7	3.7	3.6	3.1
	Avg. Bill	\$7,868	\$8,665	\$9,441	\$11,145	\$10,963
	Cases	124	105	93	109	116
Washoe Med.	Avg. LOS	3.5	3.6	3.7	2.8	3.0
	Avg. Bill	\$7,452	\$8,004	\$8,745	\$8,893	\$10,892
TOTAL		205	189	199	211	210
AVG. LOS		3.4	3.5	3.6	3.0	3.0
AVG. BILL		\$7,604	\$8,037	\$8,848	\$9,495	\$10,765


COUNTY		C	ALENDA	AR YEAR	S	
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	0	0
Battle Mtn.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	34	25	26	61	53
Carson Tahoe	Avg. LOS	2.0	2.4	2.2	2.4	2.2
	Avg. Bill	\$4,929	\$5,838	\$5,857	\$6,666	\$7,303
	Cases	20	16	14	8	10
Churchill	Avg. LOS	2.2	1.8	2.4	2.1	1.9
	Avg. Bill	\$4,710	\$4,452	\$6,507	\$7,067	\$6,223
	Cases	0	1	0	0	2
Grover C. Dils	Avg. LOS	0.0	1.0	0.0	0.0	1.0
	Avg. Bill	\$0	\$945	\$0	\$0	\$2,524
	Cases	0	4	0	0	0
Humboldt Gen.	Avg. LOS	0.0	2.3	0.0	0.0	0.0
	Avg. Bill	\$0	\$3,888	\$0	\$0	\$0
	Cases	2	1	5	1	1
Mt. Grant	Avg. LOS	1.0	1.0	1.4	2.0	4.0
	Avg. Bill	\$2,397	\$1,147	\$2,154	\$3,062	\$5,294
	Cases	13	5	14	12	20
Northeastern	Avg. LOS	1.8	2.4	1.9	1.8	2.1
	Avg. Bill	\$4,004	\$4,317	\$5,676	\$5,941	\$8,042
	Cases	2	3	2	0	2
Nye General	Avg. LOS	4.0	3.0	3.0	0.0	1.5
	Avg. Bill	\$5,837	\$3,408	\$7,058	\$0	\$3,729
	Cases	1	1	4	4	3
Pershing	Avg. LOS	1.0	2.0	8.3	3.3	3.7
	Avg. Bill	\$2,837	\$2,310	\$12,495	\$5,407	\$4,802
	Cases	0	0	0	2	0
South Lyon	Avg. LOS	0.0	0.0	0.0	2.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$3,104	\$0
	Cases	2	2	5	6	10
Wm Bee Ririe	Avg. LOS	2.0	1.0	2.0	3.2	2.6
	Avg. Bill	\$4,270	\$4,438	\$5,364	\$8,000	\$6,558
TOTAL		74	58	70	94	101
AVG. LOS		2.1	2.1	2.5	2.4	2.2
AVG. BILL		\$4,617	\$4,790	\$6,064	\$6,525	\$7,009
		1168	1,227	1,448	1,479	1,745
ALL COUNTIES	3	2.9	3.1	3.0	3.0	2.8
		\$8,570	\$9,492	\$10,222	\$11,216	\$12,098


DRG 024: SEIZURE & HEADACHE AGE >17 W CC


This DRG contains a wide variety of ailments including postconcussion syndrome, petit and grand mal seizures, epilepsy, convulsions, among others. There were 916 discharges for this DRG in 2001, up 32 percent over the five year reporting period. Female patients led in discharges for four of the five years although yearly differences were not substantial. The average billed charges of male patients were sligtly higher than female. Cases were distributed fairly evenly over the three oldest age categories of patients in 2001; prior to 2000, patients 65 and older had a substantial lead in discharges over the other four age categories. Generally, age predicted both average length of hospital stays and average billed charges, the older categories higher than the younger.

The usual pattern prevailed in terms of patient discharges with Clark County having just over 79 percent of patients in 2001, and Washoe County weighed in at just over double the rural hospitals' discharges, year by year. Clark County's billed charges were higher than Washoe County's for all five of the five reporting years, a difference which did not reflect in average length of hospital stays. Rural county discharges were led by Carson-Tahoe Hospital, with Northeastern Hospital having the only other double-digit count in 2001.

GENDER		1997	1998	1999	2000	2001
	Cases	376	360	361	397	473
Female	Avg. LOS	4.1	4.4	4.3	4.2	4.6
	Avg. Bill	\$11,972	\$14,031	\$14,182	\$15,050	\$17,684
	Cases	316	330	331	444	443
Male	Avg. LOS	4.0	4.6	4.3	4.0	4.3
	Avg. Bill	\$12,476	\$14,583	\$16,691	\$16,211	\$18,515
AGE GROU	JP	1997	1998	1999	2000	2001
	Cases	0	0	0	0	0
Age 0-17	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	115	96	121	127	164
Age 18-35	Avg. LOS	3.1	3.6	3.4	3.4	3.6
	Avg. Bill	\$9,783	\$11,775	\$12,093	\$12,812	\$14,158
	Cases	169	180	184	256	261
Age 36-49	Avg. LOS	3.6	3.7	4.5	3.8	4.1
	Avg. Bill	\$11,006	\$12,627	\$13,779	\$14,322	\$16,582
	Cases	156	159	156	211	226
Age 50-64	Avg. LOS	4.6	4.5	4.2	4.0	4.6
	Avg. Bill	\$13,546	\$14,370	\$16,252	\$16,324	\$19,670
	Cases	252	255	231	247	265
Age 65 +	Avg. LOS	4.5	5.4	4.7	4.8	5.2
	Avg. Bill	\$13,278	\$16,374	\$17,795	\$17,954	\$20,647
TOTAL		692	690	692	841	916
AVG. LOS		4.1	4.5	4.3	4.1	4.5
AVG. BILL		\$12,203	\$14,295	\$15,382	\$15,663	\$18,086







DRG 024: SEIZURE & HEADACHE AGE >17 W CC

COUNTY	C					
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	5	3	1	9	2
Boulder City	Avg. LOS	3.0	2.3	4.0	2.6	1.5
,	Avg. Bill	\$9,329	\$9,349	\$14,021	\$8,433	\$3,862
	Cases	93	97	71	92	93
Desert Springs	Avg. LOS	4.2	3.9	4.5	3.4	3.7
	Avg. Bill	\$12,646	\$11,347	\$15,848	\$12,853	\$16,173
	Cases	49	36	30	30	35
Lake Mead	Avg. LOS	3.8	5.0	3.8	4.0	5.3
	Avg. Bill	\$12,075	\$19,593	\$18,285	\$21,973	\$34,085
	Cases	43	37	36	56	74
Mountain View	Avg. LOS	3.8	4.6	2.9	3.3	4.2
	Avg. Bill	\$12,376	\$14,156	\$13,505	\$14,710	\$19,511
	Cases	15	10	17	28	29
St. Rose Domin.		3.5	3.2	3.6	4.9	4.6
Ct. 1 Cood Borrini.	Avg. Bill	\$12,693	\$12,123	\$12,124	\$12,811	\$19,020
	Cases	0	0	0	16	42
St. Rose Siena	Avg. LOS	0.0	0.0	0.0	3.0	3.4
ot. Rose olena	Avg. Bill	\$0	\$0	\$0	\$10,269	\$15,758
	Cases	0	29	31	37	ψ13,736 55
Summerlin	Avg. LOS	0.0	4.5	4.6	3.6	5.1
Surimenin	Avg. E03	\$0		\$15,946	\$13,846	\$21,559
	Cases	120	120	156	213	φ21,559 177
Sunrise		4.1	4.9	4.5	4.3	4.8
Surinse	Avg. LOS					4.0 \$18,747
	Avg. Bill	\$13,424 102	\$17,256 106	\$15,849	\$18,615	
Liniversity Med	Cases			107	123	112
University Med.	Avg. LOS	3.4	4.3	5.1	4.7	5.0
	Avg. Bill	\$10,789	\$12,374	\$17,167	\$17,264	\$17,091
Malland I anaital	Cases	101	79 5.4	104	69	108
Valley Hospital	Avg. LOS	4.9	5.1	4.5	5.1	4.0
TOTAL	Avg. Bill	\$15,331	\$18,830	\$19,788	\$22,327	\$16,989
TOTAL		528	517	553	673	727
AVG. LOS		4.1	4.5	4.4	4.2	4.4
AVG. BILL		\$12,873	\$14,911	\$16,712	\$16,947	\$18,728
WASHOE	ا	•				
	Cases	0	1	1	1	0
Incline Village	Avg. LOS	0.0	3.0	2.0	1.0	0.0
	Avg. Bill	\$0	\$4,819	\$5,426	\$2,511	\$0
	Cases	13	8	4	8	7
Northern NV	Avg. LOS	3.2	3.1	3.0	2.5	5.7
	Avg. Bill	\$8,408	\$7,330	\$6,906	\$6,037	\$19,288
0.11	Cases	46	49	37	41	55
St. Mary's	Avg. LOS	4.3	5.2	3.4	5.2	6.3
	Avg. Bill	\$9,707	\$14,812	\$9,246	\$13,589	\$22,671
	Cases	57	79	61	65	66
Washoe Med.	Avg. LOS	5.2	4.8	4.7	3.6	4.4
	Avg. Bill	\$12,951	\$14,039	\$12,738	\$9,948	\$15,284
TOTAL		116	137	103	115	128
AVG. LOS		4.6	4.8	4.2	4.1	5.3
AVG. BILL		\$11,156	\$13,856	\$11,186	\$10,909	\$18,677


COUNTY		(CALENDA	R YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	2	0
Battle Mtn.	Avg. LOS	0.0	0.0	0.0	2.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$2,231	\$0
	Cases	24	17	20	28	33
Carson Tahoe	Avg. LOS	3.3	3.2	2.6	3.6	3.2
	Avg. Bill	\$9,621	\$8,569	\$7,173	\$10,443	\$10,426
	Cases	4	7	8	5	6
Churchill	Avg. LOS	1.5	3.0	3.4	3.4	3.5
	Avg. Bill	\$5,558	\$8,008	\$6,648	\$11,749	\$14,025
	Cases	4	0	0	1	0
Grover C. Dils	Avg. LOS	1.5	0.0	0.0	3.0	0.0
	Avg. Bill	\$2,622	\$0	\$0	\$5,143	\$0
	Cases	1	0	1	0	1
Humboldt Gen.	Avg. LOS	7.0	0.0	2.0	0.0	3.0
	Avg. Bill	\$9,954	\$0	\$3,560	\$0	\$3,853
	Cases	2	0	0	1	3
Mt. Grant	Avg. LOS	6.0	0.0	0.0	1.0	3.7
	Avg. Bill	\$9,245	\$0	\$0	\$3,014	\$6,880
	Cases	8	8	7	11	13
Northeastern	Avg. LOS	1.9	1.9	2.6	3.3	2.6
	Avg. Bill	\$3,736	\$4,880	\$7,216	\$12,147	\$6,964
	Cases	3	0	0	1	3
Nye General	Avg. LOS	3.7	0.0	0.0	1.0	1.3
	Avg. Bill	\$8,037	\$0	\$0	\$3,932	\$3,376
	Cases	0	0	0	0	0
Pershing	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	1	0	1	0
South Lyon	Avg. LOS	0.0	1.0	0.0	1.0	0.0
	Avg. Bill	\$0	\$2,358	\$0	\$938	\$0
	Cases	2	3	0	3	2
Wm Bee Ririe	Avg. LOS	1.0	2.3	0.0	1.7	2.0
	Avg. Bill	\$3,639	\$4,276	\$0	\$3,376	\$3,874
TOTAL		48	36	36	53	61
AVG. LOS		2.9	2.7	2.8	3.2	3.0
AVG. BILL		\$7,361	\$7,110	\$6,964	\$9,668	\$9,199
		692	690	692	841	916
ALL COUNTIES	S	4.1	4.5	4.3	4.1	4.5
		\$12,203	\$14,295	\$15,382	\$15,663	\$18,086


DRG 075: MAJOR CHEST PROCEDURES


Major surgical procedures of the chest and lung -such as lung lobectomies, open lung biopsies, surgical removal of diaphragm lesions, and open chest cardiac massage -- are included within DRG 075. Such serious conditions and invasive procedures led to average statewide hospital stays over 10 days for all five reporting years, with average billed charges ranging from just over \$48,000 in 1997 to just over \$61,000 in 2001, a 27.3 percent increase. In 2001, Clark County led the state with ALOS of 11.3 days and average billed charges of \$64,725, with Washoe County facilities keeping patients over one day less with charges nearly \$6,000 lower. Sunrise Hospital, the discharge leader for the state, lowered its patient counts significantly between 1997 and 2001, while over the same period Washoe Medical Center increased discharges by 30 percent. Carson-Tahoe Hospital discharged 51 of the rural hospitals' 56 discharges in 2001.

Men outnumbered women to a significant degree in patient discharges, year by year, as well as posting higher ALOS and average billed charges for each of the reporting years. As usual, patient discharges increased by age with those age 50 and older accounting for 75.4 percent of discharges in 2001, with ALOS fairly flat across the top three age groups.

GENDER		1997	1998	1999	2000	2001
	Cases	297	324	294	327	339
Female	Avg LOS	9.4	9.5	9.8	9.8	10.1
	Avg Bills	\$44,243	\$45,682	\$44,673	\$49,860	\$58,122
	Cases	355	391	371	374	396
Male	Avg LOS	10.8	10.5	10.3	10.2	11.3
	Avg Bills	\$51,619	\$49,439	\$49,355	\$52,845	\$64,248
AGE GROU	IP	1997	1998	1999	2000	2001
	Cases	25	40	30	37	29
Age 0-17	Avg LOS	21.2	12.6	8.7	12.5	12.0
	Avg Bills	\$114,019	\$56,968	\$36,056	\$67,326	\$70,130
	Cases	38	39	48	61	53
Age 18-35	Avg LOS	9.5	12.4	9.4	9.3	10.8
	Avg Bills	\$35,039	\$60,402	\$46,515	\$50,200	\$62,586
	Cases	90	82	71	95	99
Age 36-49	Avg LOS	8.7	10.2	10.8	10.6	11.3
	Avg Bills	\$37,682	\$49,038	\$49,839	\$49,747	\$68,239
	Cases	200	205	224	203	222
Age 50-64	Avg LOS	10.3	10.1	9.9	9.0	11.0
	Avg Bills	\$53,434	\$48,876	\$47,052	\$49,180	\$61,504
	Cases	299	349	292	305	332
Age 65 +	Avg LOS	9.7	9.4	10.3	10.3	10.3
	Avg Bills	\$44,163	\$44,288	\$48,123	\$51,821	\$58,390
TOTAL		652	715	665	701	735
AVG. LOS		10.2	10.1	10.1	10.0	10.7
AVG. BILL		\$48,259	\$47,736	\$47,285	\$51,452	\$61,423







DRG 075: MAJOR CHEST PROCEDURES

COUNTY						
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	0	0	0	0	0
Boulder City	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	75	98	77	59	64
Desert Springs	Avg. LOS	8.9	10.0	9.9	11.0	10.0
, ,	Avg. Bill	\$37,975	\$41,832	\$45,684	\$49,370	\$56,223
	Cases	9	11	18	13	13
Lake Mead	Avg. LOS	16.6	12.8	14.3	15.3	15.0
	Avg. Bill	\$93,941	\$67,177	\$81,938	\$96,387	\$111,638
	Cases	32	53	48	55	85
Mountain View	Avg. LOS	12.7	8.2	9.6	8.7	9.4
	Avg. Bill	\$71,225	\$39,640	\$51,307	\$41,432	\$56,133
	Cases	19	21	29	20	19
St. Rose Domin.	Avg. LOS	9.4	9.1	10.9	13.9	11.7
	Avg. Bill	\$47,383	\$46,455	\$41,892	\$64,168	\$79,446
	Cases	0	0	0	9	39
St. Rose Siena	Avg. LOS	0.0	0.0	0.0	10.2	8.5
	Avg. Bill	\$0	\$0	\$0	\$50,856	\$55,378
	Cases	1	0	2	2	12
Summerlin	Avg. LOS	18.0	0.0	12.0	31.5	17.0
	Avg. Bill	\$67,583	\$0	\$21,866	\$128,818	\$162,802
	Cases	194	193	192	209	155
Sunrise	Avg. LOS	10.4	9.0	9.3	9.5	9.6
	Avg. Bill	\$55,895	\$48,250	\$46,129	\$52,246	\$55,300
	Cases	75	91	79	85	83
University Med.	Avg. LOS	11.5	11.6	12.1	10.8	16.7
	Avg. Bill	\$41,535	\$45,199	\$47,460	\$54,227	\$72,659
	Cases	81	87	76	67	50
Valley Hospital	Avg. LOS	10.1	13.9	11.3	10.5	11.9
	Avg. Bill	\$42,952	\$69,897	\$53,033	\$54,777	\$72,220
TOTAL		486	554	521	519	520
AVG. LOS		10.5	10.4	10.4	10.4	11.3
AVG. BILL		\$50,162	\$49,497	\$48,658	\$53,260	\$64,725
WASHOE						
	Cases	0	0	0	0	0
Incline Village	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	5	7	1	10	21
Northern NV	Avg. LOS	11.8	7.9	9.0	9.2	8.7
	Avg. Bill	\$63,836	\$34,780	\$25,075	\$62,118	\$46,979
	Cases	60	54	53	49	47
St. Mary's	Avg. LOS	9.8	9.5	9.0	9.2	9.3
	Avg. Bill	\$44,450	\$43,854	\$43,711	\$50,536	\$67,987
	Cases	70	78	58	92	91
Washoe Med.	Avg. LOS	8.9	9.2	9.1	9.3	11.0
	Avg. Bill	\$42,483	\$45,364	\$45,112	\$47,427	\$56,929
TOTAL		135	139	112	151	159
AVG. LOS		9.4	9.3	9.1	9.2	10.2
AVG. BILL		\$44,148	\$44,245	\$44,270	\$49,409	\$58,884


COUNTY		CALENDAR YEARS					
NAME		1997	1998	1999	2000	2001	
RURAL							
	Cases	0	0	0	0	0	
Battle Mtn.	Avg. LOS	0.0	0.0	0.0	0.0	0.0	
	Avg. Bill	\$0	\$0	\$0	\$0	\$0	
	Cases	23	20	26	26	51	
Carson Tahoe		8.1	6.6	8.0	7.9	7.2	
	Avg. Bill	\$38,275	\$25,883	\$37,256	\$33,792	\$37,215	
	Cases	5	0	2	0	2	
Churchill	Avg. LOS	10.2	0.0	8.0	0.0	4.0	
	Avg. Bill	\$40,653	\$0	\$43,859	\$0	\$28,280	
	Cases	0	0	0	0	0	
Grover C. Dils	Avg. LOS	0.0	0.0	0.0	0.0	0.0	
	Avg. Bill	\$0	\$0	\$0	\$0	\$0	
	Cases	1	0	0	2	1	
Humboldt Gen	Avg. LOS	6.0	0.0	0.0	5.5	8.0	
	Avg. Bill	\$9,395	\$0	\$0	\$11,262	\$12,986	
	Cases	0	0	0	0	0	
Mt. Grant	Avg. LOS	0.0	0.0	0.0	0.0	0.0	
	Avg. Bill	\$0	\$0	\$0	\$0	\$0	
	Cases	2	2	3	3	2	
Northeastern	Avg. LOS	8.0	11.5	10.0	7.0	12.0	
	Avg. Bill	\$16,640	\$21,271	\$24,541	\$21,432	\$79,352	
	Cases	0	0	0	0	0	
Nye General	Avg. LOS	0.0	0.0	0.0	0.0	0.0	
	Avg. Bill	\$0	\$0	\$0	\$0	\$0	
	Cases	0	0	0	0	0	
Pershing	Avg. LOS	0.0	0.0	0.0	0.0	0.0	
	Avg. Bill	\$0	\$0	\$0	\$0	\$0	
	Cases	0	0	0	0	0	
South Lyon	Avg. LOS	0.0	0.0	0.0	0.0	0.0	
	Avg. Bill	\$0	\$0	\$0	\$0	\$0	
	Cases	0	0	1	0	0	
Wm Bee Ririe	Avg. LOS	0.0	0.0	2.0	0.0	0.0	
	Avg. Bill	\$0	\$0	\$5,657	\$0	\$0	
TOTAL		31	22	32	31	56	
AVG. LOS		8.4	7.0	8.0	7.7	7.3	
AVG. BILL		\$36,331	\$25,464	\$35,489	\$31,142	\$37,968	
		652	715	665	701	735	
ALL COUNTIE	S	10.2	10.1	10.1	10.0	10.7	
		\$48,259	\$47,736	\$47,285	\$51,452	\$61,423	


DRG 079: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC


This DRG covers such conditions as Salmonella pneumonia, lung abscesses, pleurisy, and pulmonary tuberculosis, all very serious, even life threatening. Both women and men experienced steep declines in patient discharges between 1997 and 2001, a 49 percent drop for women and a 53 percent drop for men. Over all average length of hospital stay increased 1.2 days over five years, with average billed charges higher for men for four of the five reporting years. The oldest age category 65 and older represented about 71 percent of discharges in 2001, up just slightly since 1997. Average billed charges were fairly similar for the top three age categories over the five year reporting period.

As usual, Clark County hospitals contributed the lion's share of the state's discharges, in this case just under 75 percent, with Washoe County facilities contribution just over 14 percent, and the rural Nevada hospital facilities at about 11 percent. Sunrise Hospital in Clark County was the only hospital having triple digit discharge counts. St. Mary's Hospital and Washoe Medical Center in Reno were close at 44 and 48 discharges during 2001. As usual, Carson-Tahoe Hospital discharged the most patients -- 52 -- among the rural county facilities, 57 percent of the rural hospitals' discharges for DRG 079.

GENDER		1997	1998	1999	2000	2001
	Cases	722	440	373	354	366
Female	Avg LOS	8.5	8.6	8.5	9.6	9.2
	Avg Bills	\$23,640	\$26,360	\$27,756	\$34,929	\$35,571
	Cases	920	534	496	480	429
Male	Avg LOS	8.4	8.9	9.6	10.1	9.8
	Avg Bills	\$24,095	\$25,900	\$30,405	\$36,572	\$39,422
AGE GROU		1997	1998	1999	2000	2001
	Cases	0	0	0	0	0
Age 0-17	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg Bills	\$0	\$0	\$0	\$0	\$0
	Cases	81	50	43	46	38
Age 18-35	Avg LOS	9.4	10.4	8.4	9.0	12.2
	Avg Bills	\$28,764	\$37,423	\$30,626	\$32,881	\$53,116
	Cases	158	73	70	74	71
Age 36-49	Avg LOS	7.4	9.6	11.5	9.2	11.1
	Avg Bills	\$22,028	\$27,440	\$36,988	\$36,618	\$44,602
	Cases	272	139	162	135	123
Age 50-64	Avg LOS	8.1	9.0	10.2	12.6	9.5
	Avg Bills	\$22,940	\$26,179	\$30,834	\$50,058	\$36,965
	Cases	1131	712	594	579	563
Age 65 +	Avg LOS	8.6	8.5	8.6	9.4	9.2
	Avg Bills	\$24,037	\$25,162	\$27,833	\$32,710	\$35,878
TOTAL		1642	974	869	834	795
AVG. LOS		8.4	8.8	9.1	9.9	9.6
AVG. BILL		\$23,895	\$26,107	\$29,268	\$35,875	\$37,649







DRG 079: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC

COUNTY	C					
NAME		1997		1999	2000	2001
CLARK						
	Cases	31	31	20	24	18
Boulder City	Avg. LOS	7.1	7.2	6.0	10.7	7.6
	Avg. Bill	\$14,071	\$17,862	\$15,554	\$26,363	\$19,462
	Cases	94	67	70	59	51
Desert Springs	Avg. LOS	8.7	10.5	9.0	11.7	10.9
	Avg. Bill	\$25,122	\$33,559	\$30,386	\$40,802	\$45,011
	Cases	158	78	74	60	60
Lake Mead	Avg. LOS	8.3	9.6	10.8	9.9	11.2
	Avg. Bill	\$23,090	\$25,799	\$37,770	\$53,455	\$55,015
	Cases	81	68	41	56	59
Mountain View	Avg. LOS	9.3	7.8	9.0	8.6	7.9
	Avg. Bill	\$28,153	\$27,735	\$33,002	\$31,316	\$33,020
	Cases	82	34	24	18	34
St. Rose Domin.	Avg. LOS	7.9	6.4	13.7	12.6	9.5
	Avg. Bill	\$24,169	\$19,802	\$45,407	\$41,739	\$37,630
	Cases	0	0	0	6	18
St. Rose Siena	Avg. LOS	0.0	0.0	0.0	6.3	9.8
	Avg. Bill	\$0	\$0	\$0	\$16,276	\$36,509
	Cases	0	24	37	77	53
Summerlin	Avg. LOS	0.0	7.3	9.2	9.2	9.3
	Avg. Bill	\$0	\$24,648	\$29,430	\$39,145	\$39,730
	Cases	316	181	169	159	164
Sunrise	Avg. LOS	9.4	9.4	8.9	11.1	9.7
	Avg. Bill	\$32,547	\$33,799	\$34,260	\$47,881	\$44,081
	Cases	413	143	116	103	70
University Med.	Avg. LOS	7.9	10.7	11.3	11.2	11.5
	Avg. Bill	\$19,484	\$25,763	\$30,123	\$30,740	\$31,227
	Cases	169	96	86	68	64
Valley Hospital	Avg. LOS	8.7	10.5	9.4	10.5	12.0
	Avg. Bill	\$27,921	\$34,535	\$36,316	\$40,650	\$55,945
TOTAL		1344	722	637	630	591
AVG. LOS		8.5	9.4	9.7	10.5	10.1
AVG. BILL		\$25,118	\$29,200	\$33,237	\$40,329	\$42,187
WASHOE						
	Cases	0	0	0	0	1
Incline Village	Avg. LOS	0.0	0.0	0.0	0.0	3.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$6,160
	Cases	45	29	23	19	20
Northern NV	Avg. LOS	7.9	5.5	6.2	8.1	8.6
	Avg. Bill	\$20,207	\$14,023	\$16,482	\$22,270	\$22,423
	Cases	68	55	42	60	44
St. Mary's	Avg. LOS	8.3	7.4	7.1	9.7	8.5
	Avg. Bill	\$19,261	\$19,117	\$17,735	\$29,931	\$30,582
	Cases	42	61	53	43	48
Washoe Med.	Avg. LOS	8.7	8.3	10.8	9.4	9.8
	Avg. Bill	\$20,115	\$22,530	\$26,774	\$25,800	\$28,798
TOTAL		155	145	118	122	113
AVG. LOS		8.3	7.4	8.6	9.3	9.0
AVG. BILL		\$19,767	\$19,534	\$21,551	\$27,282	\$28,164


COUNTY			CALENDA	AR YEARS		
NAME		1997	1998	1999	2000	2001
RURAL		1991	1990	1999	2000	2001
KOKAL	Cases	1	1	0	0	1
Battle Mtn.	Avg. LOS	5.0	3.0	0.0	0.0	4.0
Battle With.	Avg. Bill	\$5,003	\$3,930	\$0	\$0	\$5,579
	Cases	72	48	42	φ6 45	52
Carson Tahoe	Avg. LOS	7.7	6.2	6.8	6.0	6.6
Carson rance	Avg. Bill	\$18,450	\$15,236	\$17,534	\$15,430	\$21,994
	Cases	21	22	35	13	11
Churchill	Avg. LOS	8.4	5.7	6.5	5.5	6.4
Charchin	Avg. Edd Avg. Bill	\$20,189	\$17,308	\$17,013	\$16,490	\$18,482
	Cases	3	0	1	\$10,490 1	φ10, 4 02
Grover C. Dils	Avg. LOS	4.7	0.0	8.0	2.0	1.0
CIOVEI C. DIIS	Avg. LOS Avg. Bill	\$6,253	\$0	\$18,052	\$4,227	\$3,810
	Cases	ֆο,∠ɔɔ 11	3	\$10,052	\$4,22 <i>1</i>	\$3,610 2
Humboldt Con		10.8	12.3	3.8	1.0	4.5
Humboldt Gen.	_	\$14,816	\$21,563	\$4,961	\$1,385	\$7,881
	Avg. Bill Cases	\$14,010	φ21,303 1	94,901	φ1,363 0	\$7,001 6
Mt. Grant	Avg. LOS	0.0	9.0	0.0	0.0	7.2
Mt. Grant	Avg. E03 Avg. Bill	\$0	\$14,527	\$0	\$0	\$19,448
	Cases	24	13	12	10	φ1 9,440 6
Northeastern	Avg. LOS	6.8	4.6	4.3	4.6	8.7
Northeastern	Avg. E00	\$14,147	\$7,977	\$10,008	\$11,874	\$25,387
	Cases	5	φ <i>τ</i> , <i>911</i>	4	1	φ25,367
Nye General	Avg. LOS	6.0	7.5	5.5	1.0	3.0
Nye General		\$15,322	\$15,395	\$16,226	\$4,695	\$4,757
	Avg. Bill Cases	\$15,322	1	0	0	φ 4 ,757
Pershing	Avg. LOS	0.0	3.0	0.0	0.0	5.0
r Granning	Avg. LOS Avg. Bill	\$0	\$4,141	\$0	\$0	\$10,282
	Cases	2	\$4,141	- 5 5	ან 1	\$10,262
South Lyon	Avg. LOS	5.5	5.0	3.4	4.0	13.0
South Lyon	_	\$7,470	\$8,113	\$5,471	\$5,638	\$26,375
	Avg. Bill Cases	\$7,470 4	10	10	10	\$20,375 9
Wm Boo Dirio		5.0	6.9	6.6	5.4	
Wm Bee Ririe	Avg. LOS Avg. Bill	\$10,734	\$13.119	\$13.159	\$14.000	5.2 \$14,825
TOTAL	Avy. Bill	. ,		,	, ,	\$14,825
AVG. LOS		143 7.7	107 6.1	114 6.1	82 5.5	
						6.5 \$10.056
AVG. BILL		\$16,875	\$14,147	\$15,076	\$14,432	\$19,956 705
ALL COUNTE		1642	974	869	834	795
ALL COUNTIES	5	8.4	8.8	9.1	9.9	9.6
		\$23,895	\$26,107	\$29,268	\$35,875	\$37,649


DRG 088: CHRONIC OBSTRUCTIVE PULMONARY DISEASE


Chronic obstructive pulmonary disease (COPD) includes such conditions as emphysema, chronic bronchitis, and chronic airway obstructions. condition strikes a large number of Nevadans, more women than men, with 2406 discharges for women and 1619 for men during 2001. Female patients remained in the hospital a longer time than men during each of the five reporting years, but the average billed charges were more similar, within a few dollars of each other in 2001. As with many of the DRG's covered in this report, COPD affects older Nevadans more than younger. In 2001, 62.1 percent of discharged patients were 65 and older and another 30.6 percent were in the age range 50 through 64. Billed charges and ALOS were very similar across the top four age groups for the five years.

More than 3 out of 4 discharges were in Clark County, with Sunrise Hospital's 622 leading the county and the State. Washoe Medical Center had the highest patient count in Washoe County, accounting for 54 percent of that county's discharges. In the rural sector of Nevada, Carson-Tahoe Hospital accounted for 192 of the region's 407 discharges, with Northeastern coming in second with 51 patient discharges. Churchill Hospital discharged 38 COPD patients, down slightly from the 41 cases treated in 1997.

CENDED		4007	4000	4000	0000	0004
GENDER	-	1997	1998	1999	2000	2001
	Cases	2,297	2,515	2,872	2,377	2,406
Female	Avg LOS	5.1	5.0	5.0	4.7	4.8
	Avg Bills	\$13,316	\$13,762	\$14,272	\$14,948	\$16,461
	Cases	1,585	1,696	1,984	1,602	1,619
Male	Avg LOS	4.7	4.6	4.4	4.5	4.6
	Avg Bills	\$12,881	\$13,066	\$13,499	\$14,733	\$16,424
AGE GROU	IP	1997	1998	1999	2000	2001
	Cases	7	10	8	7	3
Age 0-17	Avg LOS	1.9	2.7	3.4	2.9	1.0
	Avg Bills	\$4,694	\$6,642	\$7,806	\$8,669	\$3,480
	Cases	46	38	27	27	30
Age 18-35	Avg LOS	4.9	3.4	3.4	3.7	3.8
	Avg Bills	\$13,632	\$10,062	\$10,117	\$11,765	\$14,060
	Cases	244	254	294	268	260
Age 36-49	Avg LOS	4.2	4.2	4.5	4.8	4.3
	Avg Bills	\$11,765	\$12,682	\$13,769	\$15,429	\$15,789
	Cases	1,006	1,173	1,374	1,134	1,233
Age 50-64	Avg LOS	4.9	4.7	4.6	4.5	4.5
	Avg Bills	\$13,480	\$13,589	\$14,207	\$15,004	\$16,244
	Cases	2,579	2,736	3,153	2,543	2,499
Age 65 +	Avg LOS	5.0	4.9	4.8	4.7	4.8
	Avg Bills	\$13,149	\$13,583	\$13,913	\$14,788	\$16,658
TOTAL		3,882	4,211	4,856	3,979	4,025
AVG. LOS		4.9	4.8	4.7	4.6	4.7
AVG. BILL		\$13,138	\$13,482	\$13,956	\$14,861	\$16,446







DRG 088: CHRONIC OBSTRUCTIVE PULMONARY DISEASE

COUNTY		С	ALENDA	R YEARS	S	
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	38	20	50	38	48
Boulder City	Avg. LOS	4.7	4.0	4.6	5.2	4.9
	Avg. Bill	\$8,602	\$9,572	\$10,915	\$12,207	\$11,243
	Cases	531	529	545	376	342
Desert Springs	Avg. LOS	5.1	4.9	4.8	4.5	4.4
	Avg. Bill	\$14,827	\$15,990	\$15,738	\$16,100	\$17,207
	Cases	291	271	369	312	275
Lake Mead	Avg. LOS	5.6	5.2	5.6	4.8	5.4
	Avg. Bill	\$14,280	\$14,267	\$17,666	\$20,652	\$24,790
	Cases	270	306	331	301	362
Mountain View	Avg. LOS	5.1	5.0	5.0	4.7	4.8
	Avg. Bill	\$15,229	\$15,792	\$16,139	\$15,079	\$16,606
	Cases	212	248	228	205	207
St. Rose Domin	Avg. LOS	4.7	4.5	4.1	5.0	4.4
	Avg. Bill	\$13,801	\$13,597	\$12,871	\$16,752	\$15,975
	Cases	0	0	0	51	221
St. Rose Siena	Avg. LOS	0.0	0.0	0.0	5.0	4.9
	Avg. Bill	\$0	\$0	\$0	\$15,446	\$17,313
	Cases	15	121	289	187	200
Summerlin	Avg. LOS	3.5	5.5	4.8	4.3	4.8
	Avg. Bill	\$9,108	\$14,704	\$14,629	\$15,172	\$18,171
	Cases	789	745	853	656	622
Sunrise	Avg. LOS	5.5	5.4	5.2	5.1	5.0
	Avg. Bill	\$16,268	\$16,621	\$16,058	\$17,790	\$19,875
	Cases	299	452	507	362	371
University Med.	Avg. LOS	4.0	4.2	4.1	4.2	4.4
	Avg. Bill	\$9,244	\$10,042	\$10,285	\$10,972	\$12,229
	Cases	634	588	637	465	381
Valley Hospital	Avg. LOS	5.0	4.8	5.1	5.0	4.9
	Avg. Bill	\$13,320	\$14,102	\$16,096	\$16,803	\$19,381
TOTAL		3,079	3,280	3,809	2,953	3,029
AVG. LOS		5.1	4.9	4.9	4.8	4.8
AVG. BILL		\$14,152	\$14,547	\$15,046	\$16,259	\$17,928
WASHOE						
	Cases	0	0	1	1	0
Incline Village	Avg. LOS	0.0	0.0	1.0	4.0	0.0
	Avg. Bill	\$0	\$0	\$3,577	\$5,128	\$0
	Cases	49	79	91	96	82
Northern NV	Avg. LOS	3.9	4.0	3.9	4.4	4.5
	Avg. Bill	\$8,836	\$8,884	\$9,295	\$10,941	\$11,846
	Cases	147	182	191	184	188
St. Mary's	Avg. LOS	5.4	5.5	4.7	4.5	4.6
	Avg. Bill	\$12,544	\$12,945	\$12,169	\$14,336	\$15,211
	Cases	253	306	312	322	319
Washoe Med.	Avg. LOS	5.0	4.6	5.1	4.9	5.0
	Avg. Bill	\$10,051	\$10,277	\$11,910	\$11,987	\$13,231
TOTAL		449	567	595	603	589
AVG. LOS		5.0	4.8	4.8	4.7	4.8
AVG. BILL		\$10,735	\$10,939	\$11,579	\$12,526	\$13,670

COUNTY						
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	2	5	0	3	1
Battle Mtn.	Avg. LOS	2.0	3.8	0.0	2.7	11.0
	Avg. Bill	\$6,269	\$6,252	\$0	\$3,866	\$10,843
	Cases	207	223	246	203	192
Carson Tahoe	Avg. LOS	3.5	3.8	3.7	3.3	3.4
	Avg. Bill	\$7,637	\$8,427	\$9,035	\$8,608	\$10,397
	Cases	41	32	39	50	38
Churchill	Avg. LOS	4.2	3.1	2.9	4.6	4.2
	Avg. Bill	\$9,334	\$8,287	\$8,282	\$11,850	\$12,723
	Cases	7	8	14	17	16
Grover C. Dils	Avg. LOS	3.3	3.9	3.9	3.1	3.3
0.0.0.	Avg. Bill	\$4,701	\$5,958	\$5,798	\$4,282	\$4,821
	Cases	10	10	17	11	19
Humboldt Gen.		2.3	4.0	3.3	4.6	3.9
	Avg. Bill	\$4,671	\$6,931	\$6,131	\$5,812	\$6,167
	Cases	18	10	14	9	11
Mt. Grant	Avg. LOS	4.2	4.3	4.6	4.4	3.2
Grant	Avg. Bill	\$8,223	\$7,988	\$9,922	\$8,693	\$8,582
	Cases	33	30	31	50	51
Northeastern	Avg. LOS	3.0	3.3	2.4	3.4	3.1
	Avg. Bill	\$5,430	\$6,073	\$5,483	\$8,757	\$9,230
	Cases	11	18	15	20	19
Nye General	Avg. LOS	4.1	3.8	2.7	2.5	4.4
.,,	Avg. Bill	\$8,444	\$7,446	\$6,094	\$4,797	\$9,140
	Cases	2	2	11	20	14
Pershing	Avg. LOS	3.0	9.5	2.5	4.2	3.2
3	Avg. Bill	\$4,530	\$6,243	\$4,901	\$7,234	\$6,151
	Cases	17	12	27	11	20
South Lyon	Avg. LOS	3.4	3.3	3.0	4.1	3.8
,	Avg. Bill	\$4,480	\$5,013	\$5,135	\$6,786	\$6,095
	Cases	6	14	38	29	26
Wm Bee Ririe	Avg. LOS	4.7	3.6	2.8	3.2	3.1
	Avg. Bill	\$7,955	\$6,766	\$6,482	\$8,485	\$7,980
TOTAL		354	364	452	423	407
AVG. LOS		3.6	3.7	3.4	3.5	3.5
AVG. BILL		\$7,369	\$7,847	\$7,898	\$8,429	\$9,433
		3,882	4,211	4,856	3,979	4,025
ALL COUNTIES	S	4.9	4.8	4.7	4.6	4.7
		\$13,138	\$13,482	\$13,956	\$14,861	\$16,446


DRG 089: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC


This DRG includes viral, streptococcal, adenoviral, and bacterial pneumonia and related conditions. Of the 4071 cases treated in 2001, 2672 or about 66 percent were of patients 65 and older, and another 20 percent -- 808 patients -- were in the age range 50 through 64. Women consistently outnumbered men by small amounts over the five year period. Women remained in the hospital about a half day longer than men, year by year, although billed charges were not significantly different.


Washoe County hospitals discharged 704 patients during 2001, keeping their patients an average of 5.3 to 5.8 days over the five year period, in contrast to lower rural ALOS. In Clark County, 2719 DRG 089 patients were discharged in 2001, up about 335 cases over five years. Average length of hospital stay was similar to Washoe County's, while Clark County's average billed charges were significantly higher, year by year.

Sunrise Hospital was the discharge leader statewide with 544 patients, followed by Mountain View Hospital and University Medical Center with 365 discharges each, and St. Mary's with 316 in 2001, down by 40 percent since 1997. Desert Springs Hospital, Sunrise Hospital, and especially Valley Hospital decreased patient counts over five years. Among rural facilities, Carson-Tahoe Hospial was the discharge leader in 2001, with Churchill and Northeastern discharging 100 patients or more.

GENDER		1997	1998	1999	2000	2001
	Cases	1,880	2,103	2,323	2,018	2,116
Female	Avg. LOS	5.6	5.7	5.6	5.6	5.4
	Avg. Bill	\$14,473	\$15,357	\$16,070	\$17,739	\$18,896
	Cases	1,707	2,005	2,142	1,899	1,955
Male	Avg. LOS	5.2	5.3	5.0	5.2	5.1
	Avg. Bill	\$14,157	\$15,054	\$15,091	\$17,417	\$19,203
AGE GROU	IP	1997	1998	1999	2000	2001
	Cases	0	0	0	0	0
Age 0-17	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg Bills	\$0	\$0	\$0	\$0	\$0
	Cases	167	170	179	148	160
Age 18-35	Avg. LOS	4.6	4.3	4.6	4.4	4.6
	Avg. Bill	\$14,328	\$13,099	\$13,166	\$15,174	\$17,378
	Cases	330	338	431	371	431
Age 36-49	Avg. LOS	4.8	4.7	4.5	5.1	4.8
	Avg. Bill	\$13,525	\$14,132	\$13,899	\$17,107	\$17,920
	Cases	666	836	895	766	808
Age 50-64	Avg. LOS	5.1	5.3	5.1	5.1	5.2
	Avg. Bill	\$14,518	\$15,334	\$16,248	\$17,556	\$20,078
	Cases	2,424	2,765	2,960	2,632	2,672
Age 65 +	Avg. LOS	5.6	5.7	5.6	5.6	5.4
	Avg. Bill	\$14,377	\$15,437	\$15,799	\$17,793	\$19,011
TOTAL		3,587	4,109	4,465	3,917	4,071
AVG. LOS		5.4	5.5	5.3	5.4	5.3
AVG. BILL		\$14,323	\$15,212	\$15,600	\$17,583	\$19,043







DRG 089: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC

COUNTY		С				
NAME		1997		1999	2000	2001
CLARK						
	Cases	50	60	80	60	60
Boulder City	Avg. LOS	5.7	4.7	6.0	5.7	6.0
	Avg. Bill	\$10,777	\$10,933	\$12,908	\$14,109	\$15,157
	Cases	301	384	401	270	241
Desert Springs	Avg. LOS	5.2	6.0	5.7	5.9	5.4
	Avg. Bill	\$14,757	\$17,854	\$17,609	\$19,911	\$21,193
	Cases	155	186	215	194	194
Lake Mead	Avg. LOS	6.2	5.3	5.4	5.6	5.5
	Avg. Bill	\$16,312	\$15,638	\$19,203	\$25,483	\$28,532
	Cases	237	268	346	298	365
Mountain View	Avg. LOS	6.0	5.3	4.9	5.3	5.2
	Avg. Bill	\$18,039	\$17,911	\$16,954	\$18,990	\$19,299
	Cases	201	234	232	172	195
St. Rose Domin.		5.1	5.2	5.3	6.2	5.9
	Avg. Bill	\$13,759		\$17,063	\$20,775	\$21,606
	Cases	0	0	0	41	184
St. Rose Siena		0.0	0.0	0.0	5.4	4.9
	Avg. Bill	\$0	\$0	\$0	\$17,104	\$18,811
	Cases	20	131	237	281	278
Summerlin	Avg. LOS	4.4	6.8	5.3	5.4	5.3
Guillileilli	Avg. Bill	\$12,737			\$19,935	\$22,508
	Cases	694	655	604	596	544
Sunrise	Avg. LOS	5.7	5.9	6.1	6.0	5.8
Cumisc	Avg. Bill	\$17,762		\$20,777	\$22,067	\$23,872
	Cases	240	469	514	400	365
University Med.		4.5	4.9	5.0	5.1	5.2
Oniversity wied.	Avg. Bill	\$11,308		\$13,559	\$14,258	\$15,525
	Cases	486	430	393	378	293
Valley Hospital	Avg. LOS	5.8	6.2	5.5	5.9	5.7
valicy 1103pital	Avg. Bill	\$16,333		\$18,019	\$20,966	\$22,043
TOTAL	7 tvg. Dill	2,384	2,817	3,022	2,690	2,719
AVG. LOS		5.5	5.7	5.5	5.7	5.5
AVG. EGG AVG. BILL		\$15,849				\$21,199
WASHOE		ψ10,049	ψ10,304	Ψ17,707	ψ19,002	Ψ21,199
WAGIIGE	Cases	7	9	5	6	3
Incline Village	Avg. LOS	2.7	4.3	4.0	2.7	4.7
mome village	Avg. E03 Avg. Bill	\$5,581	\$8,602	\$8,216	\$5,571	\$9,704
	Cases	58	74	85	78	76
Northern NV	Avg. LOS		4.8	4.8	4.4	3.7
Northerninv	Avg. E03	3.7	\$11,244	\$11,720		\$10,657
	_	\$8,666			\$12,870	
St. Mary's	Cases	282	239	296	245	316
	Avg. LOS	5.5	6.0	5.8	6.0	5.8
	Avg. Bill	\$13,610	\$14,424	\$14,935	\$17,554	\$20,456
\\(\lamba\)	Cases	359	361	362	287	309
Washoe Med.	Avg. LOS	5.9	5.8	5.5	5.4	5.2
TOTAL	Avg. Bill	\$12,879	\$12,604	\$13,108	\$13,851	\$15,060
TOTAL		706	683	748	616	704
AVG. DUL		5.6	5.8	5.5	5.5	5.3
AVG. BILL		\$12,752	\$13,040	\$13,641	\$15,119	\$16,984


COUNTY			ALENDA	D VEADS		
NAME		1997	1998	1999	2000	2001
RURAL		1331	1990	1333	2000	2001
KOKAL	Cases	10	11	13	10	6
Battle Mtn.	Avg. LOS	4.1	4.4	3.4	4.0	4.0
Dattie Mitti.	"	\$5,727	\$5,501	\$4,615	\$5,537	\$5,943
	Avg. Bill Cases	171	254	289	274	280
Caroon Tohoo		4.3	4.3	4.3	4.2	4.2
Carson Tahoe	"				\$11,010	
	Avg. Bill	\$9,465	\$9,709	\$10,724 140		\$12,346
Ohah:II	Cases	121	138		112	134
Churchill	Avg. LOS	5.2	4.8	5.3	4.3	4.6
	Avg. Bill	\$11,474	\$12,005	\$11,337	\$11,282	\$14,436
0 0 0''	Cases	9	12	8	13	7
Grover C. Dils	"	4.6	3.5	4.3	3.8	4.3
	Avg. Bill	\$7,060	\$5,742	\$6,212	\$5,588	\$6,020
	Cases	12	21	35	14	18
Humboldt Gen.	Avg. LOS	6.5	5.0	4.5	2.8	4.8
	Avg. Bill	\$8,566	\$8,429	\$7,265	\$4,034	\$6,990
	Cases	19	28	22	13	15
Mt. Grant	Avg. LOS	4.4	5.1	4.5	3.8	5.9
	Avg. Bill	\$7,884	\$8,951	\$8,842	\$7,944	\$14,126
	Cases	89	73	80	89	100
Northeastern	Avg. LOS	4.3	3.8	3.9	4.3	4.7
	Avg. Bill	\$7,392	\$7,028	\$8,595	\$9,628	\$13,801
	Cases	34	12	25	35	28
Nye General	Avg. LOS	5.1	4.8	3.8	3.9	3.1
	Avg. Bill	\$10,639	\$9,996	\$8,311	\$6,850	\$6,465
	Cases	2	12	17	8	15
Pershing	Avg. LOS	3.0	4.9	8.5	2.9	3.8
	Avg. Bill	\$3,347	\$7,248	\$7,222	\$6,025	\$6,964
	Cases	9	15	24	17	17
South Lyon	Avg. LOS	3.1	4.9	3.8	3.9	4.8
	Avg. Bill	\$4,112	\$6,727	\$5,586	\$6,636	\$7,802
	Cases	21	33	42	26	28
Wm Bee Ririe	Avg. LOS	4.3	3.9	3.8	4.0	4.9
	Avg. Bill	\$6,943	\$7,711	\$8,785	\$9,675	\$11,579
TOTAL		497	609	695	611	648
AVG. LOS		4.6	4.4	4.5	4.1	4.4
AVG. BILL		\$9,234	\$9,450	\$9,735	\$9,947	\$12,236
		3,587	4,109	4,465	3,917	4,071
ALL COUNTIE	S	5.4	5.5	5.3	5.4	5.3
		\$14,323	\$15,212	\$15,600	\$17,583	\$19,043


DRG 098: BRONCHITIS & ASTHMA AGE 0-17


Pediatric patients diagnosed with whooping cough, acute bronchitis, asthma, and related problems are classified under DRG 098. Discharge counts for this disease category fluctuated somewhat between 1997 and 2001, ending the period with 1691 discharges. Note that male patients far outnumbered females in each of the five reporting years, with the gap closing somewhat by 2001. On the other hand, average billed charges for females were higher during the first four years covered in this report, due to males having shorter average length of stays.

Clark County hospitals discharged 1305 patients in 2001, down slightly from 1997 and representing 77 percent of the State's total. Washoe County and rural hospitals discharged 260 patients and 126 patients, respectively. Sunrise Hospital and University Medical Center were nearly tied in terms of which discharged the most pediatric patients during 2001: 540 and 535 Washoe respectively. County hospitals substantially more than Clark County facilities over most of the five year period, reflecting the former's slightly longer average length of stays. Carson-Tahoe's and Churchill's Hospitals were the discharge leaders in the rural sector, their combined total representing 4.9 of the state's 2001 discharges.

GENDER		1997	1998	1999	2000	2001
	Cases	693	568	680	738	733
Female	Avg. LOS	3.0	3.0	2.9	3.1	2.8
	Avg. Bill	\$6,045	\$5,792	\$6,033	\$7,253	\$7,413
	Cases	1042	964	1,081	1,089	958
Male	Avg. LOS	2.8	2.8	2.6	2.7	2.9
	Avg. Bill	\$5,594	\$5,503	\$5,842	\$6,710	\$7,592
AGE GRO	UP	1997	1998	1999	2000	2001
	Cases	1,735	1,532	1,761	1,827	1,691
Age 0-17	Avg. LOS	2.9	2.8	2.7	2.8	2.9
	Avg. Bill	\$5,774	\$5,610	\$5,915	\$6,929	\$7,514
	Cases	0	0	0	0	0
Age 18-35	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Age 36-49	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Age 50-64	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Age 65 +	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
TOTAL		1,735	1,532	1,761	1,827	1,691
AVG. LOS		2.9	2.8	2.7	2.8	2.9
AVG. BILL		\$5,774	\$5,610	\$5,915	\$6,929	\$7,514







DRG 098: BRONCHITIS & ASTHMA AGE 0-17

COUNTY	C.A	LENDA	R YEAR	S		
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	2	0	2	1	0
Boulder City	Avg. LOS	1.0	0.0	1.0	1.0	0.0
	Avg. Bill	\$2,055	\$0	\$3,077	\$2,632	\$0
	Cases	5	6	4	0	1
Desert Springs	Avg. LOS	1.2	1.5	1.5	0.0	2.0
	Avg. Bill	\$4,441	\$3,424	\$5,394	\$0	\$9,537
	Cases	52	46	42	44	16
Lake Mead	Avg. LOS	2.4	2.4	2.5	2.0	2.4
	Avg. Bill	\$5,372	\$5,402	\$8,158	\$7,412	\$9,754
	Cases	5	2	4	2	3
Mountain View	Avg. LOS	3.4	2.0	1.5	2.5	1.7
	Avg. Bill	\$9,178	\$4,839	\$4,115	\$4,839	\$3,188
	Cases	42	53	66	70	7
St. Rose Domin	Avg. LOS	2.2	1.9	2.5	2.3	3.0
	Avg. Bill	\$5,411	\$4,497	\$6,557	\$6,129	\$8,563
	Cases	0	0	0	15	108
St. Rose Siena	Avg. LOS	0.0	0.0	0.0	2.0	2.5
	Avg. Bill	\$0	\$0	\$0	\$4,324	\$5,625
	Cases	5	29	104	129	94
Summerlin	Avg. LOS	2.6	2.8	2.9	2.8	3.0
	Avg. Bill	\$3,377	\$6,396	\$6,019	\$7,327	\$7,439
Sunrise	Cases	601	504	647	679	540
	Avg. LOS	3.0	2.8	2.6	2.7	2.8
	Avg. Bill	\$6,278	\$5,875	\$6,033	\$7,108	\$8,950
	Cases	552	471	513	461	535
University Med.	Avg. LOS	3.2	3.0	2.8	3.1	2.9
	Avg. Bill	\$5,753	\$5,301	\$5,622	\$6,719	\$6,341
	Cases	89	52	48	5	1
Valley Hospital	Avg. LOS	2.1	2.7	2.4	2.6	2.0
	Avg. Bill	\$4,837	\$6,481	\$6,296	\$4,970	\$7,018
TOTAL		1,353	1,163	1,430	1,406	1,305
AVG. LOS		2.9	2.8	2.7	2.8	2.8
AVG. BILL		\$5,894	\$5,587	\$5,969	\$6,917	\$7,490
WASHOE						
	Cases	0	0	0	1	1
Incline Village	Avg. LOS	0.0	0.0	0.0	2.0	1.0
	Avg. Bill	\$0	\$0	\$0	\$3,117	\$1,858
	Cases	4	3	3	8	10
Northern NV	Avg. LOS	3.3	3.0	2.0	2.4	2.2
	Avg. Bill	\$4,802	\$6,148	\$4,199	\$4,304	\$4,112
	Cases	70	60	69	93	76
St. Mary's	Avg. LOS	2.4	2.3	2.6	2.7	2.7
	Avg. Bill	\$4,699	\$4,531	\$5,608	\$7,246	\$7,985
Washoe Med.	Cases	176	157	114	166	173
	Avg. LOS	3.1	3.4	3.5	3.7	3.6
	Avg. Bill	\$6,368	\$7,475	\$8,181	\$9,587	\$9,953
TOTAL		250	220	186	268	260
AVG. LOS		2.9	3.1	3.2	3.3	3.3
AVG. BILL		\$5,876	\$6,654	\$7,163	\$8,593	\$9,122


COUNTY		C				
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	5	2	1	4
Battle Mtn.	Avg. LOS	0.0	2.6	3.0	2.0	2.8
	Avg. Bill	\$0	\$3,785	\$5,075	\$2,457	\$3,682
	Cases	53	61	53	63	58
Carson Tahoe	Avg. LOS	2.2	2.6	4.6	2.3	2.7
	Avg. Bill	\$4,073	\$4,539	\$4,224	\$4,072	\$4,538
	Cases	38	20	15	11	25
Churchill	Avg. LOS	2.0	2.2	1.3	1.9	2.3
	Avg. Bill	\$4,751	\$4,633	\$2,895	\$4,331	\$5,180
	Cases	1	4	2	0	3
Grover C. Dils	Avg. LOS	2.0	1.5	1.5	0.0	2.0
	Avg. Bill	\$2,263	\$2,213	\$3,297	\$0	\$2,761
	Cases	5	6	25	11	5
Humboldt Gen.	Avg. LOS	4.8	2.2	1.9	3.0	2.0
	Avg. Bill	\$5,550	\$3,365	\$4,045	\$4,495	\$2,761
	Cases	2	2	3	4	2
Mt. Grant	Avg. LOS	1.5	3.5	1.3	2.0	2.0
	Avg. Bill	\$3,308	\$5,296	\$2,360	\$1,883	\$3,750
	Cases	23	42	23	48	20
Northeastern	Avg. LOS	3.7	2.8	1.8	2.3	2.0
	Avg. Bill	\$4,839	\$3,884	\$2,918	\$3,826	\$4,213
	Cases	1	0	0	1	2
Nye General	Avg. LOS	3.0	0.0	0.0	1.0	3.5
	Avg. Bill	\$4,683	\$0	\$0	\$1,365	\$5,746
	Cases	1	0	1	0	1
Pershing	Avg. LOS	3.0	0.0	1.0	0.0	2.0
	Avg. Bill	\$4,230	\$0	\$1,092	\$0	\$2,778
	Cases	2	2	1	1	1
South Lyon	Avg. LOS	1.5	1.5	1.0	1.0	1.0
	Avg. Bill	\$1,660	\$2,116	\$1,736	\$2,447	\$1,777
Wm Bee Ririe	Cases	6	7	20	13	5
	Avg. LOS	1.5	4.6	2.0	2.2	2.0
	Avg. Bill	\$2,935	\$5,457	\$4,360	\$6,176	\$4,676
TOTAL		132	149	145	153	126
AVG. LOS		2.5	2.6	2.8	2.3	2.4
AVG. BILL		\$4,350	\$4,252	\$3,789	\$4,126	\$4,450
		1,735	1,532	1,761	1,827	1,691
ALL COUNTIES		2.9	2.8	2.7	2.8	2.9
		\$5,774	\$5,610	\$5,915	\$6,929	\$7,514


DRG 110: MAJOR CARDIOVASCULAR PROCEDURES W CC


For the five year period of this report, male patients outnumbered females by two to one, undergoing cardiovascular procedures such as closed valvotomies of the aorta and mitral valves and implantation of cardiac stimulators. There was two to one ratio of male to female patients across all five reporting years. Average lengths of hospital stays and average billed charges were similar across all five years. Ninety percent of DRG 110 patients were age 50 and older in 2001, a pattern repeated across the five reporting years.

Only 22 of these procedures were performed in rural hospital facilities, with 16 at Carson-Tahoe Hospital. Among the urban facilities, Clark County hospitals performed 718 such surgeries during 2001, 77 percent of the state's total. Clark county's average length of hospital stays was consistently higher than Washoe County's, peaking at 9.8 hospital days in 2000. Of the 189 patients discharged from Washoe County hospitals, 103 or 54.5 percent were from Washoe Medical Center. Northern Nevada Hospital had 28 discharges and St. Mary's Hospital had 58 during the year 2001, the former up and the latter down during the five year period. Average billed charges were substantially lower in Washoe County in contrast to Clark, due partly to lower average lengths of hospital stays in the former county, especially during 2000 and 2001.

GENDER		1997	1998	1999	2000	2001
	Cases	324	300	256	290	308
Female	Avg. LOS	8.9	9.1	8.9	9.5	9.3
	Avg. Bill	\$53,994	\$58,620	\$62,151	\$67,499	\$74,950
	Cases	654	602	602	615	621
Male	Avg. LOS	7.9	8.8	8.6	8.9	8.4
	Avg. Bill	\$54,627	\$59,623	\$66,571	\$72,747	\$78,996
AGE GRO	UP	1997	1998	1999	2000	2001
	Cases	26	21	11	29	22
Age 0-17	Avg LOS	14.6	12.6	23.3	15.0	13.5
	Avg Bills	\$65,661	\$64,715	\$108,498	\$74,832	\$93,311
	Cases	10	9	7	10	7
Age 18-35	Avg LOS	10.3	7.4	6.0	8.4	12.0
	Avg Bills	\$66,398	\$39,936	\$53,548	\$54,383	\$135,620
	Cases	74	53	62	47	64
Age 36-49	Avg LOS	6.8	7.9	7.0	7.5	7.4
	Avg Bills	\$46,750	\$56,236	\$61,517	\$66,585	\$72,041
	Cases	278	261	241	257	271
Age 50-64	Avg LOS	7.8	8.2	8.5	8.5	8.4
	Avg Bills	\$54,186	\$58,354	\$65,017	\$69,075	\$74,993
	Cases	590	558	537	562	565
Age 65 +	Avg LOS	8.3	9.2	8.8	9.2	8.7
	Avg Bills	\$54,790	\$60,125	\$65,056	\$72,453	\$78,239
TOTAL		978	902	858	905	929
AVG. LOS		8.3	8.9	8.7	9.1	8.7
AVG. BILL		\$54,417	\$59,289	\$65,252	\$71,065	\$77,654







DRG 110: MAJOR CARDIOVASCULAR PROCEDURES W CC

COLINEY			A1 = 145-	D VE-		
COUNTY	CALENDAR YEARS					
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	0	0	0	0	0
Boulder City	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	198	196	151	102	117
Desert Springs	Avg. LOS	7.9	8.5	8.9	8.7	7.9
	Avg. Bill	\$53,043	\$56,745	\$59,431	\$62,847	\$78,964
	Cases	13	4	8	8	17
Lake Mead	Avg. LOS	8.2	10.0	8.1	9.1	8.0
	Avg. Bill	\$55,026	\$55,823	\$66,153	\$94,528	\$106,820
	Cases	41	41	42	35	65
Mountain View	Avg. LOS	6.8	8.7	8.1	8.0	9.0
	Avg. Bill	\$49,287	\$60,475	\$63,421	\$66,608	\$63,476
	Cases	21	19	31	19	20
St. Rose Domin.	Avg. LOS	7.0	6.6	6.7	6.8	8.4
	Avg. Bill	\$55,440	\$43,785	\$51,249	\$57,881	\$74,995
	Cases	0	0	0	6	34
St. Rose Siena	Avg. LOS	0.0	0.0	0.0	8.7	7.8
	Avg. Bill	\$0	\$0	\$0	\$85,418	\$75,021
	Cases	1	4	12	15	32
Summerlin	Avg. LOS	6.0	3.3	4.3	6.7	7.4
	Avg. Bill	\$16,566	\$34,744	\$40,979	\$55,780	\$71,361
	Cases	213	211	202	245	221
Sunrise	Avg. LOS	8.5	9.0	9.8	9.7	9.1
	Avg. Bill	\$57,793	\$59,166	\$74,516	\$76,840	\$79,449
	Cases	113	98	86	108	101
University Med.	Avg. LOS	9.4	10.6	9.8	12.1	10.9
	Avg. Bill	\$56,178	\$57,541	\$64,877	\$80,237	\$79,685
	Cases	151	124	117	120	111
Valley Hospital	Avg. LOS	8.8	9.2	8.8	10.1	9.2
	Avg. Bill	\$62,212	\$73,619	\$75,672	\$85,713	\$103,720
TOTAL		751	697	649	658	718
AVG. LOS		8.4	9.0	9.0	9.8	9.0
AVG. BILL		\$56,553	\$60,326	\$67,385	\$75,568	\$81,663
WASHOE	_					
	Cases	0	0	0	0	0
Incline Village	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	12	14	19	18	28
Northern NV	Avg. LOS	8.6	8.9	7.1	6.7	6.9
	Avg. Bill	\$49,205	\$56,437	\$51,351	\$47,906	\$50,130
St. Mary's	Cases	73	54	65	84	58
	Avg. LOS	8.7	8.5	8.0	7.3	8.2
	Avg. Bill	\$51,735	\$56,032	\$61,289	\$66,400	\$78,269
	Cases	106	98	95	120	103
Washoe Med.	Avg. LOS	7.5	9.2	8.2	7.9	8.0
	Avg. Bill	\$47,628	\$63,712	\$64,070	\$60,279	\$64,397
TOTAL		191	166	179	222	189
AVG. LOS		8.0	9.0	8.0	7.6	7.9
AVG. BILL		\$49,297	\$60,600	\$61,710	\$61,592	\$66,540


COUNTY						
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	0	0
Battle Mtn.	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	34	34	25	22	16
Carson Tahoe	Avg. LOS	6.2	6.3	6.1	4.9	5.1
	Avg. Bill	\$37,180	\$36,046	\$38,588	\$36,584	\$42,118
	Cases	2	1	0	0	0
Churchill	Avg. LOS	10.0	7.0	0.0	0.0	0.0
	Avg. Bill	\$34,488	\$56,921	\$0	\$0	\$0
	Cases	0	0	0	0	0
Grover C. Dils	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	1
Humboldt Gen.	Avg. LOS	0.0	0.0	0.0	0.0	10.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$33,158
	Cases	0	0	0	0	0
Mt. Grant	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	4	5	3	5
Northeastern	Avg. LOS	0.0	6.3	6.6	6.7	10.6
	Avg. Bill	\$0	\$22,333	\$48,594	\$37,363	\$44,725
	Cases	0	0	0	0	0
Nye General	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Pershing	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
Wm Bee Ririe	Cases	0	0	0	0	0
	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
TOTAL		36	39	30	25	22
AVG. LOS		6.4	6.3	6.2	5.1	6.6
AVG. BILL		\$37,031	\$35,175	\$40,255	\$36,677	\$42,303
		978	902	858	905	929
ALL COUNTIES		8.3	8.9	8.7	9.1	8.7
		\$54,417	\$59,289	\$65,252	\$71,065	\$77,654


DRG 116: OTHER PERMANENT CARDIAC PACEMAKER IMPLANT


In order to assign this DRG, there must be two surgical procedures in combination, inserting leads into the heart or replacing leads already there. Of the 3837 discharges during 2001, just over 90 percent were age 50 and older, with the bulk of the remainder in the age range 36 through 49. Note that male patients outnumbered females around two to one across the five reporting years. Average length of hospital stays were consistently higher for women, with average billed charges also higher for women during four of the five reporting years.

Patient discharges by region of Nevada followed closely the demographics of the state, with the exception of rural facilities, only one of which -- Carson-Tahoe Hospital -- having any DRG 116 patients in 2001. Three Clark County hospitals -- Sunrise, Desert Springs, and Valley -- had discharge counts above 500 during 2001, with all three down sharply from 2000. In Washoe County, St. Mary's Hospital discharged 396 patients in 2001, up slightly from 2000, while Washoe Medical Center's discharges over the same period declined sharply. Average length of hospitals stays and average billed charges were quite similar between Clark and Washoe County facilities, with the one exception of Valley Hospital's average billing of \$51,947 in 2001, up 31.5 percent over five years.

	1997	1998	1999	2000	2001
Cases	475	1,245	1,274	1,621	1,280
Avg LOS	4.2	3.9	3.8	3.7	3.8
Avg Bills	\$31,153	\$33,022	\$32,955	\$35,022	\$39,220
Cases	811	2,556	2,716	3,181	2,557
Avg LOS	3.6	3.2	3.2	3.1	3.1
Avg Bills	\$30,032	\$32,069	\$33,190	\$34,295	\$37,892
IP	1997	1998	1999	2000	2001
Cases	4	2	1	3	3
Avg LOS	2.8	3.5	1.0	1.3	1.0
Avg Bills	\$24,008	\$30,808	\$31,344	\$23,171	\$20,559
Cases	14	26	26	27	20
Avg LOS	3.9	3.5	2.9	3.3	3.0
Avg Bills	\$33,091	\$30,347	\$31,165	\$37,008	\$39,309
Cases	96	408	423	451	349
Avg LOS	3.1	3.2	2.9	3.0	2.9
Avg Bills	\$30,630	\$32,130	\$31,381	\$34,053	\$36,713
Cases	360	1,384	1,523	1,893	1,359
Avg LOS	3.7	3.1	3.1	2.9	3.1
Avg Bills	\$32,828	\$32,248	\$32,984	\$33,479	\$37,557
Cases	812	1,981	2,017	2,428	2,106
Avg LOS	4.0	3.7	3.8	3.7	3.6
Avg Bills	\$29,354	\$32,554	\$33,603	\$35,445	\$39,122
	1,286	3,801	3,990	4,802	3,837
	3.8	3.4	3.4	3.3	3.3
	\$30,446	\$32,381	\$33,115	\$34,540	\$38,335
	Avg LOS Avg Bills Cases Avg LOS Avg Bills P Cases Avg LOS Avg Bills	Cases 475 Avg LOS 4.2 Avg Bills \$31,153 Cases 811 Avg LOS 3.6 Avg Bills \$30,032 P 1997 Cases 4 Avg LOS 2.8 Avg Bills \$24,008 Cases 14 Avg LOS 3.9 Avg Bills \$33,091 Cases 96 Avg LOS 3.1 Avg Bills \$30,630 Cases 360 Avg LOS 3.7 Avg Bills \$32,828 Cases 812 Avg LOS 4.0 Avg Bills \$29,354	Cases 475 1,245 Avg LOS 4.2 3.9 Avg Bills \$31,153 \$33,022 Cases 811 2,556 Avg LOS 3.6 3.2 Avg Bills \$30,032 \$32,069 P 1997 1998 Cases 4 2 Avg LOS 2.8 3.5 Avg Bills \$24,008 \$30,808 Cases 14 26 Avg LOS 3.9 3.5 Avg Bills \$33,091 \$30,347 Cases 96 408 Avg LOS 3.1 3.2 Avg Bills \$30,630 \$32,130 Cases 360 1,384 Avg LOS 3.7 3.1 Avg Bills \$32,828 \$32,248 Cases 812 1,981 Avg LOS 4.0 3.7 Avg Bills \$29,354 \$32,554 1,286 3,801 3.8	Cases 475 1,245 1,274 Avg LOS 4.2 3.9 3.8 Avg Bills \$31,153 \$33,022 \$32,955 Cases 811 2,556 2,716 Avg LOS 3.6 3.2 3.2 Avg Bills \$30,032 \$32,069 \$33,190 P 1997 1998 1999 Cases 4 2 1 Avg LOS 2.8 3.5 1.0 Avg Bills \$24,008 \$30,808 \$31,344 Cases 14 26 26 Avg LOS 3.9 3.5 2.9 Avg Bills \$33,091 \$30,347 \$31,165 Cases 96 408 423 Avg LOS 3.1 3.2 2.9 Avg Bills \$30,630 \$32,130 \$31,381 Cases 360 1,384 1,523 Avg LOS 3.7 3.1 3.1 Avg Bills \$32,828	Cases 475 1,245 1,274 1,621 Avg LOS 4.2 3.9 3.8 3.7 Avg Bills \$31,153 \$33,022 \$32,955 \$35,022 Cases 811 2,556 2,716 3,181 Avg LOS 3.6 3.2 3.2 3.1 Avg Bills \$30,032 \$32,069 \$33,190 \$34,295 P 1997 1998 1999 2000 Cases 4 2 1 3 Avg LOS 2.8 3.5 1.0 1.3 Avg Bills \$24,008 \$30,808 \$31,344 \$23,171 Cases 14 26 26 27 Avg LOS 3.9 3.5 2.9 3.3 Avg Bills \$33,091 \$30,347 \$31,165 \$37,008 Cases 96 408 423 451 Avg LOS 3.1 3.2 2.9 3.0 Avg Bills \$30,630







DRG 116: OTHER PERMANENT CARDIAC PACEMAKER IMPLANT

COUNTY	C					
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	5	1	6	7	3
Boulder City	Avg. LOS	2.6	3.0	4.2	6.0	3.7
	Avg. Bill	\$22,046	\$28,625	\$31,240	\$42,397	\$23,200
	Cases	208	743	824	906	650
Desert Springs	Avg. LOS	3.3	3.1	2.9	2.8	3.0
	Avg. Bill	\$25,703	\$25,495	\$24,486	\$26,797	\$36,588
	Cases	10	5	7	16	12
Lake Mead	Avg. LOS	5.2	7.6	3.6	5.9	4.3
	Avg. Bill	\$31,319	\$37,810	\$30,311	\$52,455	\$43,257
	Cases	42	67	90	87	132
Mountain View		3.4	3.7	4.3	4.5	3.8
	Avg. Bill	\$20,415	\$30,552	\$35,118	\$32,815	\$32,527
	Cases	17	33	24	48	57
St. Rose Domin	Avg. LOS	3.8	4.2	4.1	4.1	5.1
	Avg. Bill	\$29,788	\$30,541	\$30,021	\$37,640	\$38,848
	Cases	0	0	0	22	248
St. Rose Siena	Ava. LOS	0.0	0.0	0.0	5.0	3.6
	Avg. Bill	\$0	\$0		\$43,817	
	Cases	0	13	67	101	93
Summerlin	Avg. LOS	0.0	5.4	4.6	4.5	3.9
	Avg. Bill				\$39,804	
	Cases	379	1,105	1,036	1,378	938
Sunrise	Avg. LOS	3.4	3.0	2.9	2.9	2.9
	Avg. Bill		\$31,197		\$36,646	\$36,790
	Cases	106	326	391	570	371
University Med.		4.9	4.6	3.9	3.9	4.1
	Avg. Bill			\$28,328		\$30,980
	Cases	253	771	718	791	501
Valley Hospital		4.3	3.6	3.9	3.7	3.7
,,	Avg. Bill		\$43,377		\$42,676	\$51,947
TOTAL		1,020	3,064	3,163	3,926	3,005
AVG. LOS		3.8	3.4	3.3	3.3	3.4
AVG. BILL					\$34.696	
WASHOE		400,000	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	400,200	70 1,000	700,000
	Cases	0	0	0	0	0
Incline Village	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	1	0	6	5	4
Northern NV	Avg. LOS	1.0	0.0	4.2	5.8	5.3
	Avg. Bill	\$12,872	\$0	\$28,241	\$35,028	\$53,206
	Cases	94	268	372	381	396
St. Mary's	Avg. LOS	4.0	3.7	3.7	3.6	3.1
	Avg. Bill	\$30.297		\$32,711	\$37,213	\$40,427
	Cases	144	441	417	449	377
Washoe Med.	Avg. LOS	4.1	3.6	3.6	3.3	3.5
	Avg. Bill	\$30,543		\$32,929	\$31,577	\$34,952
TOTAL	, .vg. Dill	239	709	795	835	777
AVG. LOS		4.0	3.6	3.6	3.4	3.3
AVG. EUS AVG. BILL		\$30,372		\$32,791		\$37,836
AVG. DILL		φυυ,372	φυ1,000	φυ∠,/91	φυ 4 , 109	φυ1,000


COUNTY			CALENDA	R YEARS	;	
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	0	0
Battle Mtn.	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	27	27	31	41	55
Carson Tahoe	Avg. LOS	4.2	4.1	4.0	3.1	2.9
	Avg. Bill	\$25,740	\$27,550	\$29,115	\$27,199	\$28,771
	Cases	0	0	0	0	0
Churchill	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Grover C. Dils	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Humboldt Gen.	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Mt. Grant	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	1	1	0	0
Northeastern	Avg. LOS	0.0	8.0	3.0	0.0	0.0
	Avg. Bill	\$0	\$39,724	\$21,340	\$0	\$0
	Cases	0	0	0	0	0
Nye General	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Pershing	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Wm Bee Ririe	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
TOTAL		27	28	32	41	55
AVG. LOS		4.2	4.2	4.0	3.1	2.9
AVG. BILL		\$25,740	\$27,985	\$28,872	\$27,199	\$28,771
		1,286	3,801	3,990	4,802	3,837
ALL COUNTIES	5	3.8	3.4	3.4	3.3	3.3
		\$30,446	\$32,381	\$33,115	\$34,540	\$38,335


DRG 122: CIRCULATORY DISORDERS W AMI W/O MAJOR COMP, DISCHARGED ALIVE


This DRG includes acute myocardial infarctions at different sites in the circulatory system, including anterior and interior walls. Male patients significantly outnumbered females; for example, in 1997, males represented 65 percent of discharges, and in 2001 that percentage dropped only to 62 percent. On the other hand, females remained in the hospital a longer period of time than men over five years, although billed charges were not significantly different year by year. Patients 50 years of age and older represented 86 percent of discharges in 2001; the percentage changed little over five reporting years. For patients 36 and older, average length of hospital stays increased with age for all five reporting years, but billed charges were not significantly different.

Patient discharges at St. Mary's Hospital and Washoe Medical Center were tied in 2001, and in third place statewide was Carson-Tahoe Hospital. In Clark County, Mountain View Hospital led all other facilities in 2001 discharges with 85, followed closely by St. Rose Dominican Hospital. Lake Mead Hospital posted the State's highest average billed charges at \$32,185 in 2001, followed at some distance by Valley Hospital with \$25,208. Among Reno hospitals, St. Mary's Hospital's average billed charges in 2001 was \$18,403, followed by Northern Nevada Hospital's \$16,261.

GENDER		1997	1998	1999	2000	2001
GENDER	Cases	332	323	313	386	406
FI-						
Female	Avg. LOS	4.3	3.9	4.0	4.2	3.9
	Avg. Bill	\$14,935	\$14,790	\$17,520	\$19,388	\$19,639
	Cases	614	647	659	635	660
Male	Avg. LOS	3.7	3.6	3.5	3.7	3.5
	Avg. Bill	\$14,722	\$14,968	\$16,332	\$19,044	\$20,968
GENDER		1997	1998	1999	2000	2001
	Cases	1	0	0	0	0
Age 0-17	Avg. LOS	4.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$6,514	\$0	\$0	\$0	\$0
	Cases	15	12	13	17	17
Age 18-35	Avg. LOS	4.3	2.9	2.2	3.2	3.4
	Avg. Bill	\$14,775	\$10,956	\$12,089	\$17,096	\$23,903
	Cases	129	127	152	132	133
Age 36-49	Avg. LOS	3.4	3.3	3.1	3.3	3.1
	Avg. Bill	\$13,893	\$14,529	\$15,436	\$18,469	\$20,076
	Cases	357	374	352	334	388
Age 50-64	Avg. LOS	3.7	3.6	3.4	3.6	3.4
	Avg. Bill	\$15,828	\$15,737	\$16,734	\$19,535	\$20,508
	Cases	444	457	455	538	528
Age 65 +	Avg. LOS	4.1	4.0	4.1	4.2	4.0
	Avg. Bill	\$14.250	\$14.441	\$17.258	\$19,189	\$20,414
TOTAL	. 3	946	970	972	1,021	1,066
AVG. LOS		3.9	3.7	3.6	3.9	3.6
AVG. EUS AVG. BILL		\$14,797	\$14,909	\$16,714	\$19,174	\$20,462
AVG. BILL		\$14,797	\$14,909	\$10,714	\$19,174	\$20,462







DRG 122: CIRCULATORY DISORDERS W AMI W/O MAJOR COMP, DISCHARGED ALIVE

COUNTY		С				
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	13	18	16	15	15
Boulder City	Avg LOS	3.3	2.1	1.8	2.3	2.0
	Avg. Bill	\$9,431	\$10,108	\$16,339	\$9,775	\$7,626
	Cases	55	43	53	44	64
Desert Springs	Avg LOS	4.5	4.1	4.0	4.3	3.6
	Avg. Bill	\$14,721	\$14,833	\$17,070	\$18,671	\$18,964
	Cases	42	52	49	42	59
Lake Mead	Avg LOS	3.7	4.0	4.2	3.5	4.3
	Avg. Bill	\$17,738	\$22,175	\$25,971	\$27,422	\$32,185
	Cases	94	85	80	97	85
Mountain View	Avg LOS	3.9	3.6	3.3	4.2	4.4
	Avg. Bill	\$17,895	\$19,810	\$20,007	\$22,021	\$22,703
	Cases	69	71	89	105	80
St. Rose Domin.	Avg LOS	3.4	3.3	3.4	3.7	3.9
	Avg. Bill	\$18,414	\$18,455	\$17,506	\$20,796	\$23,938
	Cases	0	0	0	38	48
St. Rose Siena	Avg LOS	0.0	0.0	0.0	4.8	4.5
	Avg. Bill	\$0	\$0	\$0	\$23,645	\$23,703
	Cases	7	42	73	65	78
Summerlin	Avg LOS	2.7	3.1	4.1	5.1	3.7
	Avg. Bill	\$9,976	\$12,478	\$20,040	\$25,904	\$25,041
	Cases	94	100	70	76	71
Sunrise	Avg LOS	4.6	4.1	4.8	3.9	4.0
	Avg. Bill	\$19,856	\$17,151	\$19,966	\$21,703	\$22,709
	Cases	50	49	92	87	68
University Med.	Avg LOS	3.6	4.3	4.4	4.2	4.4
	Avg. Bill	\$13,834	\$14,193	\$14,737	\$16,397	\$16,007
	Cases	81	57	53	73	70
Valley Hospital	Avg LOS	4.4	5.8	4.4	4.7	3.9
	Avg. Bill	\$18,247	\$20,506	\$21,343	\$25,145	\$25,208
		505	517	575	642	638
AVG. LOS		4.0	4.0	4.0	4.2	4.0
AVG. BILL		\$17,299	\$17,544	\$19,034	\$21,703	\$22,928
WASHOE						
	Cases	0	0	0	0	0
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	21	35	36	21	39
Northern NV	Avg LOS	2.7	2.6	2.4	2.6	3.3
	Avg. Bill	\$10,768	\$10,040	\$11,718	\$13,388	\$16,261
	Cases	93	115	98	83	109
St. Mary's	Avg LOS	4.0	3.9	3.6	4.1	3.9
	Avg. Bill	\$11,934	\$12,439	\$14,861	\$17,605	\$18,403
	Cases	167	124	93	103	109
Washoe Med.	Avg LOS	4.1	4.2	3.9	3.5	3.3
	Avg. Bill	\$12,887	\$13,298		\$12,498	\$15,249
TOTAL		281	274	227	207	257
AVG. LOS		4.0	3.8	3.6	3.7	3.5
AVG. BILL		\$12,414	\$12,521	\$14,414	\$14,636	\$16,740
O. DIZE		Ψ12,717	ψ 1 2 ,021	ψ11;T1T	ψ1 1,000	Ψ10,140


COUNTY		(CALENDA	R YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	2	0	1	0	0
Battle Mtn.	Avg LOS	3.0	0.0	2.0	0.0	0.0
	Avg. Bill	\$6,214	\$0	\$6,674	\$0	\$0
	Cases	86	97	87	112	100
Carson Tahoe	Avg LOS	3.8	3.4	3.2	3.2	2.9
Carcon rance	Avg. Bill	\$14,674	\$14,280	\$15,787	\$18,266	\$21,872
	Cases	9	15	22	13	12
Churchill	Avg LOS	3.1	2.0	2.4	2.7	1.6
Ondroi iii	Avg. Bill	\$8,071	\$6,550	\$8,951	\$11,363	\$10,304
	Cases	3	4	6	3	4
Grover C. Dils	Avg LOS	3.3	1.3	2.3	3.3	2.5
0.010. 0. 2	Avg. Bill	\$6,784	\$5,598	\$7,533	\$8,181	\$5,136
	Cases	9	11	4	4	4
Humboltd Gen.	Avg LOS	2.8	1.9	2.5	3.0	2.0
Trambolta Gen.	Avg. Bill	\$5,571	\$5,046	\$4,806	\$4,373	\$2,721
	Cases	1	1	0	1	1
Mt. Grant	Avg LOS	1.0	4.0	0.0	9.0	1.0
	Avg. Bill	\$2,727	\$4,382	\$0	\$14,040	\$9,105
	Cases	41	40	44	26	42
Northeastern	Avg LOS	2.5	2.3	1.4	2.3	2.0
	Avg. Bill	\$7,295	\$8,158	\$7,708	\$11,362	\$11,524
	Cases	1	0	1	1	2
Nye General	Avg LOS	1.0	0.0	1.0	1.0	1.5
	Avg. Bill	\$2,836	\$0	\$3,983	\$3,505	\$4,489
	Cases	0	1	0	1	1
Pershing	Avg LOS	0.0	3.0	0.0	2.0	1.0
	Avg. Bill	\$0	\$3,876	\$0	\$5,254	\$2,843
	Cases	3	2	1	5	1
South Lyon	Avg LOS	2.0	2.0	7.0	1.8	1.0
	Avg. Bill	\$2,595	\$4,109	\$11,263	\$3,609	\$3,160
	Cases	5	8	4	6	4
Wm Bee Ririe	Avg LOS	3.4	2.0	2.8	1.5	2.3
	Avg. Bill	\$8,744	\$7,048	\$8,397	\$7,077	\$7,863
TOTAL		160	179	170	172	171
AVG. LOS		3.3	2.8	2.6	2.9	2.5
AVG. BILL		\$11,086	\$10,952	\$11,938	\$15,199	\$16,853
		946	970	972	1,021	1,066
ALL COUNTIE	ES	3.9	3.7	3.6	3.9	3.6
		\$14,797	\$14,909	\$16,714	\$19,174	\$20,462


DRG 125: CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O COMPLEX DIAG


This DRG, within circulatory system diagnostics, includes such non-operating room procedures as right and left heart catherizations, angiocardiograms, and coronary arteriograms. In 2001, 2303 DRG 125 patients were discharged from Nevada hospitals, an 86 percent increase over five years. Male patients outnumbered females over all five years, gender differences in average lengths of stay were small, and average billed charges were also nearly equal, year by year. Patients age 36 and older made up 97 percent of all discharges in 2001 and, with minor differences, for the other four reporting years also.

Desert Springs Hospital in Clark County discharged more patients than any other Nevada facility in 2001 (344), followed closely by University Medical Center with 333 and Sunrise Hospital with 319. Clark County discharged 82.6 percent of Nevada's DRG 125 patients in 2001, up five percentage points since 1997. Washoe Medical Center was the discharge leader in Washoe County with 202 discharges, compared with St. Mary Hospital's 124 cases in 2001. In the rural sector of Nevada, Carson-Tahoe Hospital was the only facility with patients in DRG 125, increasing their discharges from 38 to 74 between 1997 and 2001.

GENDER		1997	1998	1999	2000	2001
	Cases	591	705	883	1,039	1,099
Female	Avg. LOS	2.9	2.9	2.9	3.3	3.1
	Avg. Bill	\$13,362	\$14,016	\$14,947	\$17,154	\$18,706
	Cases	647	766	1,026	1,119	1,204
Male	Avg. LOS	2.8	2.9	2.9	2.9	2.9
	Avg. Bill	\$13,328	\$14,243	\$15,338	\$16,534	\$18,416
AGE GRO	JP	1997	1998	1999	2000	2001
	Cases	13	14	14	22	14
Age 0-17	Avg. LOS	2.8	2.2	1.4	2.6	5.6
	Avg. Bill	\$15,373	\$12,478	\$15,599	\$15,145	\$21,271
	Cases	40	46	48	67	55
Age 18-35	Avg. LOS	2.9	2.4	2.5	2.8	2.7
	Avg. Bill	\$13,144	\$12,700	\$14,124	\$15,385	\$17,281
	Cases	289	334	435	484	520
Age 36-49	Avg. LOS	2.4	2.6	2.7	2.7	2.9
	Avg. Bill	\$12,530	\$13,487	\$14,366	\$15,710	\$18,245
	Cases	520	576	743	858	926
Age 50-64	Avg. LOS	2.8	2.7	2.9	2.9	2.9
	Avg. Bill	\$13,193	\$13,799	\$15,098	\$16,111	\$18,064
	Cases	376	501	669	727	788
Age 65 +	Avg. LOS	3.1	3.4	3.2	3.6	3.2
	Avg. Bill	\$14,130	\$15,129	\$15,802	\$18,615	\$19,376
TOTAL		1,238	1,471	1,909	2,158	2,303
AVG. LOS		2.8	2.9	2.9	3.1	3.0
AVG. BILL		\$13,344	\$14,134	\$15,157	\$16,832	\$18,555







DRG 125: CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O COMPLEX DIAG

COUNTY		С				
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	0	0	0	0	0
Boulder City	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	142	176	263	256	344
Desert Springs	Avg LOS	2.4	2.5	2.7	3.0	2.9
	Avg. Bill	\$9,877	\$10,645	\$11,536	\$13,298	\$15,787
	Cases	41	37	36	60	56
Lake Mead	Avg LOS	3.4	3.4	4.1	3.2	3.5
	Avg. Bill	\$15,088	\$17,252	\$22,149	\$24,510	\$25,878
	Cases	97	118	111	125	151
Mountain View	Avg LOS	2.7	2.6	2.9	3.0	3.8
meantain vien	Avg. Bill	\$13,752			\$17,781	\$20,171
	Cases	105	130	126	137	122
St. Rose Domin.		2.3	3.0	3.0	3.2	3.0
Ct. 1 tooc Domin.	Avg. Bill	\$14,841		\$16,992	\$18,675	\$21,086
	Cases	0	0	0	44	189
St. Rose Siena	Avg LOS	0.0	0.0	0.0	3.3	3.5
ot. Nose olena	Avg. Bill	\$0	\$0	\$0	\$19,987	\$22,103
	Cases	0	10	157	203	180
Summerlin	Avg LOS	0.0	3.1	2.8	3.8	3.3
Summeriin	Avg. Bill	\$0	\$16,007		\$19,887	\$23,173
	Cases	214	275	298	336	319
Sunrise	Avg LOS	2.7	2.7	2.7	3.0	2.9
Surinse	_	\$14,693		\$18,426	\$19,935	\$20,692
	Avg. Bill	123	142	248	353	333
University Med	Cases	2.9	3.7	3.2	3.3	3.1
University Med.	Avg LOS					\$13,652
	Avg. Bill	\$11,333		\$12,405	\$13,369	
V-II H	Cases	235	264	293	280	209
Valley Hospital	Avg LOS	3.2	3.5	3.6	3.3	3.0
TOTAL	Avg. Bill	\$15,748		\$18,428	\$18,111	\$20,554
TOTAL		957	1,152	1,532	1,794	1,903
AVG. BULL		2.8	3.0	3.1	3.2	3.1 \$19.069
AVG. BILL		\$13,743	\$14,841	\$15,869	\$17,314	\$19,069
WASHOE				•	•	0
In alling A Cit	Cases	0	0	0	0	0
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Northern NV	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
0.11	Cases	73	93	135	155	124
St. Mary's	Avg LOS	2.7	2.3	2.2	2.3	2.2
	Avg. Bill	\$10,376	\$10,576	\$12,241	\$14,907	\$16,643
	Cases	170	186	198	153	202
Washoe Med.	Avg LOS	2.9	2.5	2.4	2.7	2.5
	Avg. Bill	\$12,009	\$11,381	\$11,693	\$13,505	\$14,649
TOTAL		243	279	333	308	326
AVG. LOS		2.8	2.4	2.3	2.5	2.4
AVG. BILL		\$11,518	\$11,112	\$11,915	\$14,210	\$15,407


COUNTY			CALENDA	R YE <u>ARS</u>		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	0	0
Battle Mtn.	Avg LOS	0.0	0.0	0.0	0.0	0.0
Battle Man.	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	38	40	44	- φ6 56	74
Carson Tahoe	Avg LOS	2.9	3.1	2.7	2.4	2.3
Carson Tance	Avg. Bill	\$14,976	\$14,845	\$14,910	\$15,831	\$19,181
	Cases	0	0	0	0	0
Churchill	Avg LOS	0.0	0.0	0.0	0.0	0.0
Charchin	_	\$0	\$0	\$0	\$0	\$0
	Avg. Bill	0	0	0 40	φ0 0	φυ 0
Crayer C. Dila	Cases					-
Grover C. Dils	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Humboltd Gen.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Mt. Grant	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Northeastern	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Nye General	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Pershing	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Wm Bee Ririe	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
TOTAL		38	40	44	56	74
AVG. LOS		2.9	3.1	2.7	2.4	2.3
AVG. BILL		\$14,976	\$14,845	\$14,910	\$15,831	\$19,181
		1,238	1,471	1,909	2,158	2,303
ALL COUNTII	ES	2.8	2.9	2.9	3.1	3.0
		\$13,344	\$14,134	\$15,157	\$16,832	\$18,555


DRG 127: HEART FAILURE & SHOCK


Conditions such as rheumatic and congestive heart failure, as well as cardiogenic shock and heart failure not otherwise specified, are included in DRG 127. As is the case with many circulatory disorder diagnoses, male patients outnumbered females over all five of the reporting years. And again following the pattern, female patients had higher average length of stays vis-a-vis men, with average billed charges quite close between the genders over five years. The pattern continued with age: the top two age categories (age 50 and older) accounted for 93 percent of 2001's discharges. Average length of stays changed step-wise between the three highest age groups, year by year.

Clark County facilities discharged 3526 patients in 2001, 74.8 percent of the state's total, with Washoe County facilities contributing 16.3 percent of patients. Both patterns occurred over all the five years covered by this report. Statewide, the highest discharge count in 2001 was 643 at Sunrise Hospital, followed by University Medical Center with 585 patients. In Washoe County, Washoe Medical Center discharged 363 cases in 2001, down somewhat from 1997 counts. In the rural sector of Nevada, Carson-Tahoe Hospital discharged 215 cases in 2001, 51.6 percent of the year's total, down slightly from 1997's totals. William Bee Ririe and Northeastern Hospital each had 42 discharges.

GENDER		1997	1998	1999	2000	2001
	Cases	2,272	2,487	2,396	2,156	2,236
Female	Avg. LOS	5.1	5.0	5.3	5.2	4.9
	Avg. Bill	\$13,388	\$14,234	\$16,174	\$17,379	\$18,517
	Cases	2,510	2,654	2,486	2,468	2,477
Male	Avg. LOS	4.7	4.8	4.8	4.8	4.8
	Avg. Bill	\$13,438	\$14,762	\$15,876	\$16,992	\$18,925
GENDER		1997	1998	1999	2000	2001
	Cases	12	7	10	6	4
Age 0-17	Avg. LOS	4.8	13.9	4.7	2.3	11.3
	Avg. Bill	\$12,768	\$18,643	\$16,517	\$5,712	\$59,847
	Cases	58	45	44	73	66
Age 18-35	Avg. LOS	3.8	4.0	4.7	4.2	5.4
	Avg. Bill	\$11,668	\$13,164	\$15,035	\$15,533	\$18,708
	Cases	249	244	250	231	262
Age 36-49	Avg. LOS	3.8	4.5	4.2	4.3	4.2
	Avg. Bill	\$11,485	\$13,262	\$15,134	\$17,487	\$17,813
	Cases	898	937	953	833	961
Age 50-64	Avg. LOS	4.7	4.5	4.9	4.8	4.8
	Avg. Bill	\$13,673	\$13,917	\$16,642	\$17,681	\$19,207
	Cases	3,565	3,908	3,625	3,481	3,420
Age 65 +	Avg. LOS	5.0	5.1	5.1	5.1	5.0
	Avg. Bill	\$13,515	\$14,733	\$15,931	\$17,084	\$18,620
TOTAL		4,782	5,141	4,882	4,624	4,713
AVG. LOS		4.9	4.9	5.0	5.0	4.9
AVG. BILL		\$13,415	\$14,506	\$16,022	\$17,173	\$18,731







DRG 127: HEART FAILURE & SHOCK

COUNTY		С				
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	34	45	42	60	36
Boulder City	Avg LOS	4.1	4.0	4.5	4.6	4.3
	Avg. Bill	\$8,590	\$9,458	\$10,760	\$11,538	\$10,459
	Cases	779	701	652	509	526
Desert Springs	Avg LOS	4.5	5.2	4.8	5.0	4.5
	Avg. Bill	\$12,534	\$16,034	\$15,965	\$17,262	\$17,685
	Cases	223	246	250	264	257
Lake Mead	Avg LOS	5.4	5.1	5.9	5.3	5.3
	Avg. Bill	\$15,139	\$16,324	\$25,783	\$28,843	\$30,716
	Cases	267	285	296	337	413
Mountain View	Avg LOS	5.3	4.4	4.6	4.6	5.1
	Avg. Bill	\$16,784	\$16,040	\$16,678	\$17,208	\$20,016
	Cases	184	197	179	188	244
St. Rose Domin.	Avg LOS	4.4	4.3	4.2	4.4	4.5
	Avg. Bill	\$12,751	\$12,990	\$12,352	\$15,462	\$19,101
	Cases	0	0	0	45	193
St. Rose Siena	Avg LOS	0.0	0.0	0.0	5.7	5.1
	Avg. Bill	\$0	\$0	\$0	\$17,414	\$18,658
	Cases	21	137	176	286	232
Summerlin	Avg LOS	3.7	5.7	4.8	4.8	5.1
	Avg. Bill	\$11,354	\$17,565	\$15,865	\$18,799	\$22,975
	Cases	969	1,019	954	718	643
Sunrise	Avg LOS	5.1	5.5	5.7	5.3	5.4
	Avg. Bill	\$16,322	\$18,787	\$19,943	\$19,795	\$22,907
	Cases	481	670	572	578	585
University Med.	Avg LOS	4.7	4.7	4.9	4.9	4.9
	Avg. Bill	\$11,488	\$11,855	\$14,903	\$14,372	\$14,507
	Cases	632	604	547	459	397
Valley Hospital	Avg LOS	5.3	5.3	5.6	6.0	5.3
	Avg. Bill	\$16,174	\$17,026	\$18,950	\$22,416	\$23,648
TOTAL		3,590	3,904	3,668	3,444	3,526
AVG. LOS		4.9	5.1	5.2	5.1	5.0
AVG. BILL		\$14,502	\$16,032	\$17,765	\$18,806	\$20,430
WASHOE						
	Cases	2	3	2	0	2
Incline Village	Avg LOS	1.5	2.3	3.5	0.0	2.0
	Avg. Bill	\$2,783	\$4,286	\$6,190	\$0	\$5,031
	Cases	76	60	72	64	89
Northern NV	Avg LOS	4.0	4.4	4.0	4.1	4.4
	Avg. Bill	\$9,247	\$10,930	\$10,857	\$11,686	\$13,946
	Cases	261	302	318	312	316
St. Mary's	Avg LOS	5.4	5.1	5.3	5.4	5.0
	Avg. Bill	\$12,031	\$11,515	\$13,022	\$15,841	\$16,997
	Cases	419	434	373	370	363
Washoe Med.	Avg LOS	5.3	4.6	4.7	5.0	5.1
	Avg. Bill	\$11,115	\$10,146		\$13,192	\$14,608
TOTAL		758	799	765	746	770
AVG. LOS		5.2	4.7	4.9	5.1	5.0
AVG. BILL		\$11,221		\$11,976	\$14,171	\$15,487
O. DILL		Ψ11,441	\$10,700	ψ11,010	ψι ή, ι τ Ι	Ψ10,701


COUNTY		(CALENDA	R YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	4	5	6	9	3
Battle Mtn.	Avg LOS	3.5	3.8	2.5	4.4	4.0
	Avg. Bill	\$3,314	\$4,683	\$2,723	\$4,028	\$4,374
	Cases	238	209	220	204	215
Carson Tahoe	Avg LOS	4.0	3.7	3.7	3.7	3.7
	Avg. Bill	\$8,952	\$8,730	\$9,563	\$10,057	\$11,899
	Cases	62	72	82	68	35
Churchill	Avg LOS	4.5	3.3	4.0	4.6	3.8
	Avg. Bill	\$10,981	\$7,810	\$10,540	\$13,188	\$12,725
	Cases	13	10	6	10	9
Grover C. Dils	Avg LOS	2.4	1.9	2.0	2.6	3.2
	Avg. Bill	\$3,594	\$2,884	\$3,795	\$3,698	\$5,330
	Cases	20	17	7	3	23
Humboltd Gen.	Avg LOS	5.3	6.1	3.6	3.0	3.5
	Avg. Bill	\$7,772	\$8,636	\$5,432	\$4,209	\$4,474
	Cases	16	16	21	12	15
Mt. Grant	Avg LOS	2.4	3.8	4.2	4.1	3.3
	Avg. Bill	\$4,691	\$6,366	\$7,136	\$6,300	\$7,027
	Cases	37	49	34	48	42
Northeastern	Avg LOS	3.1	3.5	2.5	3.4	3.5
	Avg. Bill	\$6,178	\$6,664	\$5,862	\$9,279	\$10,864
	Cases	12	19	13	15	10
Nye General	Avg LOS	3.7	4.9	2.6	2.7	2.7
	Avg. Bill	\$6,685	\$8,196	\$6,617	\$4,713	\$7,013
	Cases	6	3	6	9	6
Pershing	Avg LOS	4.7	5.0	4.2	4.6	3.5
	Avg. Bill	\$5,001	\$7,845	\$5,922	\$7,492	\$8,647
	Cases	12	13	15	24	17
South Lyon	Avg LOS	3.5	3.1	3.6	3.9	2.9
	Avg. Bill	\$3,921	\$4,350	\$5,469	\$5,556	\$5,110
	Cases	14	25	39	32	42
Wm Bee Ririe	Avg LOS	3.8	3.6	3.9	3.2	3.5
	Avg. Bill	\$6,672	\$7,556	\$7,630	\$7,486	\$9,108
TOTAL		434	438	449	434	417
AVG. LOS		3.9	3.7	3.6	3.7	3.6
AVG. BILL		\$8,252	\$7,852	\$8,676	\$9,370	\$10,362
		4,782	5,141	4,882	4,624	4,713
ALL COUNTIE	ES	4.9	4.9	5.0	5.0	4.9
		\$13,415	\$14,506	\$16,022	\$17,173	\$18,731


DRG 132: ATHEROSCLEROSIS W CC


This DRG, part of coronary diagnoses, includes old myocardial infarctions, chronic ischemic problems, and general circulatory diseases. In 2001, males outnumber female patients by nearly a two to one ratio, with similar but not as high ratios for the other four years in this report. Women stayed in the hospital slightly longer than men and their average billed charges were slightly higher for all five reporting years. As is normal in cardiac cases, older patients were far more numerous than younger: 93.9 percent of 2001's discharges were age 50 and older. Average billed charges were longer for the 65 and older group of patients as was average length of hospital stays.

As usual, Clark County had the largest share of discharges, 776 or 71.6 percent in 2001, slightly increased by 16 from 1997. Average billed charges and were generally higher in Clark County and lowest in the rural sector (139 cases in 2001). Sunrise Hospital was the state's leader in discharges during 2001, with Desert Springs Hospital a fairly close second. Washoe Medical Center discharged 89 patients in 2001, 30 more than St. Mary's Hospital. Of the 139 rural discharges, 81 were at Carson-Tahoe Hospital, with Northeastern Community Hospital a distant second.

GENDER		1997	1998	1999	2000	2001
	Cases	458	465	420	421	386
Female	Avg. LOS	3.0	3.0	3.2	3.0	3.2
	Avg. Bill	\$8,106	\$9,001	\$10,264	\$10,497	\$11,665
	Cases	553	633	614	605	698
Male	Avg. LOS	2.6	2.8	2.7	2.7	2.7
	Avg. Bill	\$7,741	\$8,678	\$9,550	\$10,449	\$11,098
AGE GROU	JP	1997	1998	1999	2000	2001
	Cases	0	0	0	1	0
Age 0-17	Avg. LOS	0.0	0.0	0.0	3.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$7,426	\$0
	Cases	3	4	4	4	2
Age 18-35	Avg. LOS	2.3	2.0	2.3	5.0	1.0
	Avg. Bill	\$7,623	\$6,959	\$11,042	\$19,999	\$4,933
	Cases	86	88	85	77	64
Age 36-49	Avg. LOS	2.3	2.3	2.3	2.1	2.1
	Avg. Bill	\$7,326	\$8,298	\$9,488	\$9,124	\$10,296
	Cases	284	331	290	294	361
Age 50-64	Avg. LOS	2.2	2.7	2.7	2.4	2.5
	Avg. Bill	\$7,451	\$9,323	\$10,068	\$10,060	\$11,474
	Cases	638	675	655	650	657
Age 65 +	Avg. LOS	3.1	3.0	3.0	3.1	3.1
	Avg. Bill	\$8,188	\$8,643	\$9,778	\$10,759	\$11,321
TOTAL		1,011	1,098	1,034	1,026	1,084
AVG. LOS		2.8	2.9	2.9	2.8	2.8
AVG. BILL		\$7,906	\$8,815	\$9,840	\$10,469	\$11,300







DRG 132: ATHEROSCLEROSIS W CC

COUNTY		С	CALENDAR YEARS					
NAME		1997	1998	1999	2000	2001		
CLARK								
	Cases	0	2	3	8	4		
Boulder City	Avg LOS	0.0	3.0	2.7	3.0	2.5		
	Avg. Bill	\$0	\$7,423	\$7,349	\$6,891	\$7,591		
	Cases	174	183	125	115	127		
Desert Springs	Avg LOS	2.5	2.7	2.7	2.4	2.5		
	Avg. Bill	\$7,417	\$8,578	\$10,006	\$9,308	\$11,235		
	Cases	59	44	50	50	55		
Lake Mead	Avg LOS	2.7	2.6	2.9	3.1	2.5		
	Avg. Bill	\$8,539	\$8,974	\$13,463	\$17,692	\$15,455		
	Cases	84	83	87	128	84		
Mountain View	Avg LOS	2.3	2.2	2.1	2.4	2.4		
	Avg. Bill	\$8,437	\$8,838	\$8,263	\$9,162	\$9,480		
	Cases	50	53	70	38	79		
St. Rose Domin.	Avg LOS	2.3	2.1	3.2	2.7	2.5		
	Avg. Bill	\$7,878	\$7,031	\$9,455	\$9,214	\$11,635		
	Cases	0	0	0	6	51		
St. Rose Siena	Avg LOS	0.0	0.0	0.0	2.7	2.8		
	Avg. Bill	\$0	\$0	\$0	\$9,177	\$10,517		
	Cases	6	81	46	65	36		
Summerlin	Avg LOS	2.7	3.1	2.1	3.0	3.3		
	Avg. Bill	\$7,307	\$9,608	\$7,818	\$11,866	\$12,204		
	Cases	191	168	184	146	153		
Sunrise	Avg LOS	3.2	3.4	3.3	2.8	3.7		
	Avg. Bill	\$8,444	\$10,280	\$11,237	\$11,767	\$13,935		
	Cases	102	127	123	114	110		
University Med.	Avg LOS	2.3	2.9	2.7	2.7	3.1		
	Avg. Bill	\$7,356	\$8,769	\$8,706	\$9,546	\$10,100		
	Cases	94	105	104	76	77		
Valley Hospital	Avg LOS	2.9	3.1	2.8	3.5	3.1		
	Avg. Bill	\$9,068	\$12,251	\$10,961	\$13,194	\$13,794		
TOTAL		760	846	792	746	776		
AVG. LOS		2.7	2.9	2.8	2.8	2.9		
AVG. BILL		\$8,101	\$9,446	\$10,056	\$10,950	\$11,989		
WASHOE								
	Cases	1	0	0	0	1		
Incline Village	Avg LOS	1.0	0.0	0.0	0.0	1.0		
	Avg. Bill	\$3,950	\$0	\$0	\$0	\$2,727		
	Cases	11	15	16	14	20		
Northern NV	Avg LOS	4.8	2.6	3.3	2.7	2.2		
	Avg. Bill	\$12,662	\$7,753	\$9,937	\$9,087	\$8,859		
	Cases	38	46	50	46	59		
St. Mary's	Avg LOS	3.4	3.3	3.2	3.9	3.3		
	Avg. Bill	\$8,208	\$7,484	\$10,526	\$10,259	\$10,073		
	Cases	83	80	63	94	89		
Washoe Med.	Avg LOS	4.0	3.6	5.7	3.8	3.7		
	Avg. Bill	\$7,662	\$6,841	\$13,039	\$9,250	\$10,404		
TOTAL		133	141	129	154	169		
AVG. LOS		3.9	3.4	4.4	3.7	3.4		
AVG. BILL				\$11,680		\$10,060		
AVG. BILL		\$8,203	\$7,148	\$11,680	\$9,537	\$10,060		


COUNTY			CALENDA	AR YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	2	0	0	0
Battle Mtn.	Avg LOS	0.0	1.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$2,331	\$0	\$0	\$0
	Cases	66	78	43	89	81
Carson Tahoe	Avg LOS	2.5	2.4	2.2	2.3	2.2
	Avg. Bill	\$7,002	\$6,519	\$7,383	\$8,747	\$10,457
	Cases	25	24	33	27	23
Churchill	Avg LOS	2.4	2.0	1.9	2.5	1.6
	Avg. Bill	\$6,731	\$5,761	\$6,633	\$10,229	\$9,017
	Cases	2	0	2	0	0
Grover C. Dils	Avg LOS	1.5	0.0	2.0	0.0	0.0
	Avg. Bill	\$3,848	\$0	\$3,049	\$0	\$0
	Cases	0	0	0	0	1
Humboltd Gen.	Avg LOS	0.0	0.0	0.0	0.0	1.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$1,688
	Cases	0	1	0	0	0
Mt. Grant	Avg LOS	0.0	2.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$4,374	\$0	\$0	\$0
	Cases	22	5	27	6	24
Northeastern	Avg LOS	1.8	1.2	1.1	1.8	1.4
	Avg. Bill	\$3,883	\$4,070	\$4,205	\$5,493	\$6,277
	Cases	1	0	2	0	6
Nye General	Avg LOS	2.0	0.0	2.0	0.0	1.3
	Avg. Bill	\$9,428	\$0	\$4,486	\$0	\$3,379
	Cases	0	0	3	0	3
Pershing	Avg LOS	0.0	0.0	1.0	0.0	1.3
	Avg. Bill	\$0	\$0	\$5,318	\$0	\$3,987
	Cases	1	0	0	2	0
South Lyon	Avg LOS	3.0	0.0	0.0	1.5	0.0
	Avg. Bill	\$5,422	\$0	\$0	\$2,540	\$0
	Cases	1	1	3	2	1
Wm Bee Ririe	Avg LOS	2.0	2.0	3.0	2.0	1.0
	Avg. Bill	\$7,272	\$3,340	\$7,470	\$5,669	\$5,951
TOTAL		118	111	113	126	139
AVG. LOS		2.3	2.2	1.8	2.3	1.9
AVG. BILL		\$6,319	\$6,122	\$6,224	\$8,762	\$8,957
		1,011	1,098	1,034	1,026	1,084
ALL COUNTII	ES	2.8	2.9	2.9	2.8	2.8
		\$7,906	\$8,815	\$9,840	\$10,469	\$11,300


DRG 138: CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC


Heart blocks, atrial tachycardia, atrial fibrillation, and tachycardia are among the diagnoses found in DRG 138. In 2001, 1899 patients were discharged from Nevada's acute care hospitals, up 31.3 percent from 1997. There was little to distinguish female and male cases; both were in the hospital just under four days and were billed, in 2001, just over \$15,000. As is common in cardiac diagnoses, most patients in 2001 were 50 years of age and older (91.2 percent), pattern that pertained across the five years in this report. Average billed charges were slightly higher for age 65 and older patients in comparison to the next oldest age group.

Clark County facilities increased their patient discharges by about 350 over the five year reporting period, with both the rural and Washoe County facilities also discharging more patients during the same time period. Sunrise and Valley hospitals in Clark County each discharged over 200 patients in 2001, with the latter facility up sharply over four years. Washoe Medical Center was the clear discharge leader in Washoe County as was Carson-Tahoe Hospital in the rural sector. During 2001, Lake Mead Hospital posted the highest average billed charges, on length of stays data similar to the larger facilities in Clark and Washoe counties.

GENDER		1997	1998	1999	2000	2001
	Cases	726	744	805	849	938
Female	Avg. LOS	3.7	3.8	3.8	3.8	3.8
	Avg. Bill	\$10,308	\$11,160	\$11,891	\$12,728	\$15,121
	Cases	720	701	844	913	961
Male	Avg. LOS	3.7	3.4	3.5	3.6	3.5
	Avg. Bill	\$11,195	\$10,831	\$12,438	\$13,766	\$15,539
GENDER		1997	1998	1999	2000	2001
	Cases	9	10	6	9	1
Age 0-17	Avg. LOS	3.9	2.1	4.2	2.7	4.0
	Avg. Bill	\$7,186	\$8,662	\$11,534	\$13,002	\$6,966
	Cases	22	25	48	35	49
Age 18-35	Avg. LOS	2.0	2.0	2.5	2.5	2.7
	Avg. Bill	\$7,475	\$7,121	\$9,229	\$9,302	\$11,408
	Cases	76	74	114	112	117
Age 36-49	Avg. LOS	2.6	3.1	2.6	2.6	2.7
	Avg. Bill	\$7,783	\$9,957	\$9,891	\$11,238	\$13,892
	Cases	292	272	302	354	375
Age 50-64	Avg. LOS	3.5	3.0	3.0	3.1	3.2
	Avg. Bill	\$11,136	\$10,075	\$11,298	\$12,708	\$15,481
	Cases	1,047	1,064	1,179	1,252	1,357
Age 65 +	Avg. LOS	3.9	3.9	3.9	4.0	3.9
	Avg. Bill	\$10,956	\$11,423	\$12,739	\$13,718	\$15,564
TOTAL		1,446	1,445	1,649	1,762	1,899
AVG. LOS		3.7	3.6	3.6	3.7	3.6
AVG. BILL		\$10,749	\$11,000	\$12,171	\$13,266	\$15,333







DRG 138: CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC

COUNTY	С					
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	12	18	18	20	9
Boulder City	Avg LOS	3.4	3.4	3.3	4.5	3.1
	Avg. Bill	\$6,742	\$8,646	\$10,533	\$11,589	\$6,696
	Cases	197	152	203	167	181
Desert Springs	Avg LOS	4.0	3.5	3.6	3.8	3.2
	Avg. Bill	\$12,491	\$11,748	\$11,373	\$12,725	\$13,834
	Cases	55	62	73	82	69
Lake Mead	Avg LOS	3.5	5.2	4.7	3.3	4.0
	Avg. Bill	\$10,264	\$16,128	\$20,406	\$18,013	\$26,873
	Cases	102	86	112	132	153
Mountain View	Avg LOS	4.1	3.1	3.3	3.5	3.7
	Avg. Bill	\$14,276	\$11,396	\$12,612	\$13,171	\$15,593
	Cases	51	56	58	103	108
St. Rose Domin.	Avg LOS	2.9	3.5	4.1	3.7	3.3
	Avg. Bill	\$9,406	\$11,472	\$12,122	\$12,611	\$14,029
	Cases	0	0	0	34	109
St. Rose Siena	Avg LOS	0.0	0.0	0.0	2.9	4.1
	Avg. Bill	\$0	\$0	\$0	\$12,270	\$18,174
	Cases	9	53	77	101	89
Summerlin	Avg LOS	5.2	5.5	4.1	3.4	4.1
	Avg. Bill	\$16,666	\$15,998	\$15,000	\$13,690	\$18,839
	Cases	241	229	225	206	236
Sunrise	Avg LOS	3.9	3.6	3.9	4.0	4.4
	Avg. Bill	\$12,120	\$12,403	\$14,699	\$16,627	\$19,372
	Cases	160	183	219	213	182
University Med.	Avg LOS	3.5	3.9	3.6	4.2	3.9
	Avg. Bill	\$9,165	\$10,043	\$11,666	\$12,760	\$12,857
	Cases	187	189	217	211	217
Valley Hospital	Avg LOS	3.9	3.7	4.2	4.4	3.6
	Avg. Bill	\$12,104	\$12,370	\$14,889	\$17,399	\$17,846
TOTAL		1,014	1,028	1,202	1,269	1,353
AVG. LOS		3.8	3.8	3.9	3.9	3.8
AVG. BILL		\$11,679	\$12,089	\$13,604	\$14,567	\$16,823
WASHOE	_					
	Cases	0	1	1	1	1
Incline Village	Avg LOS	0.0	4.0	3.0	3.0	1.0
	Avg. Bill	\$0	\$8,245	\$6,443	\$11,083	\$3,421
	Cases	36	23	32	23	28
Northern NV	Avg LOS	3.1	2.3	2.6	2.3	3.4
	Avg. Bill	\$7,740	\$6,083	\$7,955	\$8,617	\$11,430
	Cases	126	83	107	126	121
St. Mary's	Avg LOS	4.2	3.3	3.0	3.5	3.5
	Avg. Bill	\$10,558	\$8,102	\$9,497	\$11,309	\$13,339
	Cases	122	164	169	171	195
Washoe Med.	Avg LOS	3.2	3.6	3.6	3.5	3.7
	l	\$8,501	\$10,019	\$8,152	\$10,262	\$13,015
	Avg. Bill	φο,συ ι	Ψ.ο,ο.ο	,	+ ,	
TOTAL	Avg. Bill	284	271	309	321	345
TOTAL AVG. LOS	Avg. Bill					


COUNTY		(CALENDA	R YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	1	3	2
Battle Mtn.	Avg LOS	0.0	0.0	1.0	3.7	2.0
	Avg. Bill	\$0	\$0	\$1,530	\$4,343	\$4,046
	Cases	80	98	67	99	102
Carson Tahoe	Avg LOS	3.4	2.8	3.1	2.8	2.4
	Avg. Bill	\$8,326	\$6,865	\$9,716	\$8,773	\$9,736
	Cases	18	15	20	26	23
Churchill	Avg LOS	2.8	3.3	2.1	3.3	3.0
	Avg. Bill	\$7,730	\$9,507	\$6,529	\$11,848	\$11,691
	Cases	2	2	2	1	2
Grover C. Dils	Avg LOS	2.5	2.5	4.0	1.0	1.5
	Avg. Bill	\$4,184	\$3,920	\$5,663	\$2,153	\$3,007
	Cases	3	4	2	1	6
Humboltd Gen.	Avg LOS	3.0	3.8	2.0	3.0	3.5
	Avg. Bill	\$4,131	\$6,602	\$5,948	\$3,016	\$4,269
	Cases	5	2	7	6	4
Mt. Grant	Avg LOS	3.2	5.5	2.1	2.2	2.8
	Avg. Bill	\$5,586	\$6,816	\$4,455	\$5,139	\$4,787
	Cases	18	14	20	17	29
Northeastern	Avg LOS	2.1	2.0	1.9	2.8	2.6
	Avg. Bill	\$4,783	\$5,585	\$6,012	\$8,848	\$11,455
	Cases	8	0	1	5	6
Nye General	Avg LOS	3.1	0.0	2.0	2.6	1.8
	Avg. Bill	\$6,449	\$0	\$2,853	\$5,772	\$6,180
	Cases	0	0	0	1	0
Pershing	Avg LOS	0.0	0.0	0.0	3.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$6,209	\$0
	Cases	5	2	7	5	6
South Lyon	Avg LOS	2.2	5.0	3.3	3.2	1.8
	Avg. Bill	\$3,338	\$7,937	\$6,167	\$5,746	\$4,639
	Cases	9	9	11	8	21
Wm Bee Ririe	Avg LOS	2.3	2.1	1.6	2.4	2.8
	Avg. Bill	\$5,184	\$5,216	\$5,477	\$7,551	\$7,737
TOTAL		148	146	138	172	201
AVG. LOS		3.0	2.8	2.6	2.9	2.5
AVG. BILL		\$7,128	\$6,879	\$7,710	\$8,722	\$9,356
		1,446	1,445	1,649	1,762	1,899
ALL COUNTII	ES	3.7	3.6	3.6	3.7	3.6
		\$10,749	\$11,000	\$12,171	\$13,266	\$15,333


DRG 143: CHEST PAIN


Chest pain needs no explanation. It may be a precursor of heart problems, it may reflect something in the diet, or it may be psychosomatic in origin. Whatever it is, 6900 persons were admitted to Nevada facilities during 2001 with a diagnosis of chest pain. Women outnumbered men just slightly year by year, with a 53 to 47 percent gap in 2001. Women patients had slightly higher average lengths of hospital stays and marginally higher average billed charges, year by year. Just under 96 percent of chest pain discharges were age 36 and older. DRG 143 patient counts about doubled over the five year period.

Despite Clark County's significant increase in chest pain discharges, Sunrise Hospital's discharges declined by 172 cases over five years, in contrast to University Medical Center's 228 percent increase between 1997 and 2001, a pattern followed also by Valley Hospital and St. Rose Dominican in Clark County and Washoe Medical Center in Reno. The rural facilities increased their discharges by 110 cases over five years, led by increases at Churchill Hospital, William B. Ririe Hospital, and, especially, Northeastern Hospital. Rural hospitals also increased their average billed charges by 56 percent over the period covered by this report, led in particular by Carson-Tahoe, Churchill, and Mt. Grant hospitals.

GENDER		1997	1998	1999	2000	2001
	Cases	1790	2,383	2,698	3,132	3,650
Female	Avg. LOS	1.8	1.7	1.7	1.8	1.8
	Avg. Bill	\$6,431	\$6,626	\$7,287	\$8,024	\$9,043
	Cases	1,655	1,962	2,414	2,863	3,250
Male	Avg. LOS	1.6	1.6	1.6	1.7	1.7
	Avg. Bill	\$5,935	\$6,499	\$7,148	\$7,887	\$8,650
GENDER		1997	1998	1999	2000	2001
	Cases	2	6	2	4	1
Age 0-17	Avg. LOS	1.0	1.0	1.0	1.0	1.0
	Avg. Bill	\$4,286	\$3,340	\$6,801	\$3,843	\$1,763
	Cases	200	204	268	326	304
Age 18-35	Avg. LOS	1.5	1.6	1.5	1.7	1.7
	Avg. Bill	\$5,443	\$6,302	\$6,788	\$7,366	\$8,496
	Cases	960	1,063	1,291	1,414	1,788
Age 36-49	Avg. LOS	1.6	1.5	1.6	1.6	1.6
	Avg. Bill	\$5,807	\$6,206	\$7,054	\$7,497	\$8,555
	Cases	1168	1,527	1,731	2,010	2,418
Age 50-64	Avg. LOS	1.6	1.6	1.6	1.7	1.7
	Avg. Bill	\$6,257	\$6,420	\$7,169	\$7,906	\$8,774
	Cases	1115	1,545	1,820	2,241	2,389
Age 65 +	Avg. LOS	1.9	1.9	1.8	1.9	1.9
	Avg. Bill	\$6,597	\$7,013	\$7,454	\$8,391	\$9,219
TOTAL		3,445	4,345	5,112	5,995	6,900
AVG. LOS		1.7	1.7	1.7	1.7	1.7
AVG. BILL		\$6,193	\$6,569	\$7,221	\$7,959	\$8,858







DRG 143: CHEST PAIN

COUNTY		С	CALENDAR YEARS				
NAME		1997	1998	1999	2000	2001	
CLARK							
	Cases	37	46	37	52	51	
Boulder City	Avg LOS	1.4	1.4	1.3	1.6	2.4	
	Avg. Bill	\$4,573	\$4,716	\$4,319	\$6,207	\$6,542	
	Cases	344	423	461	454	519	
Desert Springs	Avg LOS	1.5	1.6	1.4	1.6	1.8	
	Avg. Bill	\$6,081	\$6,534	\$6,096	\$7,218	\$8,783	
	Cases	132	190	324	379	374	
Lake Mead	Avg LOS	1.8	1.6	1.7	1.7	1.7	
	Avg. Bill	\$6,644	\$7,565	\$9,412	\$11,777	\$13,369	
	Cases	357	496	549	614	797	
Mountain View	Avg LOS	1.5	1.5	1.3	1.4	1.7	
	Avg. Bill	\$6,892	\$6,977	\$6,958	\$7,238	\$8,358	
	Cases	161	176	229	456	436	
St. Rose Domin.	Avg LOS	1.5	1.6	1.6	2.0	1.6	
	Avg. Bill	\$5,896	\$6,231	\$6,546	\$8,067	\$8,579	
	Cases	0	0	0	197	459	
St. Rose Siena	Avg LOS	0.0	0.0	0.0	1.8	1.5	
	Avg. Bill	\$0	\$0	\$0	\$6,884	\$8,536	
	Cases	18	148	305	296	486	
Summerlin	Avg LOS	1.5	1.7	1.7	1.6	1.6	
	Avg. Bill	\$4,613	\$6,387	\$6,738	\$7,197	\$8,601	
	Cases	790	1,077	864	643	618	
Sunrise	Avg LOS	1.7	1.7	1.7	1.9	2.2	
	Avg. Bill	\$6,974	\$7,332	\$8,820	\$10,636	\$11,919	
	Cases	253	426	701	803	829	
University Med.	Avg LOS	1.7	1.9	2.0	2.0	2.1	
	Avg. Bill	\$5,791	\$6,584	\$6,912	\$7,338	\$8,219	
	Cases	506	444	618	750	686	
Valley Hospital	Avg LOS	1.9	2.0	1.9	1.9	1.9	
	Avg. Bill	\$6,779	\$7,129	\$7,665	\$8,836	\$10,520	
TOTAL		2,598	3,426	4,088	4,644	5,255	
AVG. LOS		1.7	1.7	1.7	1.8	1.8	
AVG. BILL		\$6,557	\$6,943	\$7,484	\$8,405	\$9,474	
WASHOE							
	Cases	2	0	0	0	1	
Incline Village	Avg LOS	1.0	0.0	0.0	0.0	1.0	
	Avg. Bill	\$2,373	\$0	\$0	\$0	\$3,607	
	Cases	36	56	72	104	107	
Northern NV	Avg LOS	1.5	1.6	1.7	1.6	1.4	
	Avg. Bill	\$5,344	\$5,196	\$6,860	\$7,131	\$7,142	
	Cases	190	166	268	402	428	
St. Mary's	Avg LOS	1.7	1.9	1.7	1.5	1.4	
	Avg. Bill	\$5,510	\$6,261	\$7,985	\$7,465	\$7,691	
	Cases	445	491	447	582	825	
Washoe Med.	Avg LOS	1.9	1.7	1.7	1.7	1.6	
	Avg. Bill	\$5,357	\$4,995	\$5,529	\$5,913	\$6,744	
TOTAL		673	713	787	1,088	1,361	
AVG. LOS		1.8	1.7	1.7	1.6	1.5	
AVG. BILL		\$5,391	\$5,306	\$6,487	\$6,603	\$7,071	


COUNTY			CALENDA	AR YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	2	4	7	3	2
Battle Mtn.	Avg LOS	1.0	1.0	1.0	3.3	1.5
	Avg. Bill	\$2,764	\$2,423	\$2,476	\$4,361	\$2,457
	Cases	61	112	85	83	64
Carson Tahoe	Avg LOS	1.5	1.6	1.7	1.8	1.6
	Avg. Bill	\$4,689	\$5,365	\$6,627	\$6,756	\$8,162
	Cases	22	23	37	39	34
Churchill	Avg LOS	1.5	1.4	1.3	2.0	1.8
	Avg. Bill	\$4,382	\$4,174	\$4,817	\$7,371	\$9,364
	Cases	6	3	6	5	7
Grover C. Dils	Avg LOS	1.2	1.0	1.0	1.4	1.1
	Avg. Bill	\$3,030	\$2,235	\$2,603	\$2,904	\$2,648
	Cases	8	6	6	12	9
Humboltd Gen.	Avg LOS	1.0	1.2	1.2	1.6	1.3
	Avg. Bill	\$2,284	\$2,961	\$3,453	\$2,984	\$2,266
	Cases	2	3	2	2	2
Mt. Grant	Avg LOS	1.0	1.0	0.5	1.5	4.5
	Avg. Bill	\$2,074	\$5,143	\$3,335	\$2,881	\$9,862
	Cases	47	39	77	87	90
Northeastern	Avg LOS	1.5	1.3	1.1	1.2	1.2
	Avg. Bill	\$3,372	\$4,061	\$4,200	\$4,911	\$5,333
	Cases	10	5	6	12	10
Nye General	Avg LOS	1.3	2.0	2.2	1.8	1.1
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Avg. Bill	\$3,482	\$4,487	\$4,979	\$4,000	\$3,840
	Cases	0	0	1	4	7
Pershing	Avg LOS	0.0	0.0	1.0	1.5	1.0
	Avg. Bill	\$0	\$0	\$3,963	\$3,965	\$2,976
	Cases	3	1	0	0	2
South Lyon	Avg LOS	1.0	1.0	0.0	0.0	1.0
	Avg. Bill	\$2,351	\$4,636	\$0	\$0	\$3,204
	Cases	13	10	10	16	57
Wm Bee Ririe	Avg LOS	1.0	1.4	1.1	1.6	1.6
	Avg. Bill	\$3,255	\$3,878	\$5,380	\$5,597	\$4,561
TOTAL	g	174	206	237	263	284
AVG. LOS		1.4	1.5	1.3	1.6	1.5
AVG. BILL		\$3,858	\$4,712	\$5,118	\$5,696	\$6,021
		3,445	4,345	5,112	5,995	6,900
ALL COUNTII	ES .	1.7	1.7	1.7	1.7	1.7
		\$6,193	\$6,569	\$7,221	\$7,959	\$8,858
		Ψο, 155	Ψ0,505	Ψ1,221	— φr,333	— - 40,03 0


DRG 148: MAJOR SMALL & LARGE BOWEL PROCEDURES W CC


Surgical procedures under DRG 148 include resections of part of the small or large bowel, permanent or temporary colostomies, and closure of small bowel fistulas. In 2001, 1716 patients were discharged from Nevada hospitals, up 12.7 percent over five years. Women patients outnumbered males for each of the five years, with average lengths of stays and average billed charges nearly equal for each gender. Just over half (54 percent) of patients were age 65 or older, with another 25 percent age 50 through 64.

Sunrise Hospital was the discharge leader statewide for all five years, University Medical Center, Valley Hospital, Desert Springs, Mountain View Hospital, St. Mary's Hospital, and Washoe Medical Center having significant discharge numbers. Average length of hospital stays was mostly in the range 10 to 13 days for urban hospitals, in contrast with Carson-Tahoe Hospital -- the rural sector's leader in patient discharges with 73 in 2001 -- with ALOS in the range of 7.6 days, with the exception of 1998. Average billed charges were in the range \$48,000 to \$62,000 among Clark County facilities over the five year reporting period, with the five year range in Washoe County from \$43,000 to \$57,000. Average length of hospital stays were quite similar between the two counties.

CENDED		4007	1998	1000	2000	2004
GENDER		1997		1999	2000	2001
	Cases	775	770	742	849	891
Female	Avg. LOS	10.7	10.5	11.0	11.3	10.7
	Avg. Bill	\$45,677	\$46,871	\$50,914	\$56,553	\$59,618
	Cases	747	724	717	768	825
Male	Avg. LOS	10.6	10.6	10.9	10.8	10.4
	Avg. Bill	\$46,473	\$48,803	\$49,998	\$56,165	\$58,717
AGE GRO	UP	1997	1998	1999	2000	2001
	Cases	50	36	31	31	33
Age 0-17	Avg. LOS	11.8	14.5	18.8	12.2	9.9
	Avg. Bill	\$41,489	\$74,400	\$63,309	\$53,315	\$39,228
	Cases	92	76	79	83	100
Age 18-35	Avg. LOS	8.7	9.6	10.5	10.1	9.8
	Avg. Bill	\$35,814	\$41,947	\$50,068	\$50,160	\$48,934
	Cases	179	188	163	192	229
Age 36-49	Avg. LOS	9.8	9.6	9.8	10.5	10.2
	Avg. Bill	\$43,039	\$41,640	\$43,635	\$53,383	\$51,961
	Cases	365	386	387	410	429
Age 50-64	Avg. LOS	10.7	10.3	10.9	11.4	9.9
	Avg. Bill	\$44,752	\$44,089	\$51,755	\$57,237	\$54,286
	Cases	836	808	799	901	925
Age 65 +	Avg. LOS	10.9	10.8	11.0	11.0	11.0
	Avg. Bill	\$48,693	\$50,385	\$50,772	\$57,287	\$65,065
TOTAL		1,522	1,494	1,459	1,617	1,716
AVG. LOS		10.6	10.5	10.9	11.0	10.6
AVG. BILL		\$46,068	\$47,807	\$50,464	\$56,369	\$59,185







DRG 148: MAJOR SMALL & LARGE BOWEL PROCEDURES W CC

COUNTY	С					
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	15	10	10	11	12
Boulder City	Avg LOS	11.9	9.8	7.5	11.8	13.7
	Avg. Bill	\$41,852	\$28,364	\$20,062	\$40,672	\$56,770
Desert Springs	Cases	140	134	126	104	104
	Avg LOS	10.9	10.1	10.6	11.0	10.8
	Avg. Bill	\$44,255	\$46,528	\$50,708	\$57,467	\$68,131
	Cases	39	36	36	55	40
Lake Mead	Avg LOS	10.2	10.4	12.4	13.8	10.4
	Avg. Bill	\$65,225	\$58,801	\$84,240	\$103,104	\$78,804
	Cases	106	118	122	140	160
Mountain View	Avg LOS	9.8	8.8	9.8	11.2	10.4
	Avg. Bill	\$47,723	\$43,035	\$48,685	\$58,396	\$59,008
	Cases	67	72	61	61	67
St. Rose Domin.	Avg LOS	9.1	10.7	9.4	13.0	10.7
	Avg. Bill	\$44,886	\$49,815	\$45,584	\$53,200	\$61,860
	Cases	0	0	0	13	77
St. Rose Siena	Avg LOS	0.0	0.0	0.0	14.2	10.9
	Avg. Bill	\$0	\$0	\$0	\$94,443	\$63,927
	Cases	4	38	54	85	93
Summerlin	Avg LOS	8.0	10.0	9.4	11.2	10.6
	Avg. Bill	\$29,265	\$47,879	\$41,663	\$62,785	\$64,303
	Cases	370	321	311	335	296
Sunrise	Avg LOS	9.9	10.5	11.0	10.1	11.4
	Avg. Bill	\$46,507	\$53,146	\$52,248	\$54,897	\$66,382
	Cases	184	202	159	164	182
University Med.	Avg LOS	12.8	11.5	13.4	12.8	11.7
	Avg. Bill	\$42,154	\$41,715	\$53,159	\$61,217	\$55,791
	Cases	195	174	145	140	167
Valley Hospital	Avg LOS	11.2	11.2	11.2	9.0	9.2
	Avg. Bill	\$57,247	\$59,708	\$60,304	\$45,057	\$54,394
TOTAL		1,120	1,105	1,024	1,108	1,198
AVG. LOS		10.7	10.6	11.0	11.1	10.8
AVG. BILL		\$47,926	\$49,769	\$52,772	\$58,500	\$62,015
WASHOE						
	Cases	0	0	0	0	0
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	29	22	24	32	28
Northern NV	Avg LOS	9.8	8.0	11.8	11.0	9.8
	Avg. Bill	\$41,594	\$37,401	\$55,724	\$53,002	\$47,569
	Cases	122	115	152	154	186
St. Mary's	Avg LOS	10.6	10.4	10.8	10.9	10.8
	Avg. Bill	\$41,238	\$44,785	\$47,567	\$57,191	\$65,714
	Cases	163	133	147	190	197
Washoe Med.	Avg LOS	11.4	11.9	11.8	12.4	10.7
	Avg. Bill	\$46,208	\$47,339	\$49,111	\$57,732	\$51,417
TOTAL	J	314	270	323	376	411
AVG. LOS		10.9	10.9	11.3	11.7	10.6
AVG. BILL		\$43,851	\$45,442		\$57,108	\$57,625
O. DILL		Ψ 10,001	₩ 10,77Z	¥ 10,010	ψοί, 100	ψ01,0 2 0


COUNTY		C	ALENDAI	R YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	0	0
Battle Mtn.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	44	70	66	77	73
Carson Tahoe	Avg LOS	7.8	9.3	7.9	7.9	7.1
	Avg. Bill	\$28,412	\$37,676	\$31,847	\$34,834	\$33,351
	Cases	21	21	23	24	16
Churchill	Avg LOS	12.0	10.7	11.4	10.3	8.4
	Avg. Bill	\$50,727	\$48,121	\$51,061	\$53,705	\$41,291
	Cases	0	0	0	0	0
Grover C. Dils	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	7	5	3	6	1
Humboltd Gen.	Avg LOS	11.9	9.4	13.7	12.2	12.0
	Avg. Bill	\$20,767	\$16,206	\$27,445	\$19,713	\$20,224
	Cases	0	0	0	0	0
Mt. Grant	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	14	19	14	22	15
Northeastern	Avg LOS	6.1	8.8	10.6	9.0	9.4
	Avg. Bill	\$12,881	\$19,442	\$24,256	\$31,187	\$29,038
	Cases	0	0	0	0	0
Nye General	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Pershing	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	2	4	6	4	2
Wm Bee Ririe	Avg LOS	5.0	4.8	6.0	5.3	3.0
	Avg. Bill	\$13,788	\$15,360	\$17,232	\$20,515	\$15,831
TOTAL		88	119	112	133	107
AVG. LOS		8.8	9.3	9.0	8.6	7.6
AVG. BILL		\$30,326	\$34,956	\$33,943	\$36,523	\$33,483
		1,522	1,494	1,459	1,617	1,716
ALL COUNTIE	S	10.6	10.5	10.9	11.0	10.6
		\$46,068	\$47,807	\$50,464	\$56,369	\$59,185


DRG 167: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC


Laparascopic as well as surgical appendectomies and appendiceal drainages form the core of DRG 167 surgical procedures. By a significant margin male discharges were higher than female for the five reporting years; in 2001, 838 males were discharged from Nevada hospitals in contrast to 624 female patients. Female patients had slightly higher average lengths of hospital stays and average billed charges, year by year. The modal age range for these procedures was 18 through 35 (41.6 percent of 2001's discharges), followed distantly by the age range 0 through 17 at 26.9 percent of discharges in the same year. These patterns prevailed through all five reporting years. Average billed charges and average lengths of hospital stays did not differ significantly by age group.

University Medical Center led the state in discharges during 2001, followed closely by Sunrise Hospital and Washoe Medical Center. The highest billed charge average in 2001 was posted by Lake Mead Hospital at \$20,308, followed by Desert Springs hospital at \$17,300. Among the rural facilities, Carson-Tahoe Hospital led in patient discharges with 57 in 2001, up slightly from 1997's total. Churchill Hospital posted the highest rural average billed charge in 2001 at \$15,054, up nearly \$5,000 from the hospital's 1997 average.

GENDER		1997	1998	1999	2000	2001
	Cases	402	420	458	559	624
Female	Avg. LOS	2.0	1.9	1.9	1.7	1.7
	Avg. Bill	\$9,799	\$9,458	\$10,736	\$12,493	\$14,334
	Cases	556	609	685	781	838
Male	Avg. LOS	1.9	1.8	1.8	1.7	1.6
	Avg. Bill	\$8,761	\$9,126	\$10,399	\$11,486	\$13,898
GENDER		1997	1998	1999	2000	2001
	Cases	290	326	311	320	394
Age 0-17	Avg. LOS	2.1	1.9	1.9	1.9	1.8
	Avg. Bill	\$8,631	\$8,318	\$9,327	\$10,899	\$12,971
	Cases	414	432	465	567	608
Age 18-35	Avg. LOS	1.8	1.7	1.7	1.5	1.5
	Avg. Bill	\$9,016	\$9,351	\$10,696	\$12,038	\$14,249
	Cases	180	180	236	280	298
Age 36-49	Avg. LOS	2.1	1.8	1.7	1.7	1.6
	Avg. Bill	\$10,088	\$9,728	\$10,833	\$12,083	\$14,370
	Cases	60	74	107	131	116
Age 50-64	Avg. LOS	2.3	2.2	2.1	2.1	2.0
	Avg. Bill	\$10,305	\$11,518	\$11,981	\$13,093	\$15,522
	Cases	14	17	24	42	46
Age 65 +	Avg. LOS	1.9	2.2	2.8	2.3	1.8
	Avg. Bill	\$10,062	\$10,316	\$13,646	\$12,909	\$15,971
TOTAL		958	1,029	1,143	1,340	1,462
AVG. LOS		2.0	1.8	1.8	1.7	1.6
AVG. BILL		\$9,197	\$9,261	\$10,534	\$11,906	\$14,084







DRG 167: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC

COUNTY		С				
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	14	5	5	8	8
Boulder City	Avg LOS	2.1	2.2	3.4	2.1	1.6
	Avg. Bill	\$8,888	\$9,798	\$13,909	\$9,099	\$9,025
	Cases	57	41	59	58	51
Desert Springs	Avg LOS	2.0	1.8	1.8	1.5	1.6
	Avg. Bill	\$8,578	\$9,046	\$11,078	\$13,276	\$17,300
	Cases	30	32	41	38	51
Lake Mead	Avg LOS	2.1	1.7	1.7	1.6	1.8
	Avg. Bill	\$10,241	\$10,723	\$14,626	\$15,897	\$20,308
	Cases	45	67	71	92	107
Mountain View	Avg LOS	1.6	1.5	1.2	1.3	1.6
	Avg. Bill	\$9,863	\$10,464	\$9,750	\$10,997	\$13,112
	Cases	57	77	77	75	62
St. Rose Domin.		2.1	1.8	2.0	1.7	1.6
	Avg. Bill	\$10,952	\$11,093	\$11,663	\$11,052	\$14,035
	Cases	0	0	0	17	120
St. Rose Siena	Avg LOS	0.0	0.0	0.0	1.8	1.8
	Avg. Bill	\$0	\$0	\$0	\$11,312	\$15,423
	Cases	3	27	31	49	63
Summerlin	Avg LOS	1.7	1.6	1.2	1.7	1.3
	Avg. Bill	\$8,344	\$8,913	\$9,723	\$11,817	\$13,803
	Cases	203	224	238	231	215
Sunrise	Avg LOS	2.1	2.0	2.0	1.8	1.7
Carmoo	Avg. Bill	\$9,642	\$8,933	\$9,739	\$11,845	\$13,892
	Cases	129	155	205	255	236
University Med.	Avg LOS	2.0	1.9	1.6	1.7	1.5
Oniversity wed.	Avg. Bill	\$8,730	\$9,331	\$10,908	\$12,702	\$14,758
	Cases	60	62	71	65	42
Valley Hospital	Avg LOS	1.9	1.8	1.9	1.6	1.5
valley Hospital	Avg. Bill	\$9,685	\$10,454		\$12,714	\$15,216
TOTAL	Avg. Dill	598	690	798	888	955
AVG. LOS		2.0	1.9	1.8	1.6	1.6
AVG. EUS AVG. BILL		\$9,496		\$10,820		\$14,756
WASHOE		φ5,450	ψ9,044	\$10,020	φ12,230	φ14,730
WASHUE	Cases	0	0	0	0	0
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0
Incline Village	"				\$0	
	Avg. Bill	\$0	\$0	\$0		\$0
Northorn NIV	Cases	15	22	24	44	43
Northern NV	Avg LOS	2.2	1.6	2.2	1.6	1.9
	Avg. Bill	\$9,758	\$8,788	\$10,691	\$11,158	\$11,891
Ct Manda	Cases	103	72	71	105	114
St. Mary's	Avg LOS	1.8	1.7	2.0	1.8	1.6
	Avg. Bill	\$10,009	\$9,828	\$12,040	\$14,298	\$16,037
NA/1	Cases	141	123	125	181	207
Washoe Med.	Avg LOS	2.1	1.8	2.0	1.8	1.7
TOTAL	Avg. Bill	\$8,747	\$9,073	\$11,243	\$11,311	\$13,059
TOTAL		259	217	220	330	364
AVG. LOS		2.0	1.8	2.0	1.8	1.7
AVG. BILL		\$9,308	\$9,294	\$11,440	\$12,241	\$13,853


COUNTY			CAL <u>END</u> A	R YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	0	0
Battle Mtn.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	50	42	52	34	57
Carson Tahoe	Avg LOS	1.4	1.5	1.2	1.6	1.4
	Avg. Bill	\$6,987	\$7,173	\$7,319	\$9,571	\$11,717
	Cases	19	25	19	20	21
Churchill	Avg LOS	2.3	2.2	3.0	2.9	1.8
	Avg. Bill	\$10,235	\$11,258	\$11,765	\$13,408	\$15,054
	Cases	0	0	0	0	0
Grover C. Dils	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	5	14	7	18	16
Humboltd Gen.	Avg LOS	2.4	1.9	2.0	2.0	2.2
	Avg. Bill	\$4,392	\$4,254	\$4,183	\$4,871	\$5,039
	Cases	0	0	0	0	0
Mt. Grant	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	24	31	40	42	44
Northeastern	Avg LOS	2.2	2.0	1.9	1.7	1.8
	Avg. Bill	\$5,801	\$5,387	\$5,157	\$7,648	\$8,216
	Cases	0	0	0	0	0
Nye General	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Pershing	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	3	10	7	8	5
Wm Bee Ririe	Avg LOS	2.0	1.4	1.7	1.4	1.2
	Avg. Bill	\$5,512	\$4,947	\$7,055	\$6,433	\$6,032
TOTAL		101	122	125	122	143
AVG. LOS		1.8	1.8	1.8	1.9	1.6
AVG. BILL		\$7,144	\$7,039	\$7,113	\$8,639	\$10,184
		958	1,029	1,143	1,340	1,462
ALL COUNTII	ES	2.0	1.8	1.8	1.7	1.6
		\$9,197	\$9,261	\$10,534	\$11,906	\$14,084


DRG 174: G.I. HEMORRHAGE W CC


Rather serious conditions define DRG 174: esophageal hemorrhages, chronic stomach ulcers, as well as duodenal and peptic ulcers and related conditions. Male patients had higher patient counts for all five reporting years, having 55 percent of all cases in 2001. On the other hand, women remained in the hospital about one-half day longer than men across the five reporting years, except in 2000, with similar average billed charges over the same time period. In 2001, 95.7 percent of discharges were age 36 and older.

Sunrise Hospital was the state leader in discharges over all five reporting years, having 383 discharges in 2001. In the same year, University Medical Center was in second place with 245 discharges and Mountain View Hospital third with 229. In fact, Clark County facilities accounted for 73.6 percent of all discharges statewide in 2001. These same hospitals maintained a slightly longer average length of hospital stay, and their average billed charges in 2001 were \$5,000 greater than Washoe County's, and over \$8,000 higher than those of rural Nevada facilities. Carson-Tahoe Hospital was the Rural region's discharge leader with 129 cases or 52.2 percent of rural hospital discharges. Northeastern and Churchill Hospitals were nearly tied for second place with 37 and 34 discharges respectively.

GENDER		1997	1998	1999	2000	2001
	Cases	925	910	922	973	1,110
Female	Avg. LOS	4.5	4.6	4.5	4.3	4.5
	Avg. Bill	\$13,048	\$14,495	\$14,816	\$15,288	\$17,489
	Cases	1,153	1,177	1,196	1,371	1,357
Male	Avg. LOS	3.9	4.1	3.9	4.2	4.1
	Avg. Bill	\$12,711	\$13,731	\$14,122	\$16,796	\$17,285
AGE GRO	JP	1997	1998	1999	2000	2001
	Cases	14	11	14	17	17
Age 0-17	Avg. LOS	4.2	2.8	3.9	3.4	3.0
	Avg. Bill	\$9,143	\$8,235	\$12,537	\$10,135	\$10,143
	Cases	119	103	91	102	90
Age 18-35	Avg. LOS	3.3	2.9	2.8	3.1	3.7
	Avg. Bill	\$9,922	\$10,378	\$10,820	\$12,331	\$15,317
	Cases	266	257	294	287	330
Age 36-49	Avg. LOS	3.2	3.3	3.3	3.5	3.2
	Avg. Bill	\$11,501	\$11,907	\$12,337	\$13,610	\$13,793
	Cases	427	417	440	529	507
Age 50-64	Avg. LOS	3.7	4.1	4.0	4.1	4.2
	Avg. Bill	\$12,836	\$14,144	\$14,666	\$18,596	\$18,618
	Cases	1,252	1,299	1,279	1,409	1,523
Age 65 +	Avg. LOS	4.6	4.6	4.5	4.5	4.6
	Avg. Bill	\$13,479	\$14,807	\$15,098	\$16,132	\$17,942
TOTAL		2,078	2,087	2,118	2,344	2,467
AVG. LOS		4.2	4.3	4.2	4.2	4.3
AVG. BILL		\$12,861	\$14,064	\$14,424	\$16,170	\$17,376







DRG 174: G.I. HEMORRHAGE W CC

COUNTY		CALENDAR YEARS							
NAME		1997	1998	1999	2000	2001			
CLARK		1991	1330	1333	2000	2001			
CLARR	Cases	20	22	11	18	26			
Poulder City	Avg LOS		3.5		4.3	4.2			
Boulder City	"	3.8		4.5					
	Avg. Bill	\$8,245		\$10,364	\$11,544	\$10,398			
	Cases	223	184	185	187	195			
Desert Springs	Avg LOS	4.3	4.5	4.5	4.4	4.5			
	Avg. Bill	\$12,805	. , -	\$14,201	\$15,829	\$19,651			
	Cases	91	96	103	134	119			
Lake Mead	Avg LOS	4.1	4.5	4.6	4.8	4.2			
	Avg. Bill		\$18,890		\$28,017	\$26,790			
	Cases	138	154	133	157	229			
Mountain View	Avg LOS	4.2	3.7	3.8	3.8	4.0			
	Avg. Bill	\$15,764	\$14,851	\$15,073	\$14,189	\$16,578			
	Cases	89	79	82	145	146			
St. Rose Domin.	Avg LOS	3.3	3.8	4.6	4.9	5.2			
	Avg. Bill	\$10,131	\$11,353	\$14,693	\$16,362	\$19,393			
	Cases	0	0	0	36	129			
St. Rose Siena	Avg LOS	0.0	0.0	0.0	4.8	4.3			
	Avg. Bill	\$0	\$0	\$0	\$37,639	\$16,026			
	Cases	9	61	105	169	145			
Summerlin	Avg LOS	3.3	4.9	4.3	4.5	3.8			
	Avg. Bill	\$9,203	\$18,024	\$14,791	\$17,948	\$16,153			
	Cases	431	397	391	372	383			
Sunrise	Avg LOS	4.6	4.7	4.4	4.5	5.1			
	Avg. Bill	\$15,592	\$16,615	\$16,871	\$18,786	\$21,968			
	Cases	252	301	274	319	245			
University Med.	Avg LOS	4.0	4.2	4.2	4.1	4.0			
	Avg. Bill	\$12,993	\$12,853	\$13,613	\$13,947	\$14,580			
	Cases	254	234	270	231	199			
Valley Hospital	Avg LOS	4.8	4.9	4.7	5.0	4.7			
	Avg. Bill	\$15,584			\$18,953	\$21,055			
TOTAL	7 (vg. Dill	1,507	1,528	1,554	1,768	1,816			
AVG. LOS		4.4	4.4	4.4	4.5	4.5			
AVG. BILL									
WASHOE		\$14,231	\$15,444	\$16,057	\$17,945	\$19,000			
WASHOE	Casas	2	1	0	0	0			
In alice a Village	Cases	2		0	0	0			
Incline Village	Avg LOS	3.0	4.0	0.0	0.0	0.0			
	Avg. Bill	\$7,186	\$12,095	\$0	\$0	\$0			
	Cases	45	20	31	41	33			
Northern NV	Avg LOS	3.6	5.2	3.3	3.8	3.5			
	Avg. Bill	\$9,452	\$14,873	\$9,778	\$11,205	\$10,094			
	Cases	133	143	124	140	153			
St. Mary's	Avg LOS	4.0	3.8	3.4	3.5	4.3			
	Avg. Bill	\$10,120	\$10,162		\$12,879	\$16,113			
	Cases	190	213	207	168	218			
Washoe Med.	Avg LOS	3.9	4.2	4.1	3.5	3.9			
	Avg. Bill	\$9,780	\$11,224	\$10,885	\$10,139	\$13,129			
TOTAL		370	377	362	349	404			
AVG. LOS		3.9	4.1	3.8	3.6	4.0			
AVG. BILL		\$9,848	\$11,017	\$10,621	\$11,363	\$14,011			


ises g LOS	1997	1998	AR YEARS 1999	2000	2001
	0				
		0	2	1	1
g LOO	0.0	0.0	1.0	2.0	1.0
a Bill					\$2,807
		•			129
					3.4
•					\$11,841
					34
					3.2
_					\$13,783
					0
_					0.0
		•			\$0
					8
_					3.9
					\$5,287
					2
g LOS					7.0
g. Bill	\$5,626	\$4,876	\$5,238	\$4,210	\$13,096
ises	36	35	28	34	37
g LOS	2.6	3.6	3.1	4.0	3.3
g. Bill	\$4,829	\$7,426	\$7,410	\$12,036	\$11,882
ises	0	0	0	2	8
g LOS	0.0	0.0	0.0	1.5	1.8
g. Bill	\$0	\$0	\$0	\$3,350	\$4,585
ses	0	0	4	3	3
g LOS	0.0	0.0	2.8	1.3	3.3
g. Bill	\$0	\$0	\$5,364	\$2,929	\$6,907
ses	5	4	4	5	7
g LOS	2.4	2.5	2.3	3.2	1.6
g. Bill	\$3,096	\$3,408	\$3,837	\$4,271	\$2,686
ses	17	10	9	16	18
g LOS	3.1	2.6	2.0	2.8	2.7
g. Bill	\$6,274	\$5,858	\$6,458	\$6,566	\$6,693
	201	182	202	227	247
	3.5	3.3	3.3	3.4	3.2
	\$8,134	\$8,795	\$8,674	\$9,739	\$10,946
	2,078	2,087	2,118	2,344	2,467
	4.2	4.3	4.2	4.2	4.3
	\$12,861	\$14,064	\$14,424	\$16,170	\$17,376
	ses g LOS g. Bill ses	ses 99 g LOS 3.3 g. Bill \$8,526 ses 31 g LOS 5.5 g. Bill \$12,910 ses 0 g LOS 0.0 g. Bill \$0 ses 8 g LOS 4.4 g. Bill \$8,324 ses 5 g LOS 3.8 g. Bill \$5,626 ses 36 g LOS 2.6 g. Bill \$0 ses 0 g LOS 0.0 g. Bill \$0 ses 0 g. Bill \$0 ses 5 g LOS 2.4 g. Bill \$3,096 ses 17 g LOS 3.1 g. Bill \$6,274 201 3.5 \$8,134 2,078 4,2	ses 99 93 g LOS 3.3 3.3 g. Bill \$8,526 \$9,672 ses 31 30 g LOS 5.5 3.4 g. Bill \$12,910 \$10,383 ses 0 0.0 g LOS 0.0 0.0 g. Bill \$0 \$0 ses 8 8 g LOS 4.4 3.4 g. Bill \$8,324 \$5,977 ses 5 2 g LOS 3.8 3.5 g. Bill \$5,626 \$4,876 ses 36 35 g LOS 2.6 3.6 g. Bill \$4,829 \$7,426 ses 0 0 g LOS 0.0 0.0 g. Bill \$0 \$0 ses 0 0 g. Bill \$0 \$0 ses 5 4 g. Bill <td>sees 99 93 99 g LOS 3.3 3.3 3.3 g. Bill \$8,526 \$9,672 \$9,256 sees 31 30 32 g LOS 5.5 3.4 3.8 g. Bill \$10,383 \$12,588 sees 0 0 2 g LOS 0.0 0.0 1.5 g. Bill \$0 \$0 \$2,968 sees 8 8 13 g LOS 4.4 3.4 4.2 g. Bill \$8,324 \$5,977 \$5,755 sees 5 2 9 g LOS 3.8 3.5 3.1 g. Bill \$5,626 \$4,876 \$5,238 sees 36 35 28 g LOS 2.6 3.6 3.1 g. Bill \$4,829 \$7,426 \$7,410 sees 0 0 0 g LOS 0.0</td> <td>sees 99 93 99 123 g LOS 3.3 3.3 3.3 3.3 g Bill \$8,526 \$9,672 \$9,256 \$10,328 sees 31 30 32 30 g LOS 5.5 3.4 3.8 3.8 g. Bill \$12,910 \$10,383 \$12,588 \$11,060 sees 0 0 2 1 g LOS 0.0 0.0 1.5 3.0 g Bill \$0 \$0 \$2,968 \$3,084 sees 8 8 13 10 g LOS 0.0 0.0 1.5 3.0 g Bill \$0 \$0 \$2,968 \$3,084 sees 8 8 13 10 g LOS 4.4 3.4 4.2 2.7 g Bill \$8,324 \$5,977 \$5,755 \$4,276 sees 5 2 9 2</td>	sees 99 93 99 g LOS 3.3 3.3 3.3 g. Bill \$8,526 \$9,672 \$9,256 sees 31 30 32 g LOS 5.5 3.4 3.8 g. Bill \$10,383 \$12,588 sees 0 0 2 g LOS 0.0 0.0 1.5 g. Bill \$0 \$0 \$2,968 sees 8 8 13 g LOS 4.4 3.4 4.2 g. Bill \$8,324 \$5,977 \$5,755 sees 5 2 9 g LOS 3.8 3.5 3.1 g. Bill \$5,626 \$4,876 \$5,238 sees 36 35 28 g LOS 2.6 3.6 3.1 g. Bill \$4,829 \$7,426 \$7,410 sees 0 0 0 g LOS 0.0	sees 99 93 99 123 g LOS 3.3 3.3 3.3 3.3 g Bill \$8,526 \$9,672 \$9,256 \$10,328 sees 31 30 32 30 g LOS 5.5 3.4 3.8 3.8 g. Bill \$12,910 \$10,383 \$12,588 \$11,060 sees 0 0 2 1 g LOS 0.0 0.0 1.5 3.0 g Bill \$0 \$0 \$2,968 \$3,084 sees 8 8 13 10 g LOS 0.0 0.0 1.5 3.0 g Bill \$0 \$0 \$2,968 \$3,084 sees 8 8 13 10 g LOS 4.4 3.4 4.2 2.7 g Bill \$8,324 \$5,977 \$5,755 \$4,276 sees 5 2 9 2


DRG 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC


Such ailments as salmonella and staphylococcus infections, E.coli conditions, and abdominal pain characterize DRG 182. In 2001, there were 2572 discharges from Nevada hospitals, up 41.2 percent from 1997. In 2001, 61.9 percent of patients were women, a pattern prevailing for all five reporting years. Female patients were in the hospital about half a day longer in 2001, and their average billed charges were slightly higher over four of the five years. Just over 70.4 percent of patients were age 50 and older, and 90.3 percent were 36 and older. About \$1,000 in billed charges separated adjacent pairs of these three age groups in 2001.

Sunrise Hospital, with 516 cases, was far and away the discharge leader in 2001, as well as the four other years. Clark County's patient discharge total in 2001 was just under 72.7 percent of the state's total, and their average billed charges were highest for each of the five reporting years. The 2001 state leader in average billed charges was, once again, Lake Mead Hospital at \$19,707, followed by Valley Hospital at \$17,777, St. Mary's Hospital at \$16,454 and Desert Springs Hospital at \$16,396. In the rural sector of Nevada's hospitals, Carson-Tahoe Hospital led all facilities with 96 discharges or 42.3 percent in 2001, followed by 56 at Northeastern Hospital. Carson-Tahoe also posted the largest average billed charge for three of the five years in this region.

GENDER		1997	1998	1999	2000	2001
	Cases	1,151	1,336	1,331	1,560	1,593
Female	Avg. LOS	3.9	4.2	4.0	4.1	4.1
	Avg. Bill	\$10,473	\$11,821	\$12,649	\$13,066	\$14,380
	Cases	671	738	773	996	979
Male	Avg. LOS	3.7	3.7	3.9	3.6	3.5
	Avg. Bill	\$10,961	\$11,356	\$12,617	\$12,144	\$13,676
GENDER		1997	1998	1999	2000	2001
	Cases	0	0	0	0	0
Age 0-17	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	189	247	208	285	250
Age 18-35	Avg. LOS	3.0	3.1	3.3	3.2	3.0
	Avg. Bill	\$8,195	\$9,147	\$9,602	\$10,597	\$11,386
	Cases	319	327	391	499	511
Age 36-49	Avg. LOS	3.3	3.4	3.4	3.6	3.6
	Avg. Bill	\$9,426	\$10,485	\$10,893	\$11,652	\$12,960
	Cases	394	474	501	615	637
Age 50-64	Avg. LOS	3.5	3.8	4.1	3.8	3.8
	Avg. Bill	\$10,606	\$11,369	\$13,480	\$12,753	\$14,246
	Cases	920	1,026	1,004	1,157	1,174
Age 65 +	Avg. LOS	4.3	4.6	4.3	4.3	4.2
	Avg. Bill	\$11,603	\$12,765	\$13,525	\$13,657	\$15,121
TOTAL		1,822	2,074	2,104	2,556	2,572
AVG. LOS		3.9	4.0	4.0	3.9	3.9
AVG. BILL		\$10,653	\$11,656	\$12,637	\$12,707	\$14,112







DRG 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC

		CALENDAR YEARS						
COUNTY								
NAME		1997	1998	1999	2000	2001		
CLARK								
	Cases	32	21	26	26	32		
Boulder City	Avg LOS	2.6	3.8	3.5	4.6	3.3		
	Avg. Bill	\$5,164	\$7,894	\$7,536	\$10,137	\$7,446		
	Cases	281	232	187	204	200		
Desert Springs	Avg LOS	3.9	4.3	4.2	3.8	4.1		
	Avg. Bill	\$10,586	\$12,362	\$13,220	\$12,524	\$16,396		
	Cases	62	42	55	97	88		
Lake Mead	Avg LOS	3.2	4.4	4.5	3.5	3.6		
	Avg. Bill	\$11,611	\$16,135	\$17,552	\$17,960	\$19,707		
	Cases	92	121	140	155	202		
Mountain View	Avg LOS	3.6	3.9	4.0	3.5	4.0		
	Avg. Bill	\$12,007	\$13,104	\$16,055	\$13,154	\$15,196		
	Cases	77	79	88	145	103		
St. Rose Domin.	Avg LOS	3.0	4.2	4.1	4.2	3.4		
	Avg. Bill	\$10,118	\$13,976	\$13,726	\$13,374	\$13,535		
	Cases	0	0	0	98	142		
St. Rose Siena	Avg LOS	0.0	0.0	0.0	5.9	3.9		
	Avg. Bill	\$0	\$0	\$0	\$19,979	\$14,853		
	Cases	7	72	141	110	107		
Summerlin	Avg LOS	4.1	3.5	3.7	3.8	3.3		
	Avg. Bill	\$16,593	\$11,544	\$13,263	\$13,536	\$13,954		
Sunrise	Cases	319	436	467	561	516		
	Avg LOS	4.2	4.1	4.1	4.0	4.0		
	Avg. Bill	\$13,142	\$13,779	\$13,944	\$13,614	\$15,319		
	Cases	146	222	250	300	288		
University Med.	Avg LOS	4.1	4.0	4.3	4.0	3.7		
	Avg. Bill	\$10,640	\$10,839	\$12,910	\$11,838	\$11,806		
	Cases	290	287	216	190	192		
Valley Hospital	Avg LOS	4.3	4.1	4.6	4.2	4.2		
	Avg. Bill	\$13,443	\$12,609	\$15,842	\$15,519	\$17,777		
TOTAL		1,306	1,512	1,570	1,886	1,870		
AVG. LOS		3.9	4.1	4.2	4.0	3.9		
AVG. BILL		\$11,871	\$12,741	\$14,089	\$13,851	\$14,992		
WASHOE								
	Cases	1	2	1	1	0		
Incline Village	Avg LOS	2.0	4.0	5.0	3.0	0.0		
	Avg. Bill	\$3,394	\$8,550	\$9,233	\$4,310	\$0		
	Cases	35	37	38	50	41		
Northern NV	Avg LOS	3.7	3.5	2.7	3.5	3.9		
	Avg. Bill	\$9,222	\$9,199	\$6,807	\$8,923	\$10,457		
	Cases	133	127	119	155	165		
St. Mary's	Avg LOS	4.2	4.1	3.7	3.9	4.6		
	Avg. Bill	\$9,516	\$8,761	\$10,245	\$12,103	\$16,454		
	Cases	196	215	208	243	269		
Washoe Med.	Avg LOS	3.9	4.2	3.9	4.2	4.0		
	Avg. Bill	\$7,368	\$9,414	\$9,365	\$10,125	\$11,632		
TOTAL	J	365	381	366	449	475		
AVG. LOS		4.0	4.1	3.7	4.0	4.2		
AVG. BILL		\$8,318	\$9,171	\$9,385	\$10,661	\$13,206		


COUNTY		(CALENDA	R YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	2	1	3	2	1
Battle Mtn.	Avg LOS	3.5	2.0	2.3	2.0	2.0
	Avg. Bill	\$4,124	\$2,232	\$2,509	\$1,952	\$5,796
	Cases	55	86	68	96	96
Carson Tahoe	Avg LOS	3.4	3.8	3.2	3.0	3.5
	Avg. Bill	\$7,475	\$8,244	\$7,912	\$8,301	\$10,367
	Cases	27	31	28	22	16
Churchill	Avg LOS	2.5	4.0	2.5	3.8	3.0
	Avg. Bill	\$6,938	\$12,475	\$6,613	\$10,100	\$10,096
	Cases	2	1	2	9	6
Grover C. Dils	Avg LOS	3.5	1.0	4.0	2.3	1.7
	Avg. Bill	\$5,748	\$1,405	\$7,623	\$4,038	\$2,421
	Cases	1	8	4	9	1
Humboltd Gen.	Avg LOS	1.0	2.6	3.3	2.7	1.0
	Avg. Bill	\$1,864	\$4,118	\$3,884	\$3,650	\$1,761
	Cases	10	2	3	5	13
Mt. Grant	Avg LOS	2.6	1.5	2.3	2.8	2.8
	Avg. Bill	\$3,060	\$3,966	\$3,365	\$5,870	\$5,454
	Cases	29	36	28	35	56
Northeastern	Avg LOS	2.9	3.4	2.2	2.9	2.8
	Avg. Bill	\$5,034	\$6,191	\$5,563	\$7,203	\$9,079
	Cases	2	2	4	8	6
Nye General	Avg LOS	3.0	2.5	1.8	2.3	3.3
	Avg. Bill	\$5,271	\$2,922	\$3,000	\$5,183	\$6,888
	Cases	2	1	3	5	4
Pershing	Avg LOS	1.0	1.0	4.0	3.0	4.8
	Avg. Bill	\$2,310	\$2,351	\$4,801	\$3,461	\$6,093
	Cases	9	5	10	8	6
South Lyon	Avg LOS	2.1	2.2	1.8	2.9	1.5
	Avg. Bill	\$2,452	\$2,339	\$2,883	\$3,624	\$2,195
	Cases	12	8	15	22	22
Wm Bee Ririe	Avg LOS	2.3	2.9	1.5	2.0	2.6
	Avg. Bill	\$2,984	\$3,975	\$3,397	\$4,893	\$6,830
TOTAL		151	181	168	221	227
AVG. LOS		2.9	3.5	2.7	2.9	3.1
AVG. BILL		\$5,760	\$7,816	\$6,152	\$7,100	\$8,755
		1,822	2,074	2,104	2,556	2,572
ALL COUNTIE	S	3.9	4.0	4.0	3.9	3.9
		\$10,653	\$11,656	\$12,637	\$12,707	\$14,112


DRG 202: CIRRHOSIS & ALCOHOLIC HEPATITIS


Alcohol liver damage, biliary cirrhosis, and alcoholic hepatitis characterize this DRG. In 2001, 736 patients were discharged from Nevada hospitals with these diagnoses, up only 88 cases over five years. Average lengths of hospital stays were flat at about 5.9 days, and average billed charges peaked in 2001 at \$24,058. In 2001, male patient counts were significantly higher than female, a pattern prevailing over all five years. Average lengths of hospital stays were close or tied for each year, as were average billed charges. The age range 36 through 64 had the highest number of discharges, year by year.

University Medical Center discharged the most cases of any of Nevada's hospitals, year by year, while its average billed charges tended to be lower than other urban hospitals. Lake Mead Hospital had the highest average billed charges in 2001, followed at some distance by Valley Hospital. Washoe Medical Center and St. Mary's Hospital discharged 57 and 45 cases in 2001, with the former leading throughout the five year period. In the rural area of Nevada, 47 of 64 discharges in 2001 were from Carson-Tahoe Hospital. Northeastern Hospital posted the highest average billed charges for the region at \$17,245, followed closely by Churchill Hospital which had the second highest average billed charges at \$17,139 in 2001.

CENDED	_	4007	4000	4000	2000	2004
GENDER		1997	1998	1999	2000	2001
	Cases	266	275	248	243	264
Female	Avg. LOS	6.5	5.8	6.4	6.0	6.0
	Avg. Bill	\$18,496	\$17,442	\$21,852	\$20,465	\$22,960
	Cases	382	446	455	494	472
Male	Avg. LOS	5.7	5.8	5.7	5.8	6.0
	Avg. Bill	\$17,292	\$17,746	\$19,891	\$21,324	\$24,672
GENDER		1997	1998	1999	2000	2001
	Cases	2	3	1	1	0
Age 0-17	Avg. LOS	6.5	3.3	4.0	7.0	0.0
	Avg. Bill	\$21,641	\$18,530	\$21,179	\$32,423	\$0
	Cases	24	54	28	27	28
Age 18-35	Avg. LOS	4.6	5.6	4.6	6.1	6.6
	Avg. Bill	\$15,326	\$19,489	\$15,830	\$24,832	\$27,936
	Cases	242	269	280	251	276
Age 36-49	Avg. LOS	6.0	6.1	6.0	6.5	5.6
	Avg. Bill	\$19,640	\$18,256	\$21,056	\$22,376	\$22,262
	Cases	222	250	245	304	281
Age 50-64	Avg. LOS	5.7	5.8	6.5	5.7	6.4
	Avg. Bill	\$16,757	\$17,576	\$22,200	\$19,936	\$26,761
	Cases	158	145	149	154	151
Age 65 +	Avg. LOS	6.7	5.6	5.3	5.3	5.7
	Avg. Bill	\$16,716	\$15,850	\$17,923	\$20,307	\$21,591
TOTAL		648	721	703	737	736
AVG. LOS		6.0	5.8	6.0	5.9	6.0
AVG. BILL		\$17,786	\$17,630	\$20,583	\$21,041	\$24,058







DRG 202: CIRRHOSIS & ALCOHOLIC HEPATITIS

COUNTY		С				
NAME		1997		1999	2000	2001
CLARK						
	Cases	3	5	3	0	1
Boulder City	Avg LOS	6.0	5.8	5.7	0.0	2.0
,	Avg. Bill	\$13,363	\$14,621	\$17,458	\$0	\$5,233
	Cases	42	47	41	53	35
Desert Springs	Avg LOS	5.1	4.9	6.6	5.5	6.3
	Avg. Bill	\$15,040	\$15,050	\$24,108	\$18,607	\$25,798
	Cases	47	41	44	44	51
Lake Mead	Avg LOS	5.7	6.1	9.0	6.9	7.6
	Avg. Bill	\$20,792	\$19,455	\$41,394	\$39,870	\$38,826
	Cases	26	27	30	47	46
Mountain View	Avg LOS	5.5	5.1	4.1	5.2	5.6
	Avg. Bill	\$20,836	\$19,896	\$18,942	\$19,926	\$20,483
	Cases	30	34	35	35	45
St. Rose Domin.	Avg LOS	5.3	5.1	5.2	5.9	7.3
	Avg. Bill	\$13,358	\$17,460	\$19,346	\$22,819	\$26,116
	Cases	0	0	0	2	21
St. Rose Siena	Avg LOS	0.0	0.0	0.0	10.5	5.9
	Avg. Bill	\$0	\$0	\$0	\$39,280	\$19,262
	Cases	1	17	18	33	37
Summerlin	Avg LOS	9.0	6.8	7.7	5.5	6.2
	Avg. Bill	\$31,251	\$23,929	\$28,354	\$22,022	\$24,807
	Cases	101	104	131	111	94
Sunrise	Avg LOS	5.9	5.7	5.8	6.8	5.8
	Avg. Bill	\$19,786	\$19,393	\$20,922	\$25,582	\$26,788
	Cases	183	226	175	170	163
University Med.	Avg LOS	6.3	6.0	5.8	5.8	5.7
	Avg. Bill	\$18,082	\$16,636	\$17,375	\$19,404	\$21,790
	Cases	66	54	55	71	67
Valley Hospital	Avg LOS	6.0	5.4	6.3	5.9	6.8
	Avg. Bill	\$21,547	\$20,058	\$25,461	\$22,268	\$30,043
TOTAL		499	555	532	566	560
AVG. LOS		5.9	5.7	6.1	6.0	6.2
AVG. BILL		\$18,742	\$17,974	\$22,180	\$22,968	\$25,734
WASHOE						
	Cases	0	0	0	0	0
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	9	11	9	8	10
Northern NV	Avg LOS	6.1	5.5	5.4	7.3	4.1
	Avg. Bill	\$19,182	\$18,497	\$14,885	\$22,623	\$13,427
	Cases	28	43	45	41	45
St. Mary's	Avg LOS	6.1	6.9	5.4	6.8	5.4
	Avg. Bill	\$11,853	\$16,227	\$17,455	\$19,918	\$21,731
	Cases	64	64	68	73	57
Washoe Med.	Avg LOS	6.6	5.4	6.3	4.7	6.5
	Avg. Bill	\$15,941	\$15,132	\$17,803	\$13,528	\$24,768
		404	118	122	122	112
TOTAL		101	110	122	122	
TOTAL AVG. LOS		6.4	5.9	5.9	5.5	5.8


COUNTY NAME					CALENDAR YEARS					
	NAME			1999	2000	2001				
RURAL		1997	1998							
	ses	0	2	0	0	0				
	g LOS	0.0	1.0	0.0	0.0	0.0				
	g. Bill	\$0	\$1,105	\$0	\$0	\$0				
	ses	30	31	32	23	47				
	g LOS	5.0	7.3	4.7	5.9	4.3				
	g. Bill	\$12,280	\$21,356	\$12,457	\$12,693	\$11,769				
	ses	13	8	6	5	3				
	g LOS	8.8	5.4	4.5	4.4	7.0				
	g. Bill	\$18,000	\$18,705	\$10,143	\$9,867	\$17,139				
	ses	1	0	0	0	2				
	g LOS	3.0	0.0	0.0	0.0	2.5				
	g. Bill	\$2,757	\$0	\$0	\$0	\$3,693				
	ses	1	1	1	3	1				
	g LOS	14.0	3.0	1.0	5.3	1.0				
	g. Bill	\$25,943	\$4,229	\$2,041	\$5,606	\$1,865				
	ses	1	0	2	3	1				
	g LOS	7.0	0.0	1.5	3.7	2.0				
	g. Bill	\$5,806	\$0	\$4,007	\$5,823	\$2,218				
	ses	1	3	5	9	8				
	g LOS	5.0	7.3	4.2	5.2	5.4				
	g. Bill	\$8,565	\$12,158	\$9,840	\$12,071	\$17,245				
	ses	0	1	0	0	0				
Nye General Av	g LOS	0.0	1.0	0.0	0.0	0.0				
•	g. Bill	\$0	\$2,898	\$0	\$0	\$0				
	ses	0	0	1	0	0				
Pershing Av	g LOS	0.0	0.0	11.0	0.0	0.0				
	g. Bill	\$0	\$0	\$11,252	\$0	\$0				
Ca	ses	1	0	1	2	0				
South Lyon Ave	g LOS	4.0	0.0	2.0	7.5	0.0				
Av	g. Bill	\$2,843	\$0	\$5,220	\$6,647	\$0				
Ca	ses	0	2	1	4	2				
Wm Bee Ririe Av	g LOS	0.0	2.5	2.0	3.5	4.5				
Av	g. Bill	\$0	\$4,251	\$4,945	\$6,099	\$8,883				
TOTAL		48	48	49	49	64				
AVG. LOS		6.2	6.3	4.4	5.3	4.4				
AVG. BILL		\$13,506	\$18,041	\$11,023	\$10,651	\$12,058				
		648	721	703	737	736				
ALL COUNTIES		6.0	5.8	6.0	5.9	6.0				
		\$17,786	\$17,630	\$20,583	\$21,041	\$24,058				


DRG 204: DISORDERS OF PANCREAS EXCEPT MALIGNANCY


Disorders of the pancreas (except malignancy) includes such conditions as mumps pancreatitis and benign neoplasm of the pancreas. In 2001, 1432 patients were discharged from Nevada hospitals with these conditions, up by 30 percent since 1997. Over the five year period, the proportions of males in this DRG has increased significantly vis-a-vis female patients; in 2001 males represented 55 percent of discharges. The age range 36 through 49 had the most discharges through all five years, peaking at 502 in 2000. Average length of hospital stays were relatively flat for patients older than 17, with average billed charges fairly equal for the oldest three age groups.

Sunrise Hospital discharged the largest number of patients in 2001, followed by University Medical and Washoe Medical Centers. Lake Mead, St. Mary's, Mountain View, and Summerlin Hospitals had the highest average billed charges, in that order. Rural facilities discharged 158 cases in 2001, with 48 percent of the total at Carson-Tahoe Hospital. Northeastern Hospital discharged 25 patients and Churchill Hospital another 22 in 2001. Northeastern Hospital's average billed charges were highest of all rural facilities in 2001, followed by Humboldt General Hospital and Carson-Tahoe Hospital.

GENDER		1997	1998	1999	2000	2001
	Cases	565	618	597	645	642
Female	Avg. LOS	5.4	5.3	5.1	5.3	4.9
	Avg. Bill	\$15,189	\$16,483	\$16,534	\$17,891	\$17,411
	Cases	535	628	666	713	790
Male	Avg. LOS	5.2	4.6	5.3	5.1	4.8
	Avg. Bill	\$16,080	\$14,878	\$18,052	\$17,620	\$18,857
AGE GRO	JP	1997	1998	1999	2000	2001
	Cases	16	13	16	23	19
Age 0-17	Avg. LOS	6.9	6.5	4.7	7.3	7.2
	Avg. Bill	\$18,215	\$17,943	\$12,325	\$22,089	\$20,638
	Cases	194	257	236	199	259
Age 18-35	Avg. LOS	5.0	4.5	4.7	4.5	4.0
	Avg. Bill	\$14,302	\$12,989	\$14,461	\$15,028	\$13,880
	Cases	362	378	440	502	496
Age 36-49	Avg. LOS	5.4	5.0	5.3	5.3	5.0
	Avg. Bill	\$15,711	\$15,649	\$17,018	\$16,950	\$17,611
	Cases	271	303	283	330	372
Age 50-64	Avg. LOS	5.5	4.7	5.4	5.5	5.2
	Avg. Bill	\$16,585	\$14,571	\$19,070	\$19,173	\$19,622
	Cases	257	295	288	304	286
Age 65 +	Avg. LOS	5.2	5.5	5.3	5.1	4.9
	Avg. Bill	\$15,318	\$19,079	\$18,745	\$18,975	\$21,164
TOTAL		1,100	1,246	1,263	1,358	1,432
AVG. LOS		5.3	5.0	5.2	5.2	4.9
AVG. BILL		\$15,622	\$15,674	\$17,335	\$17,749	\$18,208







DRG 204: DISORDERS OF PANCREAS EXCEPT MALIGNANCY

COUNTY	INTY CALENDAR YEARS					
NAME						
CLARK		1997	1990	1999	2000	2001
CLARK	Cases	9	5	7	11	13
Poulder City			6.6	7.6	4.5	4.4
Boulder City	Avg LOS	3.8				
	Avg. Bill	\$6,199 102	\$13,074 101	\$32,235 108	\$11,873 96	\$12,559 102
Depart Carings	Cases					
Desert Springs	Avg LOS	5.6	4.3	4.9	4.3	4.5
	Avg. Bill	\$17,428		\$14,979	\$15,626	\$18,844
Lates Manad	Cases	68	53	35	63	69
Lake Mead	Avg LOS	5.0	4.6	6.1	5.4	4.6
	Avg. Bill	\$15,356		\$32,687	\$27,203	\$24,715
	Cases	48	83	86	106	125
Mountain View	Avg LOS	5.0	4.8	5.2	5.2	5.5
	Avg. Bill	\$15,311	\$16,517	\$20,013	\$16,944	\$20,532
	Cases	61	59	58	52	66
St. Rose Domin.	_	4.3	4.7	5.4	4.8	4.5
	Avg. Bill	\$12,029	\$16,147	\$18,057	\$14,580	\$17,807
	Cases	0	0	0	13	53
St. Rose Siena	Avg LOS	0.0	0.0	0.0	5.1	4.5
	Avg. Bill	\$0	\$0	\$0	\$17,144	\$18,975
	Cases	4	36	50	54	58
Summerlin	Avg LOS	6.8	5.8	5.4	5.1	4.1
	Avg. Bill	\$27,814	\$19,130	\$20,518	\$19,599	\$20,275
	Cases	248	230	280	264	257
Sunrise	Avg LOS	6.1	5.2	4.7	5.7	4.9
	Avg. Bill	\$20,679	\$17,337	\$15,329	\$22,458	\$18,656
	Cases	198	246	205	221	194
University Med.	Avg LOS	5.2	4.7	6.0	5.1	4.9
	Avg. Bill	\$13,426	\$13,136	\$19,725	\$14,025	\$18,520
	Cases	124	165	123	111	103
Valley Hospital	Avg LOS	5.2	4.9	5.4	5.6	5.0
	Avg. Bill	\$16,702	\$16,961	\$20,268	\$22,165	\$19,727
TOTAL		862	978	952	991	1,040
AVG. LOS		5.4	4.9	5.3	5.2	4.8
AVG. BILL		\$16,607	\$15,917	\$18,498	\$18,838	\$19,359
WASHOE						
	Cases	6	1	3	0	3
Incline Village	Avg LOS	3.5	4.0	3.0	0.0	2.7
	Avg. Bill	\$7,047	\$10,265	\$6,023	\$0	\$6,166
	Cases	8	8	16	12	23
Northern NV	Avg LOS	5.8	6.4	3.9	4.3	3.9
	Avg. Bill	\$14,007	\$23,219	\$12,473	\$12,677	\$12,689
	Cases	59	60	71	71	65
St. Mary's	Avg LOS	5.1	4.8	6.1	4.7	5.1
	Avg. Bill	\$12,720	\$13,437	\$19,645	\$16,254	\$22,159
	Cases	93	100	113	127	143
Washoe Med.	Avg LOS	5.1	6.1	5.2	5.0	5.8
	Avg. Bill	\$11,247	\$16,097	\$14,404	\$14,518	\$16,680
TOTAL		166	169	203	210	234
AVG. LOS		5.1	5.6	5.4	4.9	5.4
		0.1	\$15,455	\$15,961	\$15,000	0.7


COUNTY			CALENDA	AR YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	1	1
Battle Mtn.	Avg LOS	0.0	0.0	0.0	6.0	3.0
Dattie With.	Avg. Bill	\$0	\$0	\$0	\$8,155	\$3,251
	Cases	31	63	53	84	76
Carson Tahoe	Avg LOS	4.2	4.9	4.6	6.1	4.7
	Avg. Bill	\$13,126	\$15,733	\$11,923	\$16,197	\$13,359
	Cases	15	12	20	19	22
Churchill	Avg LOS	8.3	4.8	3.8	4.8	3.4
	Avg. Bill	\$24,172	\$15,113	\$10,938	\$12,600	\$8,638
	Cases	1	1	1	0	0
Grover C. Dils	Avg LOS	1.0	4.0	1.0	0.0	0.0
	Avg. Bill	\$1,711	\$5,935	\$2,175	\$0	\$0
	Cases	2	7	8	9	9
Humboltd Gen.	Avg LOS	4.5	4.3	5.0	3.7	9.6
	Avg. Bill	\$6,613	\$7,584	\$6,763	\$5,714	\$13,549
	Cases	3	1	2	2	1
Mt. Grant	Avg LOS	2.7	4.0	2.5	4.0	2.0
	Avg. Bill	\$3,296	\$12,265	\$3,519	\$8,797	\$4,295
	Cases	9	3	16	25	25
Northeastern	Avg LOS	3.9	5.0	2.4	6.6	4.2
	Avg. Bill	\$7,056	\$15,882	\$5,374	\$20,794	\$13,713
	Cases	1	4	1	2	4
Nye General	Avg LOS	4.0	1.5	3.0	3.5	2.8
	Avg. Bill	\$6,601	\$4,355	\$3,461	\$4,992	\$5,148
	Cases	2	1	2	1	1
Pershing	Avg LOS	5.0	3.0	4.0	3.0	6.0
J	Avg. Bill	\$4,336	\$3,414	\$5,920	\$6,623	\$9,948
	Cases	2	1	1	4	2
South Lyon	Avg LOS	2.0	1.0	2.0	4.0	3.0
,	Avg. Bill	\$2,235	\$2,537	\$2,693	\$5,613	\$5,272
	Cases	6	6	4	10	17
Wm Bee Ririe	Avg LOS	5.8	3.3	3.5	2.6	2.5
	Avg. Bill	\$6,816	\$6,089	\$6,252	\$4,863	\$5,084
TOTAL		72	99	108	157	158
AVG. LOS		5.0	4.5	4.0	5.5	4.4
AVG. BILL		\$12,756	\$13,650	\$9,657	\$14,552	\$11,425
		1,100	1,246	1,263	1,358	1,432
ALL COUNTII	ES	5.3	5.0	5.2	5.2	4.9
		\$15,622	\$15,674	\$17,335	\$17,749	\$18,208


DRG 209: MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF LOWER EXTREMITY


Total and partial hip, knee, ankle, and foot replacements are covered in this DRG. Since 1997 there has been a steep increase in discharges, reaching 3784 in 2001, up 47 percent over five years. Year by year female patients have outnumbered males, with a ratio of about one and half to one. Average billed charges apprearred to be increasing but average lengths of hospital stays have been relatively flat over the five year period. Older aged patients prodominate in this DRG; age 65 and older patients constituted 64 percent of 2001 discharges, and those 50 and older were 92.6 percent of all discharges.

Sunrise Hospital discharged 684 patients in 2001, up 73 percent over five years, and next highest statewide -- Washoe Medical Center -- discharged 405 patients in 2001. Highest average billed charges in 2001 were posted by St. Mary's Hospital, followed closely by Lake Mead Hospital, both over \$48,000. For all five years of this report, Washoe County hospitals posted higher annual average billed charges than did Clark County, with average length of hospital stays fairly equal. Of the 331 rural hospital discharges in 2001, Carson-Tahoe Hospital accounted for 289, or 87 percent. Grover C. Dils discharged 28 patients in 2001, with a 6.3 average length of hospital stay and an average of \$29,810 in billed charges.

GENDER		1997	1998	1999	2000	2001
	Cases	1,526	1,635	1,756	1,929	2,340
Female	Avg. LOS	5.0	4.7	4.7	4.5	4.5
	Avg. Bill	\$30,101	\$29,414	\$30,919	\$33,994	\$37,406
	Cases	1,045	1,022	1,082	1,298	1,444
Male	Avg. LOS	4.8	4.6	4.6	4.5	4.3
	Avg. Bill	\$30,523	\$29,972	\$32,550	\$34,886	\$37,703
GENDER		1997	1998	1999	2000	2001
	Cases	3	1	2	1	3
Age 0-17	Avg. LOS	3.0	5.0	6.0	5.0	4.0
	Avg. Bill	\$21,519	\$19,550	\$57,295	\$25,993	\$31,250
	Cases	30	32	21	30	36
Age 18-35	Avg. LOS	4.5	4.7	4.3	4.2	4.6
	Avg. Bill	\$30,146	\$32,108	\$31,958	\$36,665	\$39,619
	Cases	196	192	200	239	242
Age 36-49	Avg. LOS	5.1	4.5	4.2	4.0	4.0
	Avg. Bill	\$31,063	\$30,360	\$32,326	\$32,758	\$38,146
	Cases	564	693	768	848	1,065
Age 50-64	Avg. LOS	4.6	4.4	4.5	4.3	4.3
	Avg. Bill	\$29,404	\$29,180	\$30,943	\$34,078	\$36,727
	Cases	1,778	1,739	1,847	2,109	2,438
Age 65 +	Avg. LOS	5.1	4.7	4.8	4.6	4.6
	Avg. Bill	\$30,477	\$29,686	\$31,673	\$34,615	\$37,780
TOTAL		2,571	2,657	2,838	3,227	3,784
AVG. LOS		5.0	4.6	4.7	4.5	4.5
AVG. BILL		\$30,272	\$29,628	\$31,541	\$34,353	\$37,519







DRG 209: MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF LOWER EXTREMITY


COUNTY			CALENDA	R YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	0	0
Battle Mtn.	Avg LOS	0.0	0.0	0.0	0.0	0.0
Datae Mill.	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	115	108	110	227	289
Carson Tahoe	Avg LOS	5.2	3.8	3.7	3.2	3.0
	Avg. Bill	\$25,086	\$23,448	\$25,510	\$27,374	\$30,578
	Cases	26	11	20	10	6
Churchill	Avg LOS	4.7	3.7	3.9	4.6	5.0
	Avg. Bill	\$30,560	\$19,726	\$24,088	\$27,772	\$31,164
	Cases	29	17	12	15	28
Grover C. Dils	Avg LOS	5.6	5.7	5.3	5.1	6.3
	Avg. Bill	\$25,812	\$23,496	\$26,355	\$25,686	\$29,810
	Cases	0	0	0	0	0
Humboltd Gen.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Mt. Grant	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Northeastern	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Nye General	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Pershing	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	2	4	2	6	8
Wm Bee Ririe	Avg LOS	3.0	6.8	5.5	5.5	5.3
	Avg. Bill	\$13,317	\$16,380	\$16,529	\$18,678	\$20,647
TOTAL		172	140	144	258	331
AVG. LOS		5.2	4.1	3.9	3.4	3.3
AVG. BILL		\$25,899	\$22,960	\$25,258	\$27,089	\$30,283
		2,571	2,657	2,838	3,227	3,784
ALL COUNTII	ES	5.0	4.6	4.7	4.5	4.5
		\$30,272	\$29,628	\$31,541	\$34,353	\$37,519


DRG 210: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W CC


Such procedures as hip repairs, bone grafts to the femur, and limb shortening procedures are characteristic of the surgeries performed within DRG 210. In 2001, 905 patients were discharged under this DRG, down by six discharges since 1997. For four of the five reporting years, females represented over twice the discharges, while male patients stayed in the hospital longer and were billed \$4,000 to \$5,000 more per discharge. Just under 80 percent of discharges were to patients 65 and older, with the bulk of the remainder in the 50 through 64 age category. The average billed charges were the highest among age groups 36-49 and the lowest among ages 65 and older.

Washoe Medical Center discharged the largest number of patients in 2001. Their average billed charges were \$34,082 in 2001, a 32 percent increase over five years. Among the rural facilities, Carson-Tahoe Hospital discharged 55 patients, 68 percent of the years's cases, with Grover C. Dils Hospital in second place with 19 discharges. In Clark County, Sunrise Hospital barely passed University Medical Center in discharges, the former with 108, the latter with 100. Overall, Clark County discharged 599 cases under DRG 210, 66 percent of the state's total for 2001, and down nine cases since 1997. Clark County's billed charges increased 43 percent over five years.

GENDER		1997	1998	1999	2000	2001
	Cases	610	656	605	676	557
Female	Avg. LOS	6.1	6.2	6.4	6.1	6.5
	Avg. Bill	\$23,983	\$25,628	\$27,017	\$29,673	\$34,399
	Cases	301	283	281	317	348
Male	Avg. LOS	6.4	6.1	7.4	6.9	6.8
	Avg. Bill	\$26,263	\$26,866	\$31,954	\$35,006	\$38,573
AGE GRO	JP	1997	1998	1999	2000	2001
	Cases	0	0	0	0	0
Age 0-17	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	28	22	31	42	28
Age 18-35	Avg. LOS	6.8	6.0	9.0	6.6	6.9
	Avg. Bill	\$28,610	\$30,867	\$41,449	\$45,125	\$40,179
	Cases	45	41	33	40	43
Age 36-49	Avg. LOS	7.0	7.7	8.0	7.4	8.1
	Avg. Bill	\$28,280	\$33,453	\$38,764	\$34,341	\$51,897
	Cases	99	80	92	105	113
Age 50-64	Avg. LOS	6.6	7.7	7.6	7.2	7.3
	Avg. Bill	\$26,349	\$31,870	\$31,537	\$34,661	\$37,753
	Cases	739	796	730	806	721
Age 65 +	Avg. LOS	6.1	5.9	6.4	6.2	6.4
	Avg. Bill	\$24,158	\$24,893	\$27,204	\$30,084	\$34,620
TOTAL		911	939	886	993	905
AVG. LOS		6.2	6.1	6.7	6.4	6.6
AVG. BILL		\$24,736	\$26,001	\$28,583	\$31,376	\$36,004







DRG 210: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W CC

COUNTY	С					
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	14	6	8	10	17
Boulder City	Avg LOS	6.1	6.5	5.6	5.8	5.9
,	Avg. Bill	\$20,567		\$19,297		\$24,088
	Cases	103	103	78	88	88
Desert Springs	Avg LOS	5.8	6.0	7.5	6.7	6.4
, ,	Avg. Bill	\$22,272	\$24,298	\$27,763	\$32,822	\$36,525
	Cases	26	27	32	55	28
Lake Mead	Avg LOS	6.8	6.4	7.8	6.6	8.6
	Avg. Bill	\$27,134	\$32,998	\$34,814	\$40,114	\$52,650
	Cases	67	59	66	66	67
Mountain View	Avg LOS	6.5	5.6	5.9	6.4	7.0
	Avg. Bill	\$28,037	\$28,421	\$32,284	\$34,287	\$35,217
	Cases	46	34	34	34	24
St. Rose Domin.		4.7	4.9	6.4	5.3	7.4
	Avg. Bill			\$27,675	\$28,171	\$39,513
	Cases	0	0	0	20	34
St. Rose Siena	Avg LOS	0.0	0.0	0.0	5.8	6.2
	Avg. Bill	\$0	\$0	\$0	\$27,183	\$48,929
	Cases	3	33	46	68	65
Summerlin	Avg LOS	7.3	7.2	6.1	6.2	6.5
	Avg. Bill	\$22,472		\$21,652	\$31,652	\$33,736
	Cases	139	122	119	117	108
Sunrise	Avg LOS	6.1	5.9	6.4	6.6	6.5
	Avg. Bill	\$28,705		\$29,214	\$35,709	\$38,503
	Cases	99	102	117	121	100
University Med.	Avg LOS	7.1	7.3	8.8	6.9	6.3
Chirocolty inical	Avg. Bill	\$25,229		\$38,381	\$32,863	\$32,127
	Cases	111	115	85	99	68
Valley Hospital	Avg LOS	6.4	6.3	6.1	6.6	5.6
,	Avg. Bill	\$24,212		\$25,065	\$29,781	\$32,983
TOTAL	,g	608	601	585	678	599
AVG. LOS		6.3	6.2	7.0	6.5	6.5
AVG. BILL			\$27,118		\$32,915	\$36,521
WASHOE		\$20,000	+ 21,110	400,001	402,010	\$00,02 .
	Cases	0	0	0	0	0
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0
momile vinage	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	26	34	21	24	23
Northern NV	Avg LOS	5.2	4.6	5.1	7.5	6.3
T C C C C C C C C C C C C C C C C C C C	Avg. Bill	\$21,386	\$20,478	\$25,178	\$38,524	\$38,346
	Cases	81	94	82	85	66
St. Mary's	Avg LOS	6.7	7.0	7.1	7.4	9.3
a. y 0	Avg. Bill	\$25,234	\$28,680	\$27,731	\$35,167	\$47,863
	Cases	113	114	111	111	136
Washoe Med.	Avg LOS	6.1	6.1	6.7	6.0	6.6
vvasnoe weu.	_	\$25,880	\$25,608	\$29,755	\$28,025	\$34,082
TOTAL	Avg. Bill	\$25,880	\$25,608	\$29,755		
					220	225
AVG. BILL		6.2	6.2	6.7	6.7	7.4
AVG. BILL		\$25,111	\$26,081	\$28,530	\$31,930	\$38,560


COUNTY						
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	0	0
Battle Mtn.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	56	71	50	62	55
Carson Tahoe	Avg LOS	5.7	5.2	4.5	4.1	4.9
	Avg. Bill	\$17,900	\$19,648	\$19,184	\$19,423	\$27,661
	Cases	11	13	22	16	5
Churchill	Avg LOS	4.5	5.0	4.4	4.3	5.4
	Avg. Bill	\$16,514	\$16,817	\$18,087	\$18,087	\$19,568
	Cases	14	11	15	11	19
Grover C. Dils	Avg LOS	6.9	6.2	6.5	7.8	5.5
	Avg. Bill	\$18,253	\$15,812	\$17,511	\$19,628	\$20,305
	Cases	0	0	0	0	0
Humboltd Gen.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	1	0	0	0	1
Mt. Grant	Avg LOS	5.0	0.0	0.0	0.0	3.0
	Avg. Bill	\$11,022	\$0	\$0	\$0	\$8,751
	Cases	0	0	0	0	0
Northeastern	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Nye General	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Pershing	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	1	1	0	6	1
Wm Bee Ririe	Avg LOS	7.0	9.0	0.0	5.3	5.0
	Avg. Bill	\$15,985	\$17,853	\$0	\$17,585	\$17,999
TOTAL		83	96	87	95	81
AVG. LOS		5.7	5.3	4.8	4.7	5.1
AVG. BILL		\$17,670	\$18,806	\$18,618	\$19,106	\$25,083
		911	939	886	993	905
ALL COUNTII	ES	6.2	6.1	6.7	6.4	6.6
		\$24,736	\$26,001	\$28,583	\$31,376	\$36,004


DRG 243: MEDICAL BACK PROBLEMS


Sacroilitis, cervical spondylosis, and lumbar disc displacements are but three of over 200 specific back conditions found under this DRG. In 2001, 1427 patients were discharged from Nevada hospitals with medical back conditions, up from 979 cases in 1997. Women patients outnumbered males all five years, their average length of hospital stays were slightly longer, and their average billed charges were slightly lower. In terms of age, cases were somewhat evenly balanced across the oldest four categories, with the 65 and older group of patients outnumbering each of the other age categories. Average billed charges were relatively flat across age groups by year.

Clark County hospitals increased patient counts by 53.9 percent during the five reporting years, while rural hospitals nearly doubled their patient discharges. Sunrise Hospital with 287 had the most discharges statewide in 2001, followed by Washoe Medical Center with 235 and University Medical Center with 233. Carson-Tahoe was first with 58 followed by Northeastern Hospital with 23 and William B. Ririe Hospital with 18 discharges. Rural average hospital stays were about one to one and a half times lower than the urban hospitals' averages, and their mean billed charges, were substantially lower, year by year.

GENDER		1997	1998	1999	2000	2001
	Cases	529	567	617	712	806
Female	Avg. LOS	4.3	4.4	4.7	4.1	4.1
	Avg. Bill	\$7,865	\$8,745	\$9,726	\$10,373	\$11,171
	Cases	450	492	515	558	621
Male	Avg. LOS	3.7	3.7	3.9	3.8	3.8
	Avg. Bill	\$8,163	\$9,338	\$10,134	\$10,792	\$12,108
GENDER		1997	1998	1999	2000	2001
	Cases	28	20	22	21	24
Age 0-17	Avg. LOS	3.4	2.7	2.8	2.5	1.9
	Avg. Bill	\$8,204	\$9,053	\$8,840	\$8,588	\$9,607
	Cases	141	163	179	165	212
Age 18-35	Avg. LOS	3.0	2.8	2.9	2.9	2.8
	Avg. Bill	\$7,500	\$8,347	\$9,052	\$8,813	\$10,433
	Cases	197	233	242	274	326
Age 36-49	Avg. LOS	3.5	3.2	3.2	3.2	3.5
	Avg. Bill	\$7,707	\$8,363	\$7,736	\$9,151	\$10,534
	Cases	201	202	223	302	314
Age 50-64	Avg. LOS	3.5	4.1	4.2	3.9	3.8
	Avg. Bill	\$7,455	\$9,123	\$10,728	\$10,697	\$12,196
	Cases	412	441	466	508	551
Age 65 +	Avg. LOS	5.0	5.1	5.7	4.8	4.8
	Avg. Bill	\$8,569	\$9,568	\$11,033	\$11,881	\$12,372
TOTAL		979	1,059	1,132	1,270	1,427
AVG. LOS		4.1	4.1	4.3	4.0	3.9
AVG. BILL		\$8,002	\$9,021	\$9,912	\$10,557	\$11,579







DRG 243: MEDICAL BACK PROBLEMS


COUNTY			CALENDA	AR YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	1	0	0	0	0
Battle Mtn.	Avg LOS	5.0	0.0	0.0	0.0	0.0
Datio Mili.	Avg. Bill	\$3,787	\$0	\$0	\$0	\$0
	Cases	22	57	33	41	58
Carson Tahoe	Avg LOS	2.5	3.0	2.8	2.9	3.4
	Avg. Bill	\$5,410	\$5,534	\$6,431	\$6,419	\$9,101
	Cases	14	19	12	12	7
Churchill	Avg LOS	4.4	2.7	3.8	3.6	2.6
	Avg. Bill	\$6,336	\$5,438	\$6,907	\$8,062	\$8,273
	Cases	0	0	3	0	0
Grover C. Dils	Avg LOS	0.0	0.0	5.3	0.0	0.0
	Avg. Bill	\$0	\$0	\$7,277	\$0	\$0
	Cases	3	3	3	4	2
Humboltd Gen.	Avg LOS	2.0	4.0	1.7	2.5	1.5
	Avg. Bill	\$2,991	\$6,202	\$2,142	\$3,483	\$2,986
	Cases	6	3	7	6	4
Mt. Grant	Avg LOS	4.2	5.0	3.3	4.5	2.8
	Avg. Bill	\$4,783	\$7,515	\$4,843	\$5,515	\$3,525
	Cases	11	7	19	22	23
Northeastern	Avg LOS	3.1	2.6	2.8	2.3	2.8
	Avg. Bill	\$6,867	\$3,505	\$5,474	\$5,168	\$7,496
	Cases	3	2	2	2	2
Nye General	Avg LOS	2.0	1.0	2.5	1.0	1.5
	Avg. Bill	\$2,585	\$2,215	\$3,768	\$1,461	\$3,106
	Cases	1	0	4	4	4
Pershing	Avg LOS	2.0	0.0	5.3	3.0	3.8
	Avg. Bill	\$2,160	\$0	\$7,341	\$3,134	\$4,124
	Cases	0	1	3	1	4
South Lyon	Avg LOS	0.0	1.0	2.3	6.0	2.3
	Avg. Bill	\$0	\$1,183	\$2,284	\$1,040	\$2,226
	Cases	2	5	5	9	18
Wm Bee Ririe	Avg LOS	4.0	2.4	2.8	2.3	2.4
	Avg. Bill	\$4,195	\$3,000	\$3,865	\$5,154	\$4,481
TOTAL		63	97	91	101	122
AVG. LOS		3.2	2.9	3.1	2.9	3.0
AVG. BILL		\$5,445	\$5,207	\$5,762	\$5,777	\$7,299
		979	1,059	1,132	1,270	1,427
ALL COUNTII	ES	4.1	4.1	4.3	4.0	3.9
		\$8,002	\$9,021	\$9,912	\$10,557	\$11,579


DRG 296: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC


This DRG includes such conditions as hypoglycemia, anorexia, morbid obesity, and beriberi. There were 1,878 discharges from Nevada hospitals in 2001 which related to these conditions. Women significantly outnumbered men over all five years covered in this report. In 2001, of the 1878 discharges, 1098 were female, 58.5 percent of all cases. Average lengths of hospital stays were not signficantly different between the genders nor were average billed charges. Nutritional disorders tend to be conditions of the elderly. Note that patients age 65 and older represented 65.7 percent of total discharges during all five of the years. Average billed charges were fairly equal for the two oldest age groups, and not much lower for the age 36 through 49 category of patients.

Once again, Sunrise Hospital discharged the most patients in each of the five years of this report; their average length of hospital stays were similar to those of other large urban hospitals. Washoe Medical Center was the discharge leader in the north, while in the rural sector of Nevada, Carson-Tahoe Hospital was, as always, the patient discharge leader with 79 cases in 2001. Northeastern Hospital was second in discharges with 32, and Churchil Hospital was third with 17 discharges in 2001, the latter number down from 1997.

GENDER		1997	1998	1999	2000	2001
	Cases	915	923	1,058	1,032	1,098
Female	Avg. LOS	4.8	5.0	4.7	4.6	5.1
	Avg. Bill	\$11,178	\$12,407	\$12,601	\$13,239	\$16,583
	Cases	559	605	803	730	780
Male	Avg. LOS	4.5	4.7	4.5	4.7	4.4
	Avg. Bill	\$10,987	\$12,389	\$12,596	\$14,332	\$15,210
AGE GROU	JP	1997	1998	1999	2000	2001
	Cases	0	0	0	0	0
Age 0-17	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	83	80	98	99	108
Age 18-35	Avg. LOS	3.6	3.3	3.5	4.9	3.1
	Avg. Bill	\$9,837	\$8,911	\$10,973	\$14,504	\$11,428
	Cases	138	167	177	195	203
Age 36-49	Avg. LOS	4.2	3.4	3.8	3.9	3.9
	Avg. Bill	\$10,514	\$9,066	\$11,479	\$11,923	\$14,647
	Cases	245	292	362	331	336
Age 50-64	Avg. LOS	4.5	4.6	4.7	4.8	4.9
	Avg. Bill	\$11,606	\$12,238	\$14,054	\$15,407	\$17,574
	Cases	1,008	989	1,224	1,137	1,231
Age 65 +	Avg. LOS	4.9	5.3	4.8	4.8	5.0
	Avg. Bill	\$11,169	\$13,293	\$12,461	\$13,425	\$16,214
TOTAL		1,474	1,528	1,861	1,762	1,878
AVG. LOS		4.7	4.8	4.6	4.7	4.8
AVG. BILL		\$11,106	\$12,400	\$12,599	\$13,692	\$16,013







DRG 296: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC

COUNTY	С					
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	7	8	18	10	7
Boulder City	Avg LOS	4.9	6.1	2.8	3.5	4.1
	Avg. Bill	\$5,740	\$9,367	\$5,040	\$6,968	\$6,695
	Cases	178	163	205	153	148
Desert Springs	Avg LOS	4.2	4.7	4.5	4.5	4.1
	Avg. Bill	\$11,064	\$13,210	\$12,788	\$13,795	\$15,167
	Cases	84	70	67	95	94
Lake Mead	Avg LOS	5.4	5.7	5.5	4.4	4.7
	Avg. Bill	\$11,607	\$14,923	\$16,896	\$20,086	\$22,278
	Cases	106	116	128	134	204
Mountain View	Avg LOS	4.4	4.7	4.1	4.1	4.7
	Avg. Bill	\$12,938	\$14,837	\$13,408	\$13,833	\$16,681
	Cases	54	60	193	90	85
St. Rose Domin.		4.5	3.7	4.6	5.2	4.6
	Avg. Bill	\$10,111	\$10,967	\$13,068	\$13,261	\$14,299
	Cases	0	0	0	31	95
St. Rose Siena	Avg LOS	0.0	0.0	0.0	4.8	4.1
	Avg. Bill	\$0	\$0	\$0	\$14,460	\$15.386
	Cases	9	62	101	146	140
Summerlin	Avg LOS	4.3	6.3	4.0	4.0	4.1
	Avg. Bill	\$13,062		\$12,866	\$11,752	\$15,232
	Cases	285	241	263	259	294
Sunrise	Avg LOS	4.7	4.8	4.9	5.0	5.2
	Avg. Bill	\$13,257		\$15,289	\$16,763	\$20,438
	Cases	170	233	207	184	153
University Med.	Avg LOS	4.2	5.6	5.1	5.2	5.6
	Avg. Bill	\$10,083		\$12,114	\$13,600	\$14,532
	Cases	144	169	216	174	154
Valley Hospital	Avg LOS	5.2	5.0	5.1	4.9	5.1
, ,	Avg. Bill	\$13,669	\$15,164	\$15,914	\$16,431	\$17,577
TOTAL		1,037	1,122	1,398	1,276	1,374
AVG. LOS		4.6	5.1	4.7	4.7	4.8
AVG. BILL		\$12,035	\$13,761	\$13,840	\$14,892	\$17,131
WASHOE		. ,	,	,	,	. ,
	Cases	3	2	0	1	0
Incline Village	Avg LOS	2.0	5.5	0.0	2.0	0.0
	Avg. Bill	\$3,325	\$7,524	\$0	\$4,038	\$0
	Cases	46	38	38	36	41
Northern NV	Avg LOS	3.5	3.0	3.1	5.1	4.3
	Avg. Bill	\$6,913	\$6,704	\$6,805	\$13,452	\$10,625
	Cases	106	92	114	114	142
St. Mary's	Avg LOS	6.2	5.1	4.7	6.0	5.7
	Avg. Bill	\$10,394	\$11,796	\$10,667	\$16,016	\$17,042
	Cases	135	127	145	140	153
Washoe Med.	Avg LOS	5.3	5.2	5.1	4.9	5.0
	Avg. Bill	\$10,217	\$10,152	\$10,145	\$10,437	\$13,677
TOTAL		290	259	297	291	336
AVG. LOS		5.3	4.8	4.7	5.4	5.2
AVG. BILL		\$9,686	\$10,210	\$9,918	\$12,974	\$14,727
O. DILL		ψ0,000	₩10, ∠ 10	ψ0,010	ψ1 <u>−</u> ,01- 1	Ψ11,121


COUNTY						
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	5	3	3	2	1
Battle Mtn.	Avg LOS	8.6	4.7	3.3	3.0	1.0
	Avg. Bill	\$9,081	\$4,763	\$2,840	\$2,930	\$1,453
	Cases	51	51	57	94	79
Carson Tahoe	Avg LOS	4.0	3.1	3.4	3.4	4.1
	Avg. Bill	\$8,541	\$6,175	\$7,967	\$7,743	\$10,738
	Cases	35	30	36	18	17
Churchill	Avg LOS	5.1	3.4	3.1	3.4	3.6
	Avg. Bill	\$9,887	\$6,936	\$7,486	\$8,413	\$10,494
	Cases	1	1	0	4	0
Grover C. Dils	Avg LOS	3.0	3.0	0.0	7.3	0.0
	Avg. Bill	\$4,037	\$2,356	\$0	\$5,737	\$0
	Cases	2	2	7	8	6
Humboltd Gen.	Avg LOS	1.0	3.0	2.4	3.1	9.3
	Avg. Bill	\$1,527	\$4,034	\$2,732	\$3,271	\$7,801
	Cases	6	5	4	4	6
Mt. Grant	Avg LOS	4.2	3.2	4.5	4.5	3.5
	Avg. Bill	\$5,574	\$4,759	\$4,667	\$5,527	\$8,378
	Cases	30	31	24	33	32
Northeastern	Avg LOS	3.2	3.4	3.6	2.3	3.7
	Avg. Bill	\$4,754	\$5,197	\$6,708	\$5,403	\$9,205
	Cases	4	5	3	3	4
Nye General	Avg LOS	2.8	3.8	4.7	5.7	3.0
	Avg. Bill	\$4,833	\$6,759	\$5,243	\$7,363	\$6,212
	Cases	1	0	4	4	2
Pershing	Avg LOS	4.0	0.0	4.3	4.3	3.0
	Avg. Bill	\$3,824	\$0	\$5,231	\$5,992	\$4,433
	Cases	6	9	7	4	5
South Lyon	Avg LOS	6.3	4.1	7.0	4.0	1.6
	Avg. Bill	\$5,278	\$4,739	\$4,710	\$6,622	\$2,281
	Cases	6	10	21	21	16
Wm Bee Ririe	Avg LOS	2.2	2.4	3.2	4.0	3.8
	Avg. Bill	\$2,548	\$5,422	\$7,247	\$6,649	\$7,562
TOTAL		147	147	166	195	168
AVG. LOS		4.2	3.3	3.5	3.4	4.0
AVG. BILL		\$7,349	\$5,873	\$6,944	\$6,907	\$9,440
		1,474	1,528	1,861	1,762	1,878
ALL COUNTIE	S	4.7	4.8	4.6	4.7	4.8
		\$11,106	\$12,400	\$12,599	\$13,692	\$16,013


DRG 316: RENAL FAILURE


Renal refers to the kidneys, and this DRG includes such conditions as acute and chronic renal failure, lower nephron nephrosis, and related diagnoses. Nevada hospitals discharged 1442 cases of renal failure in 2001, up 528 cases over five years, a 57.8 percent increase. Average billed charges increased by 43.0 percent over the same period. Males were more numerous than females during the entire five year period covered in this report. Women remained in the hospital a slightly longer period than did men, and average billed charges were very similar for each group. Over half (53.1 percent) of discharges were of persons 65 years and older. 22.9 percent of discharges were of persons 50 thru 64 years of age.

University Medical Center discharged 258 cases in 2001, 15 more than Sunrise Hospital and highest in the state. Clark County hospitals discharged 1205 cases in 2001, up 67.1 percent over five years, while Washoe County facilities discharged 153 cases in 2001 for a gain of 17 cases since 1997. Average billed charges were over \$8,000 higher in Clark County than Washoe in 2001, and were nearly \$15,000 higher than the average in the rural counties. Carson-Tahoe Hospital discharged 52 cases in 2001, 61.9 percent of the rural sector's cases, with an average charge of \$14,716, significantly less than the urban counties.

GENDER		1997	1998	1999	2000	2001
	Cases	402	400	446	509	568
Female	Avg. LOS	6.6	6.7	7.2	6.6	6.8
	Avg. Bill	\$19,023	\$19,489	\$23,526	\$22,608	\$27,465
	Cases	512	565	610	742	874
Male	Avg. LOS	6.3	6.2	6.2	5.7	6.4
	Avg. Bill	\$18,511	\$20,445	\$22,036	\$21,409	\$26,366
GENDER		1997	1998	1999	2000	2001
	Cases	17	27	22	19	14
Age 0-17	Avg. LOS	5.1	4.9	5.0	4.1	5.4
	Avg. Bill	\$12,378	\$17,658	\$21,198	\$18,239	\$25,173
	Cases	59	61	95	136	161
Age 18-35	Avg. LOS	5.5	6.0	4.4	3.5	4.8
	Avg. Bill	\$15,507	\$15,628	\$13,729	\$11,923	\$17,658
	Cases	105	110	132	150	171
Age 36-49	Avg. LOS	5.2	6.0	7.6	6.0	6.2
	Avg. Bill	\$16,807	\$24,528	\$27,216	\$20,552	\$24,770
	Cases	182	205	231	282	330
Age 50-64	Avg. LOS	6.6	6.3	6.2	6.4	6.9
	Avg. Bill	\$19,491	\$18,925	\$21,319	\$24,315	\$28,476
	Cases	551	562	576	664	766
Age 65 +	Avg. LOS	6.8	6.7	7.0	6.5	6.9
	Avg. Bill	\$19,396	\$20,177	\$23,692	\$23,321	\$28,481
TOTAL		914	965	1,056	1,251	1,442
AVG. LOS		6.4	6.4	6.6	6.0	6.6
AVG. BILL		\$18,736	\$20,049	\$22,665	\$21,897	\$26,799







DRG 316: RENAL FAILURE

			A1 = 1 = 1			
COUNTY	CALENDAR YEARS					
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	6	3	5	6	4
Boulder City	Avg LOS	5.0	3.0	3.4	4.7	1.8
	Avg. Bill	\$12,587	\$10,049	\$10,819	\$13,339	\$6,318
	Cases	110	92	80	114	106
Desert Springs	Avg LOS	5.8	6.1	7.0	5.3	5.3
	Avg. Bill	\$17,519	\$19,517	\$22,705	\$19,253	\$22,962
	Cases	63	37	53	42	52
Lake Mead	Avg LOS	6.5	8.5	6.5	6.5	8.3
	Avg. Bill	\$20,050	\$30,483	\$30,584	\$37,987	\$44,166
	Cases	45	53	84	66	114
Mountain View	Avg LOS	6.4	6.4	6.2	6.0	6.2
	Avg. Bill	\$22,525	\$23,042	\$22,905	\$22,125	\$22,084
	Cases	35	35	41	57	73
St. Rose Domin.	Avg LOS	5.9	5.4	5.0	7.9	5.8
	Avg. Bill	\$16,661	\$19,393	\$15,929	\$26,249	\$24,134
	Cases	0	0	0	13	75
St. Rose Siena	Avg LOS	0.0	0.0	0.0	6.4	6.9
	Avg. Bill	\$0	\$0	\$0	\$24,950	\$31,360
	Cases	3	24	40	78	120
Summerlin	Avg LOS	6.3	9.7	6.9	6.4	6.4
	Avg. Bill	\$13,401	\$30,048	\$23,526	\$25,356	\$30,051
	Cases	162	191	223	261	243
Sunrise	Avg LOS	6.0	5.6	6.8	6.7	7.0
	Avg. Bill	\$22,654	\$21,016	\$26,438	\$27,212	\$32,445
	Cases	156	169	173	236	258
University Med.	Avg LOS	7.1	7.4	8.1	5.6	7.4
	Avg. Bill	\$17,200	\$16,973	\$22,028	\$14,137	\$22,980
	Cases	141	184	154	140	160
Valley Hospital	Avg LOS	7.0	6.5	6.5	6.7	7.0
	Avg. Bill	\$22,477	\$24,791	\$26,750	\$29,315	\$35,169
TOTAL		721	788	853	1,013	1,205
AVG. LOS		6.5	6.6	6.8	6.2	6.8
AVG. BILL		\$20,007	\$21,597	\$24,426	\$23,368	\$28,575
WASHOE						
	Cases	0	0	0	0	0
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	23	12	10	17	10
Northern NV	Avg LOS	6.0	5.0	6.3	3.8	5.6
	Avg. Bill	\$17,032	\$12,306	\$16,417	\$10,459	\$15,445
	Cases	32	31	54	52	63
St. Mary's	Avg LOS	7.7	8.2	7.2	6.6	6.7
	Avg. Bill	\$16,752	\$21,692	\$19,544	\$26,156	\$25,078
	Cases	81	75	70	73	80
Washoe Med.	Avg LOS	7.1	6.6	5.5	5.7	6.1
	Avg. Bill	\$14,699	\$14,410	\$16,638	\$16,433	\$16,642
TOTAL		136	118	134	142	153
AVG. LOS		7.1	6.9	6.3	5.8	6.3
AVG. BILL		\$15,577		\$17,793	\$19,278	\$20,037
			, ,			


COUNTY						
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	1	3	0
Battle Mtn.	Avg LOS	0.0	0.0	2.0	2.7	0.0
	Avg. Bill	\$0	\$0	\$3,967	\$3,078	\$0
	Cases	30	35	38	42	52
Carson Tahoe	Avg LOS	5.2	4.0	5.0	4.9	4.8
	Avg. Bill	\$11,143	\$8,683	\$12,902	\$12,662	\$14,716
	Cases	7	6	5	15	9
Churchill	Avg LOS	7.0	2.7	4.0	3.6	4.1
	Avg. Bill	\$17,352	\$4,982	\$9,459	\$9,872	\$13,280
	Cases	3	0	1	1	2
Grover C. Dils	Avg LOS	2.3	0.0	3.0	1.0	2.5
	Avg. Bill	\$2,948	\$0	\$5,131	\$3,219	\$4,505
	Cases	2	1	1	2	1
Humboltd Gen.	Avg LOS	11.5	7.0	4.0	3.0	11.0
	Avg. Bill	\$16,374	\$12,397	\$7,564	\$4,882	\$23,230
	Cases	5	2	3	4	2
Mt. Grant	Avg LOS	4.6	4.0	3.0	6.3	9.0
	Avg. Bill	\$7,521	\$3,941	\$4,008	\$9,133	\$29,013
	Cases	5	10	12	21	8
Northeastern	Avg LOS	2.4	2.9	4.6	3.7	4.0
	Avg. Bill	\$5,257	\$4,989	\$8,326	\$9,034	\$12,886
	Cases	1	1	0	2	4
Nye General	Avg LOS	2.0	4.0	0.0	2.5	2.5
	Avg. Bill	\$5,165	\$4,821	\$0	\$5,195	\$5,500
	Cases	1	2	0	0	0
Pershing	Avg LOS	5.0	4.5	0.0	0.0	0.0
	Avg. Bill	\$3,538	\$4,937	\$0	\$0	\$0
	Cases	2	1	5	2	1
South Lyon	Avg LOS	1.0	1.0	3.2	4.5	2.0
	Avg. Bill	\$1,719	\$1,641	\$4,015	\$6,858	\$2,739
	Cases	1	1	3	4	5
Wm Bee Ririe	Avg LOS	3.0	5.0	2.3	3.8	3.2
	Avg. Bill	\$7,989	\$7,448	\$9,435	\$7,708	\$8,474
TOTAL		57	59	69	96	84
AVG. LOS		4.9	3.7	4.4	4.2	4.6
AVG. BILL		\$10,199	\$7,250	\$10,356	\$10,243	\$13,633
		914	965	1,056	1,251	1,442
ALL COUNTIE	ES	6.4	6.4	6.6	6.0	6.6
		\$18,736	\$20,049	\$22,665	\$21,897	\$26,799


DRG 320: KIDNEY & URINARY TRACT INFECTIONS AGE >17 W CC


Kidney and urinary tract infections include T.B. of the kidney, bladder, and ureter, syphilis of the kidney, and pyelonephritis. Patients discharged in 2001 totalled 1418 statewide, with females comprising 70 pecent of cases. Average length of stays was about equal with males, if not slightly lower. Patients 65 and older represented 63 percent of billed charges in 2001, up 33 percent since 1997; they also stayed in the hospital somewhat longer than younger age groups of patients.

Clark County facilities discharged 1029 cases under DRG 320 during 2001, up 29 percent over five years. Average length of patient stays was flat over five years, and average billed charges increased by 30 percent. Sunrise Hospital was the discharge leader in Clark County and statewide with 194 cases in 2001, up by 14 cases over 1997, and University Medical Center was second highest with 157 discharges on average length of stays of 5.6 days in 2001. Washoe Medical Center led its county with 122 discharges in 2001, up by 69 percent over five years, followed by St. Mary's Hospital with 82 cases. In the rural sector, 159 patients were discharged in 2001, with 87 of the cases discharged at Carson-Tahoe Hospital, and another 23 cases discharged at Northeastern Hospital. Average billed charges increased by \$4,054 over the five years in the rural areas.

GENDER		1997	1998	1999	2000	2001
GENDER	Cases	748	801	811	868	990
Female	Avg. LOS	4.4	5.0	4.8	4.7	4.8
	Avg. Bill	\$10,475	\$12,677	\$12,868	\$13,803	\$14,785
	Cases	354	419	392	396	428
Male	Avg. LOS	4.8	4.8	5.0	4.9	5.0
	Avg. Bill	\$11,825	\$12,761	\$14,399	\$13,931	\$15,607
AGE GRO	UP	1997	1998	1999	2000	2001
	Cases	0	0	0	0	0
Age 0-17	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	137	130	118	148	153
Age 18-35	Avg. LOS	3.4	3.4	3.6	3.1	3.7
	Avg. Bill	\$8,335	\$8,543	\$11,259	\$9,244	\$12,469
	Cases	126	126	116	142	154
Age 36-49	Avg. LOS	4.0	4.1	4.1	4.3	4.0
	Avg. Bill	\$10,810	\$11,649	\$12,009	\$12,892	\$13,721
	Cases	165	178	191	186	213
Age 50-64	Avg. LOS	4.5	4.2	4.5	5.0	4.7
	Avg. Bill	\$12,833	\$11,650	\$12,968	\$15,726	\$15,074
	Cases	674	786	778	788	898
Age 65 +	Avg. LOS	4.8	5.5	5.3	5.1	5.2
	Avg. Bill	10979.13	13802.45	13987.10	14434.42	15685.01
TOTAL		1,102	1,220	1,203	1,264	1,418
AVG. LOS		4.5	4.9	4.9	4.8	4.8
AVG. BILL		\$10,909	\$12,706	\$13,367	\$13,843	\$15,033







DRG 320: KIDNEY & URINARY TRACT INFECTIONS AGE >17 W CC

COUNTY		С	CALENDAR YEARS					
NAME		1997	1998	1999	2000	2001		
CLARK								
	Cases	21	20	16	12	17		
Boulder City	Avg LOS	4.2	4.8	4.1	4.2	3.8		
	Avg. Bill	\$7,362	\$9,228	\$7,358	\$7,759	\$7,960		
	Cases	76	123	125	95	107		
Desert Springs	Avg LOS	3.7	4.6	5.5	4.4	4.6		
	Avg. Bill	\$8,866	\$12,243	\$14,734	\$13,954	\$15,294		
	Cases	86	80	81	77	74		
Lake Mead	Avg LOS	5.7	6.3	6.3	5.5	5.1		
	Avg. Bill	\$13,908	\$16.203	\$21,200	\$23,346	\$24,294		
	Cases	91	116	76	74	114		
Mountain View	Avg LOS	4.6	4.0	4.1	3.4	4.0		
meantain vien	Avg. Bill			\$12,956	\$9,832	\$12,880		
	Cases	52	45	48	38	84		
St. Rose Domin.		4.1	3.9	3.5	5.3	4.1		
	Avg. Bill	\$10,207	\$10,821		\$15,528	\$12,986		
	Cases	0	0	0	11	92		
St. Rose Siena	Avg LOS	0.0	0.0	0.0	5.5	5.1		
ou riodo diona	Avg. Bill	\$0	\$0	\$0	\$15,462	\$15,617		
	Cases	1	55	64	92	79		
Summerlin	Avg LOS	1.0	5.5	3.9	4.3	4.5		
Carrinterin	Avg. Bill	\$2,719		\$11,691	\$14,273	\$15,516		
	Cases	180	188	213	206	194		
Sunrise	Avg LOS	4.8	5.8	4.9	4.8	4.8		
Curinge	Avg. Bill	\$13,685		\$15,400	\$14,562	\$15,423		
	Cases	132	173	141	170	157		
University Med.	Avg LOS	3.9	4.0	5.2	5.2	5.6		
Offiversity Med.	Avg. Bill	\$9,033		\$13,370	\$12,208	\$14,366		
	Cases	156	170	137	132	111		
Valley Hospital	Avg LOS	4.9	5.5	5.1	5.3	4.9		
Valley Hospital	"	\$13,414		\$15,368	\$17,875	\$17,396		
TOTAL	Avg. Bill	795	970	901	907	1,029		
AVG. LOS								
		4.6	5.0	5.0	4.8 \$14,831	4.8 \$15 520		
AVG. BILL WASHOE		\$11,970	\$13,754	\$14,636	\$14,031	\$15,520		
WASHUE	Casas	4	2	2	2	1		
In alian Alillana	Cases	1	2	2	2	1		
Incline Village	Avg LOS	2.0	3.0	3.0	2.5	2.0		
	Avg. Bill	\$4,306	\$5,905	\$6,140	\$5,968	\$4,130		
	Cases	14	9	14	23	25		
Northern NV	Avg LOS	4.3	3.6	4.0	3.3	3.6		
	Avg. Bill	\$8,344	\$7,989	\$9,060	\$8,984	\$9,086		
	Cases	78	47	61	75	82		
St. Mary's	Avg LOS	4.7	5.6	5.6	5.2	5.4		
	Avg. Bill	\$10,330	\$11,421	\$13,478	\$16,066	\$19,301		
	Cases	72	86	99	106	122		
Washoe Med.	Avg LOS	5.4	5.3	4.9	6.0	6.2		
	Avg. Bill	\$9,537	\$9,217	\$10,185	\$13,478	\$15,494		
TOTAL		165	144	176	206	230		
AVG. LOS		5.0	5.3	5.1	5.4	5.6		
AVG. BILL		\$9,779	\$9,813	\$11,191	\$13,845	\$16,105		


	ses J LOS	1997	1998	AR YEARS 1999	2000	2001
RURAL Cas Battle Mtn. Avg						
Battle Mtn. Avg		6				
	LOS		0	1	3	3
Δνα		1.7	0.0	4.0	2.3	2.7
AVU	g. Bill	\$2,045	\$0	\$2,529	\$3,017	\$2,404
Cas	ses	65	52	57	82	87
Carson Tahoe Avg	LOS	3.7	4.0	3.7	3.6	4.2
Avg	g. Bill	\$7,321	\$7,831	\$8,203	\$8,366	\$11,523
Cas	ses	22	19	17	15	15
Churchill Avg	LOS	4.8	3.7	4.5	4.2	5.4
Avg	g. Bill	\$8,611	\$7,386	\$8,519	\$12,569	\$17,107
Cas	ses	1	0	2	2	6
Grover C. Dils Avg	LOS	2.0	0.0	2.0	3.0	3.3
Avg	g. Bill	\$1,808	\$0	\$4,043	\$2,708	\$4,704
Cas	ses	2	4	5	4	4
Humboltd Gen. Avg	LOS	2.0	4.0	3.0	2.3	4.8
Avg	g. Bill	\$3,704	\$6,425	\$3,842	\$4,550	\$5,731
Cas	ses	2	3	3	3	2
Mt. Grant Avg	LOS	2.0	4.7	1.7	2.3	2.5
Avg	g. Bill	\$3,011	\$4,861	\$2,127	\$3,537	\$4,962
Cas	ses	21	14	12	13	23
Northeastern Avg	LOS	3.5	3.7	4.6	3.5	3.2
Avg	g. Bill	\$5,131	\$6,049	\$8,567	\$7,253	\$7,435
Cas	ses	3	2	5	4	2
Nye General Avg	LOS	3.0	4.0	3.0	2.0	6.5
Avg	g. Bill	\$5,182	\$4,034	\$5,613	\$2,560	\$14,398
Cas	ses	3	3	5	1	3
Pershing Avg	LOS	2.3	3.7	3.2	5.0	2.0
Avg	g. Bill	\$3,474	\$4,199	\$6,721	\$4,508	\$3,016
Cas	ses	10	2	3	4	6
South Lyon Avg	LOS	3.0	2.0	2.3	4.8	3.8
Avg	g. Bill	\$2,908	\$2,729	\$3,380	\$4,204	\$5,185
Cas	ses	7	7	16	20	8
Wm Bee Ririe Avg	LOS	3.0	2.9	3.9	3.6	4.1
Avg	g. Bill	\$5,115	\$6,836	\$6,279	\$7,518	\$9,436
TOTAL		142	106	126	151	159
AVG. LOS		3.6	3.8	3.7	3.6	4.1
AVG. BILL		\$6,278	\$7,042	\$7,331	\$7,907	\$10,332
		1,102	1,220	1,203	1,264	1,418
ALL COUNTIES		4.5	4.9	4.9	4.8	4.8
		\$10,909	\$12,706	\$13,367	\$13,843	\$15,033


DRG 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC


This DRG covers genital herpes, ovarian failure, venereal disease, and related problems, related only to women patients, of course. In 2001, 3,990 cases were discharged, up 28.5 percent since 1997, with a very flat average length of hosptial stay over five years and a 32.1 percent increase in average billed charges during the same time period. Patient discharges peaked in the age range 36 through 49, with the 18 to 35 group discharging 731 additional cases and the 50 to 64 category another 803 cases. The oldest and youngest categories in the analysis discharged 230 and 19 cases respectively during 2001. Average billed charges increased steadily from the 18 through 35 age group to the age 65 and older group for all five reporting years.

Sunrise Hospital, Mountain View Hospital, and Valley Hospital were the statewide discharge leaders in 2001. Washoe Medical Center weighed in with 360 discharges, flat over five years, and St. Mary's Hospital with 382 discharges, a 42.5 percent increase over five years. In the rural sector, 180 of the regions 195 discharges were at Carson-Tahoe Hospital, Churchill Hospital, and Northeastern Hospital. Rural hospitals' average billed charges and, to a lesser degree average length of hospital stays, were substantially lower than other regions for the five reporting years.

GENDER		1997	1998	1999	2000	2001
	Cases	3,105	3,407	3,522	3,960	3,990
Female	Avg. LOS	2.4	2.4	2.4	2.3	2.3
	Avg. Bill	\$11,921	\$12,080	\$12,779	\$13,793	\$15,747
	Cases	0	0	0	0	0
Male	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
AGE GROU	JP	1997	1998	1999	2000	2001
	Cases	13	19	14	19	19
Age 0-17	Avg. LOS	2.7	3.5	2.2	2.3	2.6
	Avg. Bill	\$9,786	\$12,436	\$11,984	\$14,175	\$13,865
	Cases	804	756	742	742	731
Age 18-35	Avg. LOS	2.3	2.4	2.2	2.2	2.2
	Avg. Bill	\$11,287	\$11,436	\$11,937	\$12,972	\$14,721
	Cases	1,628	1,875	1,979	2,223	2,207
Age 36-49	Avg. LOS	2.4	2.4	2.4	2.3	2.3
	Avg. Bill	\$11,965	\$12,073	\$12,672	\$13,786	\$15,589
	Cases	509	568	610	763	803
Age 50-64	Avg. LOS	2.6	2.5	2.5	2.3	2.3
	Avg. Bill	\$12,542	\$12,738	\$13,755	\$14,370	\$16,604
	Cases	151	189	177	213	230
Age 65 +	Avg. LOS	2.7	2.7	2.7	2.4	2.5
	Avg. Bill	\$12,918	\$12,721	\$14,203	\$14,622	\$17,684
TOTAL		3,105	3,407	3,522	3,960	3,990
AVG. LOS		2.4	2.4	2.4	2.3	2.3
AVG. BILL		\$11,921	\$12,080	\$12,779	\$13,793	\$15,747







DRG 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC

	COUNTY CALENDAR YEARS						
COUNTY						0004	
NAME		1997	1998	1999	2000	2001	
CLARK	l_			_	_		
	Cases	6	10	7	2	4	
Boulder City	Avg LOS	2.0	2.7	2.3	2.0	2.0	
	Avg. Bill			\$8,820	\$11,235	\$10,366	
	Cases	187	213	236	201	218	
Desert Springs	Avg LOS	2.5	2.6	2.7	2.4	2.3	
	Avg. Bill	\$10,837	\$11,417	\$12,633	\$14,192	\$16,151	
	Cases	110	96	130	146	171	
Lake Mead	Avg LOS	2.5	2.3	2.2	2.4	2.4	
	Avg. Bill	\$11,591	\$12,385	\$14,531	\$18,339	\$22,506	
	Cases	239	263	275	459	544	
Mountain View	Avg LOS	2.5	2.7	2.3	2.3	2.4	
	Avg. Bill	\$12,225	\$13,317	\$13,526	\$13,056	\$13,039	
	Cases	192	266	287	380	264	
St. Rose Domin.	Avg LOS	2.3	2.3	2.2	2.3	2.0	
	Avg. Bill	\$16,665	\$15,622	\$14,728	\$16,909	\$19,270	
	Cases	0	0	0	62	265	
St. Rose Siena	Avg LOS	0.0	0.0	0.0	2.3	2.3	
	Avg. Bill	\$0	\$0	\$0	\$17,641	\$19,380	
	Cases	2	78	126	178	204	
Summerlin	Avg LOS	3.5	2.2	2.3	2.4	2.5	
	Avg. Bill	\$11,018	\$9,402	\$10,902	\$12,645	\$14,077	
	Cases	644	772	751	740	706	
Sunrise	Avg LOS	2.7	2.7	2.6	2.6	2.5	
	Avg. Bill	\$13,181	\$12,054	\$12,237	\$12,972	\$13,633	
	Cases	97	116	175	227	195	
University Med.	Avg LOS	2.6	2.7	2.6	2.7	2.7	
	Avg. Bill	\$11,162	\$12,421	\$15,355	\$15,219	\$15,983	
	Cases	782	740	630	603	477	
Valley Hospital	Avg LOS	2.5	2.4	2.4	2.1	2.2	
randy ridopital	Avg. Bill	\$10,379		\$11,074	\$10,905	\$13,660	
TOTAL	7 (Vg. Dill	2,259	2,554	2,617	2,998	3,048	
AVG. LOS		2,205	2.5	2.5	2,330	2.4	
AVG. BILL		\$12,040		\$12,650		\$15,373	
WASHOE		ψ12,0 1 0	ψ12,000	ψ12,000	\$13,658	ψ10,070	
WAGIIGE	Cases	0	0	0	0	0	
Incline Village							
mome village	Avg LOS	0.0	0.0	0.0	0.0	0.0	
	Avg. Bill	\$0	\$0	\$0	\$0	\$0	
NI selfer es NO.	Cases	5	6	14	9	5	
Northern NV	Avg LOS	1.6	1.8	1.9	2.4	1.4	
	Avg. Bill	\$10,610		\$15,939	\$16,429	\$13,343	
Ct M. I	Cases	268	265	327	318	382	
St. Mary's	Avg LOS	2.1	2.0	2.1	2.2	2.2	
	Avg. Bill	\$12,776		\$14,337	\$17,307	\$20,102	
	Cases	362	337	290	315	360	
Washoe Med.	Avg LOS	2.3	2.3	2.3	2.3	2.3	
	Avg. Bill	\$12,287		\$15,204	\$15,170	\$16,695	
TOTAL		635	608	631	642	747	
AVG. LOS		2.2	2.2	2.2	2.2	2.2	
AVG. BILL		\$12,481	\$13,540	\$14,771	\$16,246	\$18,414	


COUNTY			CALENDA	R YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	0	0
Battle Mtn.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	79	92	87	90	86
Carson Tahoe	Avg LOS	2.6	2.4	2.4	1.9	2.0
	Avg. Bill	\$9,701	\$9,323	\$10,756	\$10,442	\$12,776
	Cases	53	43	53	76	66
Churchill	Avg LOS	2.1	2.5	2.3	1.8	1.9
	Avg. Bill	\$9,819	\$9,548	\$10,594	\$10,605	\$10,791
	Cases	0	0	0	0	0
Grover C. Dils	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	10	9	13	13	11
Humboltd Gen.	Avg LOS	2.2	2.9	3.2	3.2	2.8
	Avg. Bill	\$5,538	\$5,993	\$7,036	\$6,868	\$6,044
	Cases	0	0	1	0	0
Mt. Grant	Avg LOS	0.0	0.0	2.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$6,653	\$0	\$0
	Cases	61	89	100	131	28
Northeastern	Avg LOS	1.9	1.5	1.2	1.3	1.8
	Avg. Bill	\$7,961	\$7,267	\$8,316	\$10,004	\$11,054
	Cases	1	0	0	0	0
Nye General	Avg LOS	3.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$10,388	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Pershing	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	7	12	20	10	4
Wm Bee Ririe	Avg LOS	2.9	2.2	2.0	2.7	2.3
	Avg. Bill	\$7,610	\$7,630	\$7,752	\$9,994	\$7,706
TOTAL		211	245	274	320	195
AVG. LOS		2.3	2.1	1.9	1.7	2.0
AVG. BILL		\$8,964	\$8,410	\$9,423	\$10,142	\$11,373
		3,105	3,407	3,522	3,960	3,990
ALL COUNTII	ES	2.4	2.4	2.4	2.3	2.3
		\$11,921	\$12,080	\$12,779	\$13,793	\$15,747


DRG 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES


There are numerous, relatively harmless conditions which can accompany a vaginal delivery, none of which could be called complicating. In 2001, Nevada hospitals discharged 19,706 mothers and offsprings, up 18.5 percent since 1997. Average length of hospitals stays was flat over five years while average billed charges increased by \$668, up 16.7 percent. Two women gave birth in 2001 after reaching age 50; the large majority of birthings was by mothers in the age range 18 through 35, who were in the hospital an average of 1.6 days in 2001, up 0.2 days since 1997, and billed an average of \$4,648, increasing over \$650 during the five year reporting period.

University Medical Center discharged 3,633 cases and Sunrise Hospital discharged 3,361 in 2001, each substantially higher than any other Nevada hospital, with University Medical Center increasing its normal newborn birthings by 25.6 percent over five years. Third in the state in terms of birthings was Washoe Medical Center with 2,529 discharges in 2001, up slightly over 1997's total, and St. Mary's Hospital adding another 1,483 discharges in 2001, slightly down from 1997. Carson-Tahoe Hospital, Northeastern Hospital, and Churchill Hospital were, in that order, the highest birthing hospitals in the rural sector of Nevada.

GENDER		1997	1998	1999	2000	2001
	Cases	16,635	17,428	18,238	19,673	19,706
Female	Avg. LOS	1.4	1.6	1.6	1.6	1.6
	Avg. Bill	\$4,003	\$4,105	\$4,122	\$4,395	\$4,671
	Cases	0	0	0	0	0
Male	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
AGE GRO	JP	1997	1998	1999	2000	2001
	Cases	1,013	977	1,019	724	682
Age 0-17	Avg. LOS	1.4	1.6	1.6	1.6	1.6
	Avg. Bill	\$4,168	\$4,260	\$4,280	\$4,392	\$4,697
	Cases	14,466	15,276	15,920	17,297	17,313
Age 18-35	Avg. LOS	1.4	1.6	1.5	1.6	1.6
	Avg. Bill	\$3,998	\$4,083	\$4,097	\$4,386	\$4,648
	Cases	1,154	1,175	1,299	1,652	1,709
Age 36-49	Avg. LOS	1.3	1.6	1.6	1.6	1.7
	Avg. Bill	\$3,917	\$4,275	\$4,301	\$4,493	\$4,897
	Cases	2	0	0	0	1
Age 50-64	Avg. LOS	1.5	0.0	0.0	0.0	1.0
	Avg. Bill	\$3,889	\$0	\$0	\$0	\$4,539
	Cases	0	0	0	0	1
Age 65 +	Avg. LOS	0.0	0.0	0.0	0.0	2.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$4,889
TOTAL		16,635	17,428	18,238	19,673	19,706
AVG. LOS		1.4	1.6	1.6	1.6	1.6
AVG. BILL		\$4,003	\$4,105	\$4,122	\$4,395	\$4,671







DRG 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES

COUNTY						
NAME		1997	ALENDA 1998	1999	2000	2001
CLARK						
	Cases	0	0	0	0	0
Boulder City	Avg LOS	0.0	0.0	0.0	0.0	0.0
,	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	430	680	832	796	753
Desert Springs	Avg LOS	1.3	1.5	1.5	1.6	1.6
, ,	Avg. Bill	\$3,690	\$3,950	\$4,048	\$4,588	\$5,186
	Cases	800	764	794	710	838
Lake Mead	Avg LOS	1.6	1.4	1.2	1.3	1.3
	Avg. Bill	\$4,636	\$4,827	\$5,394	\$6,088	\$6,182
	Cases	1,008	1,212	1,339	1,581	1,622
Mountain View	Avg LOS	1.4	1.6	1.5	1.5	1.6
	Avg. Bill	\$3,670	\$3,716	\$3,833	\$3,763	\$3,915
	Cases	1,056	1,207	1,252	1,270	684
St. Rose Domin.		1.3	1.5	1.6	1.6	1.6
	Avg. Bill	\$5,159	\$5,066	\$5,497	\$5,549	\$5,989
	Cases	0	0	0	386	1,052
St. Rose Siena	Avg LOS	0.0	0.0	0.0	1.6	1.7
	Avg. Bill	\$0	\$0	\$0	\$6,060	\$6,020
	Cases	33	420	716	805	753
Summerlin	Avg LOS	1.5	1.7	1.7	1.7	1.7
	Avg. Bill	\$3,747	\$4,248	\$4,047	\$4,194	\$4,825
	Cases	3,162	3,133	3,184	3,319	3,361
Sunrise	Avg LOS	1.6	1.8	1.7	1.7	1.6
	Avg. Bill	\$4,517	\$4,578	\$4,712	\$5,096	\$4,807
	Cases	2,892	2,976	3,315	3,663	3,633
University Med.	Avg LOS	1.3	1.5	1.5	1.5	1.5
	Avg. Bill	\$4,183	\$3,920	\$3,088	\$3,157	\$3,445
	Cases	1,790	1,724	1,545	1,655	1,612
Valley Hospital	Avg LOS	1.4	1.6	1.5	1.5	1.6
	Avg. Bill	\$3,626	\$3,778	\$4,069	\$4,807	\$5,252
TOTAL		11,171	12,116	12,977	14,185	14,308
AVG. LOS		1.4	1.6	1.6	1.6	1.6
AVG. BILL		\$4,246	\$4,234	\$4,168	\$4,450	\$4,657
WASHOE						
	Cases	0	0	0	0	0
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Northern NV	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	1,552	1,571	1,689	1,781	1,483
St. Mary's	Avg LOS	1.3	1.6	1.6	1.6	1.6
	Avg. Bill	\$4,139	\$4,386	\$4,553	\$5,005	\$5,875
	Cases	2,433	2,271	2,168	2,278	2,529
Washoe Med.	Avg LOS	1.4	1.6	1.7	1.7	1.7
	Avg. Bill	\$3,596	\$4,007	\$4,064	\$4,192	\$4,456
TOTAL		3,985	3,842	3,857	4,059	4,012
AVG. LOS		1.3	1.6	1.6	1.6	1.6
AVG. BILL		\$3,808	\$4,162	\$4,278	\$4,549	\$4,981

COUNTY			CALENDA	R YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
101012	Cases	2	0	0	0	0
Battle Mtn.	Avg LOS	1.0	0.0	0.0	0.0	0.0
Batao Mai.	Avg. Bill	\$2,444	\$0	\$0	\$0	\$0
	Cases	431	440	φ0 525		596
Carson Tahoe	Avg LOS	1.2	1.3	1.3	1.3	1.4
Carson Tanoc	Avg. Bill	\$3,058	\$3,632	\$3,766	\$3,826	\$4,333
	Cases	248	247	225	256	231
Churchill	Avg LOS	1.3	1.4	1.4	1.3	1.3
Charchin	Avg. Bill	\$2,583	\$2,783	\$2,842	\$2,868	\$3,155
	Cases	φ2,363	φ2,763	φ2,042	Ψ2,000 1	ψ3, 133 0
Grover C. Dils	Avg LOS	0.0	0.0	0.0	1.0	0.0
Ciovei C. Diis	Avg LOS Avg. Bill	\$0	\$0	\$0	\$761	\$0
	Cases	239	261	218	208	156
Humboltd Con	Avg LOS	1.3	1.4	1.3	1.2	1.2
Humboltd Gen.	_ ~			\$2,096	\$1,915	\$2,142
	Avg. Bill Cases	\$1,978 2	\$1,970 1	\$2,090 0	φ1,915 1	φ <u>2,142</u>
Mt. Grant	Avg LOS	1.5	2.0	0.0	1.0	0.0
wit. Grant	"	\$2,082	\$2,341	\$0	\$1,327	\$0
	Avg. Bill	481	463	399	380	эо 365
Northopotoro	Cases			1.4	1.6	
Northeastern	Avg LOS	1.5	1.5			1.5
	Avg. Bill	\$2,818	\$2,775	\$3,488	\$4,060	\$4,573
Non Comme	Cases	22	2	4	1	3
Nye General	Avg LOS	1.6	2.0	1.0	1.0	1.3
	Avg. Bill	\$2,170	\$3,026	\$3,514	\$2,609	\$1,766
D I	Cases	1	0	0	0	0
Pershing	Avg LOS	1.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$2,380	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	53	56	33	30	35
Wm Bee Ririe	Avg LOS	1.2	1.4	1.1	1.6	2.0
	Avg. Bill	\$2,531	\$2,983	\$2,995	\$2,828	\$3,179
TOTAL		1,479	1,470	1,404	1,429	1,386
AVG. LOS		1.3	1.4	1.3	1.4	1.4
AVG. BILL		\$2,691	\$2,898	\$3,261	\$3,413	\$3,919
		16,635	17,428	18,238	19,673	19,706
ALL COUNTII	ES	1.4	1.6	1.6	1.6	1.6
		\$4,003	\$4,105	\$4,122	\$4,395	\$4,671


DRG 391: NORMAL NEWBORN


Minor problems at birth, such as prolapsed umbilical cords, forceps deliveries, and fetal/neonatal jaundice, do not disqualify a normal newborn birth. Nevada Hospitals discharged 22,415 such children in 2001, up by 21.7 percent over five years, with an increase in average billed charges of \$152. Average length of hospital stays were flat at 1.6 days over the last four years of this report. The table at right depicts all seven birthing DRG's in 2001. DRG 385 -- Neonates, died or transferred to another acute care facility. DRG 386 --Neonate, extreme immaturity or respiratory distress syndrome. DRG 387 -- Prematurity with major problems. DRG 388 -- Prematurity without major problems. DRG 389 -- Full term neonate with major problems. DRG 390 -- Neonates with other significant problems. DRG 391 -- Normal newborn.


Male newborns slightly outnumbered females during four of the five years in this report. Average length of hospital stays were identical, with average billed charges similar, but slightly higher for males.

By definition, newborns are aged under one. You will notice in the table below that there are cases in the age brackets of eighteen and greater. This is due to coding errors contained in the data. The number is relatively small enough to be statistically insignificant.

GENDER		1997	1998	1999	2000	2001
	Cases	9,189	9,613	10,071	10,604	11,136
Female	Avg. LOS	1.4	1.6	1.5	1.6	1.6
	Avg. Bill	\$640	\$676	\$688	\$742	\$803
	Cases	9,226	9,605	10,381	10,929	11,279
Male	Avg. LOS	1.4	1.6	1.6	1.6	1.6
	Avg. Bill	\$703	\$717	\$744	\$799	\$844
GENDER		1997	1998	1999	2000	2001
	Cases	18,400	19,207	20,448	21,530	22,412
Age 0-17	Avg. LOS	1.4	1.6	1.6	1.6	1.6
	Avg. Bill	\$672	\$696	\$716	\$771	\$824
	Cases	7	3	3	2	0
Age 18-35	Avg. LOS	1.7	2.0	1.7	1.0	0.0
	Avg. Bill	\$700	\$1,369	\$893	\$2,090	\$0
	Cases	0	0	0	0	1
Age 36-49	Avg. LOS	0.0	0.0	0.0	0.0	3.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$690
	Cases	0	0	0	0	0
Age 50-64	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	8	8	1	1	2
Age 65 +	Avg. LOS	1.3	1.6	1.0	1.0	2.5
	Avg. Bill	\$735	\$921	\$352	\$312	\$1,182
TOTAL		18,415	19,218	20,452	21,533	22,415
AVG. LOS		1.4	1.6	1.6	1.6	1.6
AVG. BILL		\$672	\$697	\$716	\$771	\$824







DRG 391: NORMAL NEWBORN

COUNTY		С				
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	0	0	0	0	0
Boulder City	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	479	736	965	812	798
Desert Springs	Avg LOS	1.3	1.6	1.5	1.5	1.5
	Avg. Bill	\$337	\$336	\$395	\$547	\$1,143
	Cases	936	912	879	756	809
Lake Mead	Avg LOS	1.6	1.5	1.2	1.4	1.3
	Avg. Bill	\$893	\$990	\$1,030	\$1,232	\$1,126
	Cases	981	1,248	1,557	1,895	2,007
Mountain View	Avg LOS	1.3	1.6	1.5	1.6	1.7
	Avg. Bill	\$504	\$605	\$703	\$628	\$607
	Cases	1,133	1,323	1,493	1,377	755
St. Rose Domin.	Avg LOS	1.3	1.5	1.6	1.5	1.5
	Avg. Bill	\$884	\$913	\$856	\$704	\$834
	Cases	0	0	0	455	1,379
St. Rose Siena	Avg LOS	0.0	0.0	0.0	1.5	1.7
	Avg. Bill	\$0	\$0	\$0	\$794	\$942
	Cases	45	510	788	864	757
Summerlin	Avg LOS	1.5	1.7	1.6	1.7	1.7
	Avg. Bill	\$681	\$741	\$791	\$776	\$777
	Cases	3,796	3,648	3,761	3,617	4,087
Sunrise	Avg LOS	1.5	1.7	1.7	1.7	1.7
	Avg. Bill	\$609	\$653	\$711	\$746	\$821
	Cases	2,619	2,551	3,193	3,572	3,582
University Med.	Avg LOS	1.4	1.5	1.5	1.5	1.5
	Avg. Bill	\$513	\$490	\$472	\$479	\$502
	Cases	2,032	1,991	1,707	1,894	2,034
Valley Hospital	Avg LOS	1.4	1.6	1.6	1.6	1.7
	Avg. Bill	\$605	\$652	\$675	\$1,108	\$888
TOTAL		12,021	12,919	14,343	15,242	16,208
AVG. LOS		1.4	1.6	1.6	1.6	1.6
AVG. BILL		\$616	\$652	\$670	\$726	\$772
WASHOE						
	Cases	0	0	0	0	0
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Northern NV	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	1,846	1,886	2,009	2,167	1,742
St. Mary's	Avg LOS	1.3	1.5	1.6	1.6	1.6
	Avg. Bill	\$825	\$852	\$926	\$993	\$1,156
	Cases	2,717	2,566	2,360	2,490	2,786
Washoe Med.	Avg LOS	1.4	1.6	1.7	1.7	1.7
	Avg. Bill	\$811	\$854	\$864	\$910	\$929
TOTAL		4,563	4,452	4,369	4,657	4,528
AVG. LOS		1.4	1.6	1.6	1.6	1.7
AVG. BILL		\$817	\$853	\$892	\$949	\$1,016


COUNTY			CALENDA	AR YEARS	S	
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	0	0
Battle Mtn.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	585	635	646	505	645
Carson Tahoe	Avg LOS	1.4	1.5	1.3	1.3	1.4
	Avg. Bill	\$745	\$605	\$669	\$683	\$953
	Cases	323	321	295	341	302
Churchill	Avg LOS	1.5	1.5	1.5	1.4	1.4
	Avg. Bill	\$712	\$721	\$772	\$764	\$764
	Cases	0	0	0	0	0
Grover C. Dils	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	252	286	257	228	180
Humboltd Gen.	Avg LOS	1.3	1.3	1.3	1.3	1.3
	Avg. Bill	\$452	\$468	\$470	\$439	\$449
	Cases	2	0	1	1	0
Mt. Grant	Avg LOS	1.5	0.0	3.0	1.0	0.0
	Avg. Bill	\$863	\$0	\$1,598	\$820	\$0
	Cases	584	537	492	518	509
Northeastern	Avg LOS	1.6	1.6	1.5	1.6	1.5
	Avg. Bill	\$683	\$708	\$654	\$718	\$742
	Cases	22	1	1	0	0
Nye General	Avg LOS	1.8	3.0	1.0	0.0	0.0
	Avg. Bill	\$1,055	\$2,119	\$1,223	\$0	\$0
	Cases	0	0	0	0	0
Pershing	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	63	67	48	41	43
Wm Bee Ririe	Avg LOS	1.3	1.3	1.4	1.8	2.0
	Avg. Bill	\$520	\$559	\$706	\$749	\$951
TOTAL		1,831	1,847	1,740	1,634	1,679
AVG. LOS		1.5	1.5	1.4	1.4	1.4
AVG. BILL		\$675	\$633	\$655	\$679	\$801
		18,415	19,218	20,452	21,533	22,415
ALL COUNT	IES	1.4	1.6	1.6	1.6	1.6
		\$672	\$697	\$716	\$771	\$824


DRG 416: SEPTICEMIA AGE >17


Septicemia includes such dangerous conditions as salmonella, septicemic plague, and bacteremia. Discharge counts declined about 30 percent between 1997 and 2001. Female cases outnumbered male four of the five reporting years, while male patients' average length of hospital stays and average billed charges were longer most of the years. Of the 1,224 patient discharges in 2001, 87 percent were age 50 and older, a pattern which pertained through the five years reported in this study. Generally, patients age 65 and older remained in the hospital for a shorter period of time, likely due to higher mortality rates.

Six of Nevada's acute care hospitals discharged at least 100 septicemia patients in 2001, with the three with the highest discharge counts reporting steep drops in patients over the five year reporting period. Washoe Medical Center and St. Mary's Hospital reported 79 and 62 patients, respectively, in 2001. In the rural sector, as usual Carson-Tahoe Hospital was the discharge leader with 64 discharges in 2001, followed by Mt. Grant Hospital with 35 and Churchill Hospital with 16. Average billed charges were generally higher in Clark County, led by Sunrise Hospital's \$48,530 and Lake Mead Hospital's \$45,417, both in 2001. St. Mary's Hospital's average billed charge in 2001 was \$37,247, and Churchill Hospital's was \$21,620.

GENDER		1997	1998	1999	2000	2001
	Cases	963	792	673	589	660
Female	Avg. LOS	6.9	7.0	7.7	7.9	7.3
	Avg. Bill	\$22,352	\$25,288	\$27,023	\$33,050	\$33,749
	Cases	779	687	597	592	564
Male	Avg. LOS	7.3	7.8	7.3	8.4	7.8
	Avg. Bill	\$23,445	\$28,766	\$27,993	\$35,281	\$36,310
GENDER		1997	1998	1999	2000	2001
	Cases	0	0	0	0	0
Age 0-17	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	115	86	68	58	55
Age 18-35	Avg. LOS	7.0	7.2	8.8	8.8	7.7
	Avg. Bill	\$23,236	\$28,334	\$29,809	\$37,572	\$29,041
	Cases	186	157	129	135	100
Age 36-49	Avg. LOS	8.0	8.7	7.6	8.2	7.8
	Avg. Bill	\$24,406	\$30,763	\$30,808	\$37,225	\$35,454
	Cases	345	274	212	231	232
Age 50-64	Avg. LOS	7.5	8.5	9.0	9.0	8.3
	Avg. Bill	\$27,647	\$35,337	\$34,838	\$39,629	\$41,785
	Cases	1096	962	861	757	837
Age 65 +	Avg. LOS	6.8	6.9	7.0	7.8	7.3
	Avg. Bill	\$21,021	\$23,744	\$24,984	\$31,696	\$33,352
TOTAL		1,742	1,479	1,270	1,181	1,224
AVG. LOS		7.1	7.4	7.5	8.1	7.5
AVG. BILL		\$22,841	\$26,904	\$27,479	\$34,168	\$34,929







DRG 416: SEPTICEMIA AGE >17

COUNTY		C				
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	4	6	11	19	13
Boulder City	Avg LOS	4.8	3.2	4.8	5.5	5.6
	Avg. Bill	\$7,981	\$10,346	\$10,647	\$13,461	\$15,870
	Cases	188	93	76	62	103
Desert Springs	Avg LOS	6.3	5.6	6.6	7.4	7.6
	Avg. Bill	\$21,045	\$20,977	\$25,020	\$31,282	\$37,838
	Cases	82	33	39	48	50
Lake Mead	Avg LOS	7.6	6.6	9.2	9.4	7.1
	Avg. Bill	\$22,790	\$31,382	\$37,768	\$63,507	\$45,417
	Cases	100	108	79	96	102
Mountain View	Avg LOS	6.3	6.8	6.3	7.1	6.9
	Avg. Bill	\$26,331	\$28,541	\$25,593	\$34,749	\$32,254
	Cases	121	81	83	88	88
St. Rose Domin.		5.7	6.4	9.3	7.8	8.8
	Avg. Bill			\$33,234	\$27,465	\$38,109
	Cases	0	0	0	13	35
St. Rose Siena	Avg LOS	0.0	0.0	0.0	9.2	8.3
	Avg. Bill	\$0	\$0	\$0	\$32,304	\$33,669
	Cases	9	68	82	108	115
Summerlin	Avg LOS	6.9	8.7	6.6	8.6	7.5
Summerim	Avg. Bill		\$32,929		\$39,347	\$39,452
	Cases	371	263	218	207	150
Sunrise	Avg LOS	7.7	8.7	8.0	9.5	8.6
Cullise	Avg. Bill	\$30,122		\$36,132	\$41,878	\$48,530
	Cases	263	210	156	124	126
University Med.	Avg LOS	8.6	8.7	9.6	9.9	8.5
Offiversity Med.	Avg. Bill	\$20,499		\$32,216	\$36,092	\$29,522
	Cases	209	209	130	123	137
Valley Hospital	Avg LOS	7.1	8.4	8.4	8.2	7.3
valley Hospital	Avg. Bill	\$25,774		\$35,199	\$41,272	7.3 \$42,474
TOTAL	Avg. biii	1347	1,071	874	888	919
AVG. LOS		7.3	7.9	8.1	8.6	
						7.8 \$38,685
AVG. BILL WASHOE		\$24,455	\$30,752	φ31,00 <i>1</i>	\$38,161	\$30,000
WASHUE	Casas	0	4	0	0	2
In alian Addition	Cases	2	1	0	0	2
Incline Village	Avg LOS	3.0	1.0	0.0	0.0	5.0
	Avg. Bill	\$7,006	\$2,350	\$0	\$0	\$11,319
	Cases	33	53	39	29	22
Northern NV	Avg LOS	6.8	4.7	4.9	5.1	5.6
	Avg. Bill	\$20,424	\$11,308	\$13,444	\$15,358	\$18,847
0	Cases	80	84	72	55	62
St. Mary's	Avg LOS	8.2	8.0	9.5	8.8	8.1
	Avg. Bill	\$22,842	\$24,880	\$26,176	\$33,641	\$37,247
	Cases	85	89	84	68	79
Washoe Med.	Avg LOS	6.6	7.4	7.2	9.5	8.3
	Avg. Bill	\$20,021		\$23,547	\$34,049	\$28,677
TOTAL		200	227	195	152	165
AVG. LOS		7.3	7.0	7.6	8.4	7.8
AVG. BILL		\$21,086	\$20,589	\$22,497	\$30,335	\$30,376


COUNTY			CALENDA	AR YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	1	1
Battle Mtn.	Avg LOS	0.0	0.0	0.0	7.0	3.0
	Avg. Bill	\$0	\$0	\$0	\$11,665	\$2,789
	Cases	111	93	107	63	64
Carson Tahoe	Avg LOS	5.6	5.0	4.9	4.6	5.5
	Avg. Bill	\$14,152	\$12,849	\$12,943	\$14,615	\$17,156
	Cases	29	35	32	11	16
Churchill	Avg LOS	6.2	5.0	5.8	5.4	6.1
	Avg. Bill	\$17,257	\$15,955	\$16,120	\$18,671	\$21,620
	Cases	7	2	2	4	5
Grover C. Dils	Avg LOS	6.6	2.5	3.0	3.0	4.0
	Avg. Bill	\$12,081	\$7,309	\$8,421	\$4,808	\$4,975
	Cases	1	1	3	1	1
Humboltd Gen.	Avg LOS	1.0	7.0	6.0	6.0	5.0
	Avg. Bill	\$3,983	\$10,241	\$10,062	\$14,436	\$9,940
	Cases	28	26	37	26	35
Mt. Grant	Avg LOS	3.7	4.2	4.6	5.8	4.8
	Avg. Bill	\$8,200	\$8,332	\$14,344	\$12,586	\$15,671
	Cases	2	3	5	11	1
Northeastern	Avg LOS	5.5	2.7	3.6	4.5	3.0
	Avg. Bill	\$8,315	\$3,904	\$5,612	\$5,590	\$4,216
	Cases	9	1	2	4	12
Nye General	Avg LOS	9.2	1.0	3.5	2.3	5.1
	Avg. Bill	\$17,823	\$4,600	\$7,869	\$4,000	\$9,033
	Cases	2	2	2	2	2
Pershing	Avg LOS	3.5	3.0	3.0	2.5	3.0
	Avg. Bill	\$2,915	\$6,012	\$7,009	\$7,538	\$4,459
	Cases	2	3	2	3	1
South Lyon	Avg LOS	4.5	3.0	2.0	12.3	14.0
	Avg. Bill	\$6,236	\$3,745	\$4,159	\$14,284	\$19,304
	Cases	4	15	9	15	2
Wm Bee Ririe	Avg LOS	8.0	4.9	4.8	5.9	3.5
	Avg. Bill	\$11,679	\$9,844	\$10,846	\$14,740	\$9,065
TOTAL		195	181	201	141	140
AVG. LOS		5.6	4.7	4.9	5.1	5.3
AVG. BILL		\$13,495	\$12,056	\$13,146	\$13,157	\$15,635
		1742	1,479	1,270	1,181	1,224
ALL COUNT	IES	7.1	7.4	7.5	8.1	7.5
		\$22,841	\$26,904	\$27,479	\$34,168	\$34,929


DRG 430: PSYCHOSES


Psychoses are serious mental disorders such as schizophrenia, hebephrenia, catatonia, paranoia, and the like. Average length of hospital stays tended to be rather long, between nine and ten days during the five year period of this report. Hospitalizations for psychoses are also much more common among women than men; in 2001, of the total statewide discharge count of 2,318, 61.8 percent were female, a pattern repeated for the other four years. Both ALOS and average billed charges were similar for the genders. In 2001, discharges by age were relatively flat over the oldest four age categories, highest in the 65 plus category with 723 (31.2 percent) and, excluding pediatric patients, lowest in the 50 through 64 age range (14.8 percent)

Lake Mead Hospital and Valley Hospital led in discharges in Clark County with 641 and 521 cases respectively, with the former fairly increased at 27.7 percent across five years and the latter going from a base of 63 cases to one of 521 in 2001. Washoe Medical Center discharged 412 cases in 2001, up 132 cases over five years; Northern Nevada Hospital discharged 136 cases in 2001, up from 102 in 1997. Carson-Tahoe Hospital treated 456 patients in 2001, all but 1 throughout the rural region, and up 75 cases since 1997, with ALOS of 5.4 days, and average billed charges of \$9.825.

GENDER		1997	1998	1999	2000	2001
	Cases	942	918	982	1,197	1,433
Female	Avg. LOS	10.0	8.8	9.7	10.3	9.2
	Avg. Bill	\$13,306	\$12,039	\$14,517	\$17,046	\$15,182
	Cases	547	538	548	749	885
Male	Avg. LOS	10.5	9.1	9.5	9.0	9.9
	Avg. Bill	\$13,429	\$11,712	\$14,424	\$15,066	\$15,606
GENDER	7 t g. 2	1997	1998	1999	2000	2001
	Cases	11	8	21	102	95
Age 0-17	Avg. LOS	4.6	3.8	4.2	5.8	6.1
ŭ	Avg. Bill	\$8,874	\$4,165	\$5,378	\$7,012	\$7,070
	Cases	399	371	396	373	477
Age 18-35	Avg. LOS	7.4	7.8	8.9	7.7	7.7
	Avg. Bill	\$7,928	\$8,499	\$11,763	\$10,980	\$11,090
	Cases	463	471	463	539	680
Age 36-49	Avg. LOS	9.2	8.5	8.5	9.3	9.2
	Avg. Bill	\$10,006	\$9,425	\$10,957	\$13,515	\$13,463
	Cases	244	259	236	295	343
Age 50-64	Avg. LOS	10.3	9.5	9.9	11.1	9.1
	Avg. Bill	\$12,366	\$13,092	\$15,242	\$18,250	\$14,649
	Cases	372	347	414	637	723
Age 65 +	Avg. LOS	14.7	10.5	11.5	11.4	11.5
	Avg. Bill	\$24,112	\$18,260	\$21,060	\$22,308	\$21,336
TOTAL		1,489	1,456	1,530	1,946	2,318
AVG. LOS		10.2	8.9	9.6	9.8	9.5
AVG. BILL		\$13,352	\$11,918	\$14,484	\$16,284	\$15,344







DRG 430: PSYCHOSES

COUNTY		C				
NAME		1997	1998	1999	2000	2001
CLARK						
	Cases	2	3	0	3	4
Boulder City	Avg LOS	4.0	3.7	0.0	6.0	2.0
,	Avg. Bill	\$6,354	\$5,189	\$0	\$5,346	\$2,459
	Cases	7	13	17	12	15
Desert Springs	Avg LOS	4.6	3.8	3.4	4.0	3.1
3.	Avg. Bill	\$9,078	\$9,554	\$8,154	\$9,447	\$9,859
	Cases	502	521	551	625	641
Lake Mead	Avg LOS	13.9	13.1	14.3	14.2	14.1
	Avg. Bill	\$14,094	\$14,851	\$20,738	\$23,889	\$20,626
	Cases	4	2	5	6	8
Mountain View	Avg LOS	2.5	3.0	2.6	4.8	2.3
	Avg. Bill		\$6,366	\$5,937	\$13,702	\$8,190
	Cases	69	6	12	10	11
St. Rose Domin.		7.9	1.8	4.1	3.9	3.9
	Avg. Bill	\$12,210	\$6,074	\$8,007	\$10,493	\$8,185
	Cases	0	0	0	6	6
St. Rose Siena	Avg LOS	0.0	0.0	0.0	3.7	5.5
C.: 1 1000 C.O.I.u	Avg. Bill	\$0	\$0	\$0	\$14,155	\$5,470
	Cases	0	3	5	8	8
Summerlin	Avg LOS	0.0	6.0	2.0	11.5	4.3
Cummoniii	Avg. Bill	\$0	\$14,468	\$5,977	\$28,161	\$8,963
	Cases	17	26	43	47	39
Sunrise	Avg LOS	4.2	3.7	3.8	5.0	4.7
Guillise	Avg. Bill	\$10,644	\$10,424		\$12,351	\$10,846
	Cases	14	18	18	29	48
University Med.	Avg LOS	3.8	3.4	5.6	11.3	12.2
Offiversity Wed.	Avg. Bill	\$10,176	\$5,866	\$8,608	\$12,214	\$10,574
	Cases	63	\$5,000 66	φο, ο οο 61	172	521
Valley Hospital	Avg LOS	17.7	15.1	18.2	13.4	10.6
valley Hospital	Avg. Bill	\$26,055			\$20,195	
TOTAL	Avg. biii	678	658	712	918	\$17,431 1,301
						,
AVG. LOS		13.0	12.3	13.2 \$19,652	13.1 \$21,749	11.9
AVG. BILL WASHOE		\$14,729	क 14,676	φ19,052	φ21,749	\$18,179
VVASHUE	Cooss	^	^	0	0	^
Incline Vill	Cases	0	0	0	0	0
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0 102	\$0 100	\$0	\$0 156	\$0
NI a milla con a N. C.	Cases	102	108	125	156	136
Northern NV	Avg LOS	14.2	9.2	8.8	10.8	10.1
	Avg. Bill	\$31,674	\$21,689	\$21,724	\$28,158	\$28,516
Ct. Mr. J	Cases	12	9	13	14	12
St. Mary's	Avg LOS	4.6	4.4	3.7	4.6	5.8
	Avg. Bill	\$8,117	\$14,025	\$7,510	\$9,682	\$14,598
NA/ I	Cases	280	318	327	398	412
Washoe Med.	Avg LOS	6.6	5.6	6.3	6.8	6.2
	Avg. Bill	\$7,758	\$6,599	\$7,733	\$8,875	\$8,174
TOTAL		394	435	465	568	560
AVG. LOS		8.5	6.5	6.9	7.9	7.1
AVG. BILL		\$13,960	\$10,499	\$11,487	\$14,191	\$13,252


COUNTY			CALENDA	AR YEARS		
NAME		1997	1998	1999	2000	2001
RURAL		1001	1000	1000		2001
	Cases	1	0	0	0	0
Battle Mtn.	Avg LOS	2.0	0.0	0.0	0.0	0.0
Battle Mai.	Avg. Bill	\$1,097	\$0	\$0	\$0	\$0
	Cases	381	339	339	442	456
Carson Tahoe	Avg LOS	7.7	6.2	6.1	5.7	5.4
	Avg. Bill	\$11,314	\$8,678	\$8,220	\$8,158	\$9,825
	Cases	5	4	2	3	0
Churchill	Avg LOS	1.0	2.0	3.0	1.7	0.0
	Avg. Bill	\$2,401	\$5,238	\$4,879	\$7,083	\$0
	Cases	1	0	0	1	0
Grover C. Dils	Avg LOS	5.0	0.0	0.0	3.0	0.0
	Avg. Bill	\$4,331	\$0	\$0	\$4,447	\$0
	Cases	2	0	0	0	0
Humboltd Gen.		1.5	0.0	0.0	0.0	0.0
	Avg. Bill	\$1,145	\$0	\$0	\$0	\$0
	Cases	24	13	9	3	1
Mt. Grant	Avg LOS	2.3	1.8	2.0	1.3	7.0
	Avg. Bill	\$2,343	\$2,023	\$2,499	\$3,138	\$14,845
	Cases	1	2	1	0	0
Northeastern	Avg LOS	1.0	1.5	2.0	0.0	0.0
	Avg. Bill	\$776	\$1,051	\$3,393	\$0	\$0
	Cases	1	0	0	0	0
Nye General	Avg LOS	4.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$5,530	\$0	\$0	\$0	\$0
	Cases	0	1	0	2	0
Pershing	Avg LOS	0.0	1.0	0.0	2.5	0.0
	Avg. Bill	\$0	\$812	\$0	\$2,415	\$0
	Cases	0	0	0	1	0
South Lyon	Avg LOS	0.0	0.0	0.0	2.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$1,861	\$0
	Cases	1	4	2	8	0
Wm Bee Ririe	Avg LOS	2.0	1.0	2.0	1.3	0.0
	Avg. Bill	\$1,017	\$1,368	\$2,035	\$1,980	\$0
TOTAL		417	363	353	460	457
AVG. LOS		7.2	5.9	5.9	5.5	5.4
AVG. BILL		\$10,537	\$8,257	\$8,007	\$7,964	\$9,836
		1,489	1,456	1,530	1,946	2,318
ALL COUNT	IES	10.2	8.9	9.6	9.8	9.5
		\$13,352	\$11,918	\$14,484	\$16,284	\$15,344


DRG 449: POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W CC


This DRG contains cases of poisoning from sources such as vaccines, antibiotics, hormones, anticoagulants, and vitamins. During 2001, 956 patients were admitted to Nevada hospitals, with women slightly outnumbering men over all five years. Average length of hospital stays was slightly longer for males, as were average billed charges, each for the period 1997 through 2001. Patients in the age range 18-49 totaled 622 discharges in 2001, 65 percent of the total that year, a pattern which prevailed for the five reporting years. The age group 50-64 had the largest increase in cases and the greatest increase in average billed charges over five years.

In Clark County, Sunrise Hospital and University Medical Center had the most discharges over the five year period, the former with 151 discharges in 2001, followed closely by the latter with 136, the two facilities accounting for 42 percent of 2001's total discharges. Lake Mead Hospital was in third place with 91 discharges, followed by Valley Hospital with 88 in 2001. Washoe Medical Center discharged 132 patients in 2001, up from 95 in 1997 and comprising 67 percent of Washoe County's 198 total of discharges. Carson-Tahoe Hospital discharged another 36 cases in 2001, up slightly over five years, followed at some distance by Churchill and Mt. Grant Hospital with 12 discharges in 2001, down slightly over five years.

GENDER		1997	1998	1999	2000	2001
	Cases	397	402	410	460	485
Female	Avg. LOS	3.2	3.2	3.4	3.7	3.5
	Avg. Bill	\$11,472	\$11,521	\$15,119	\$15,289	\$15,954
	Cases	363	337	346	434	471
Male	Avg. LOS	3.7	3.5	3.9	3.8	4.1
	Avg. Bill	\$13,461	\$14,545	\$16,600	\$16,519	\$18,813
GENDER		1997	1998	1999	2000	2001
	Cases	0	0	0	0	0
Age 0-17	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	255	245	227	268	275
Age 18-35	Avg. LOS	2.9	3.1	3.2	3.0	2.9
	Avg. Bill	\$11,529	\$12,593	\$13,267	\$14,794	\$13,757
	Cases	294	282	272	306	347
Age 36-49	Avg. LOS	3.3	3.4	3.6	3.9	3.6
	Avg. Bill	\$12,203	\$12,805	\$16,582	\$16,684	\$15,643
	Cases	105	114	140	191	184
Age 50-64	Avg. LOS	4.2	3.2	4.1	4.1	4.7
	Avg. Bill	\$15,233	\$12,946	\$19,395	\$16,377	\$23,709
	Cases	106	98	117	129	150
Age 65 +	Avg. LOS	4.2	4.1	4.1	4.3	4.8
	Avg. Bill	\$12,395	\$13,888	\$14,575	\$15,534	\$20,164
TOTAL		760	739	756	894	956
AVG. LOS		3.4	3.4	3.6	3.7	3.8
AVG. BILL		\$12,422	\$12,900	\$15,797	\$15,886	\$17,362







DRG 449: POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W CC

COLINEY			AL FAIR-	AD VEA	20 -	
COUNTY				AR YEAF		0004
NAME		1997	1998	1999	2000	2001
CLARK		0			•	
5 o::	Cases	3	4	4	6	2
Boulder City	Avg LOS	1.3	1.8	3.0	4.3	2.5
	Avg. Bill	\$5,877	\$4,976	. ,	\$11,673	\$6,787
	Cases	77	54	47	58	69
Desert Springs	Avg LOS	3.6	3.6	3.2	2.8	3.8
	Avg. Bill	\$13,769	\$12,791	\$10,715	\$13,343	\$21,434
	Cases	55	60	53	92	91
Lake Mead	Avg LOS	2.8	3.0	4.1	3.3	3.6
	Avg. Bill	\$12,742	\$13,023	\$25,831	\$21,142	\$24,399
	Cases	51	51	44	52	49
Mountain View	Avg LOS	3.1	3.2	4.0	3.3	2.8
	Avg. Bill	\$13,987	\$15,163	\$20,857	\$16,475	\$13,868
	Cases	18	11	11	22	24
St. Rose Domin.	Avg LOS	3.1	3.8	2.3	3.5	3.4
	Avg. Bill	\$17,497	\$17,430	\$13,254	\$17,334	\$16,288
	Cases	0	0	0	10	32
St. Rose Siena	Avg LOS	0.0	0.0	0.0	2.8	4.5
	Avg. Bill	\$0	\$0	\$0	\$14,665	\$21,984
	Cases	1	16	37	54	45
Summerlin	Avg LOS	6.0	2.0	3.2	4.2	3.6
	Avg. Bill	\$25,912	\$9,064	\$13,002	\$22,304	\$22,255
	Cases	111	108	126	147	151
Sunrise	Avg LOS	3.7	3.4	3.3	3.4	4.1
	Avg. Bill	\$12,890	\$15,024	\$14,732	\$14,758	\$21,132
	Cases	209	188	173	148	136
University Med.	Avg LOS	3.3	3.6	3.8	4.6	5.5
	Avg. Bill	\$12,874		\$15,865	\$14,037	\$14,461
	Cases	35	32	58	80	88
Valley Hospital	Avg LOS	4.4	4.2	6.7	6.1	3.9
valley Floopital	Avg. Bill	\$16,179		\$29,587	\$24,418	\$20,793
TOTAL	7 tvg. Dill	560	524	553	669	687
AVG. LOS		3.4	3.4	3.9	4.0	4.1
AVG. BILL WASHOE		\$13,430	φ13, <i>1</i> 19	\$17,695	\$17,307	\$19,615
WASHUE	0	0	0	0	0	4
Landa A Ciliana	Cases	0	0	0	0	1
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	4.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$8,657
	Cases	6	9	0	14	11
Northern NV	Avg LOS	6.8	3.2	0.0	3.4	2.1
	Avg. Bill	\$19,967	\$8,729	\$0	\$10,806	\$9,145
	Cases	39	40	35	42	54
St. Mary's	Avg LOS	4.2	3.8	4.0	3.4	3.2
	Avg. Bill	\$11,369	\$13,655	\$17,115	\$15,399	\$15,385
	Cases	95	106	113	118	132
Washoe Med.	Avg LOS	3.0	3.3	2.8	3.2	2.8
	Avg. Bill	\$9,386	\$12,205	\$10,295	\$12,192	\$10,880
TOTAL		140	155	148	174	198
AVG. LOS		3.5	3.4	3.1	3.3	2.8
AVG. BILL		\$10,392	\$12,377	\$11,908	\$12,855	\$12,001


COUNTY			CALENDA	AR YEARS		
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	1	1	0	1
Battle Mtn.	Avg LOS	0.0	2.0	2.0	0.0	2.0
	Avg. Bill	\$0	\$2,553	\$2,285	\$0	\$2,532
	Cases	28	28	24	23	36
Carson Tahoe	Avg LOS	2.8	2.9	2.4	3.0	4.0
	Avg. Bill	\$7,649	\$8,074	\$9,423	\$9,339	\$12,864
	Cases	14	16	10	12	12
Churchill	Avg LOS	2.9	1.9	1.4	1.8	2.2
	Avg. Bill	\$11,963	\$5,247	\$5,585	\$9,470	\$11,641
	Cases	3	0	1	2	1
Grover C. Dils	Avg LOS	2.0	0.0	5.0	1.0	2.0
	Avg. Bill	\$6,354	\$0	\$15,230	\$1,891	\$2,924
	Cases	2	1	0	0	0
Humboltd Gen.	Avg LOS	1.0	2.0	0.0	0.0	0.0
	Avg. Bill	\$2,404	\$4,032	\$0	\$0	\$0
	Cases	4	10	8	9	12
Mt. Grant	Avg LOS	5.5	3.2	1.9	1.6	2.6
	Avg. Bill	\$6,371	\$9,393	\$4,149	\$3,968	\$8,351
	Cases	3	0	1	0	2
Northeastern	Avg LOS	3.0	0.0	1.0	0.0	1.0
	Avg. Bill	\$4,530	\$0	\$2,200	\$0	\$2,348
	Cases	1	0	0	1	1
Nye General	Avg LOS	3.0	0.0	0.0	1.0	2.0
	Avg. Bill	\$5,203	\$0	\$0	\$1,260	\$7,438
	Cases	0	1	0	1	0
Pershing	Avg LOS	0.0	6.0	0.0	1.0	0.0
	Avg. Bill	\$0	\$4,052	\$0	\$2,531	\$0
	Cases	0	1	5	0	3
South Lyon	Avg LOS	0.0	1.0	3.2	0.0	2.7
	Avg. Bill	\$0	\$3,622	\$6,315	\$0	\$3,887
	Cases	5	2	5	3	3
Wm Bee Ririe	Avg LOS	2.0	1.0	2.8	1.7	2.3
	Avg. Bill	\$3,122	\$3,796	\$5,686	\$5,011	\$4,749
TOTAL		60	60	55	51	71
AVG. LOS		2.8	2.6	2.3	2.3	3.1
AVG. BILL		\$7,757	\$7,097	\$7,180	\$7,584	\$10,514
		760	739	756	894	956
ALL COUNT	IES	3.4	3.4	3.6	3.7	3.8
		\$12,422	\$12,900	\$15,797	\$15,886	\$17,362


DRG 494: LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W/O CC


Until recently, cholecystectomies -- surgical removal of the gall bladder -- were serious procedures requiring several days in the hospital. With the advent of microsurgery techniques, such as laparoscopic procedures, many cases -- assuming common bile duck explorations are not required and comorbid conditions are not present -- remain in hospital for two or three days at most. Between 1997 and 2001, cases increased statewide by 34 percent, with about equal gains for males and females. Male patients consistently remained in the hospital slightly longer than females, with their average billed charges reflecting this difference. 80 percent of 2001's patients were in the age range 18-64, with the majority of the remainder in the age 65 and older.

Sunrise Hospital and University Medical Center were Clark County discharge leaders in 2001, while Washoe Medical Center's 142 cases were second highest in the state. Average billed charges were consistently highest in Clark County, with little difference in ALOS between the counties. Only four rural hospitals discharged DRG 494 patients, with Carson-Tahoe Hospital highest with 38 discharges in 2001, followed by Northeastern Hospital with 30, Churchill Hospital with 13 and Humboldt with 3. With the exception of 2001, Churchill's average billed charges appeared to be the highest and Humboldt's average billed charges were the lowest across all five years.

GENDER		1997	1998	1999	2000	2001
	Cases	558	583	618	635	755
Female	Avg. LOS	2.0	2.3	2.3	2.3	2.4
	Avg. Bill	\$13,776	\$14,642	\$15,337	\$16,493	\$18,346
	Cases	177	191	202	226	229
Male	Avg. LOS	2.3	2.7	2.6	2.5	2.6
	Avg. Bill	\$15,282	\$16,375	\$16,706	\$17,591	\$20,430
GENDER		1997	1998	1999	2000	2001
	Cases	12	15	9	10	15
Age 0-17	Avg. LOS	1.5	3.0	2.1	2.1	1.9
	Avg. Bill	\$10,891	\$16,148	\$12,373	\$14,670	\$16,767
	Cases	207	223	276	249	332
Age 18-35	Avg. LOS	2.0	2.3	2.2	2.4	2.2
	Avg. Bill	\$14,057	\$14,575	\$14,914	\$16,464	\$17,673
	Cases	203	230	206	251	238
Age 36-49	Avg. LOS	1.9	2.3	2.2	2.4	2.5
	Avg. Bill	\$13,253	\$14,919	\$15,471	\$17,125	\$19,001
	Cases	188	184	194	202	250
Age 50-64	Avg. LOS	2.1	2.5	2.3	2.3	2.5
	Avg. Bill	\$14,914	\$15,352	\$16,224	\$16,502	\$19,664
	Cases	125	122	135	149	149
Age 65 +	Avg. LOS	2.3	2.7	2.9	2.5	2.6
	Avg. Bill	\$14,859	\$15,699	\$16,970	\$17,253	\$19,947
TOTAL		735	774	820	861	984
AVG. LOS		2.0	2.4	2.3	2.4	2.4
AVG. BILL		\$14,139	\$15,070	\$15,674	\$16,781	\$18,831







DRG 494: LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W/O CC

COUNTY		CALENDAR YEARS						
COUNTY						2004		
NAME		1997	1998	1999	2000	2001		
CLARK		40	_	44	40			
	Cases	10	7	11	10	8		
Boulder City	Avg LOS	1.9	2.4	1.8	2.0	2.0		
	Avg. Bill	\$14,043		\$12,219	\$11,475	\$12,167		
	Cases	50	77	64	58	58		
Desert Springs	Avg LOS	2.0	2.6	2.5	2.4	2.8		
	Avg. Bill	\$13,086	\$14,401	\$15,839	\$17,485	\$23,375		
	Cases	15	25	24	14	29		
Lake Mead	Avg LOS	2.6	2.2	2.2	3.1	2.1		
	Avg. Bill	\$17,713	\$17,693	\$20,507	\$22,343	\$23,301		
	Cases	44	46	64	69	84		
Mountain View	Avg LOS	2.0	2.2	1.9	2.0	2.5		
	Avg. Bill	\$18,552	\$16,918	\$15,969	\$16,745	\$18,432		
	Cases	43	39	33	56	53		
St. Rose Domin.	Avg LOS	1.9	2.1	1.5	1.6	2.0		
	Avg. Bill	\$14,769	\$15,505	\$13,747	\$14,463	\$18,219		
	Cases	0	0	0	11	64		
St. Rose Siena	Avg LOS	0.0	0.0	0.0	2.8	2.3		
	Avg. Bill	\$0	\$0	\$0	\$17,855	\$20,793		
	Cases	2	13	36	29	37		
Summerlin	Avg LOS	2.0	2.6	2.2	2.2	2.5		
	Avg. Bill	\$11,507	\$13,729	\$13,718	\$15,609	\$18,645		
	Cases	149	166	194	186	165		
Sunrise	Avg LOS	1.9	2.2	2.1	2.1	2.3		
	Avg. Bill	\$16,717	\$16.211	\$16,408	\$17,302	\$18,283		
	Cases	43	74	92	95	116		
University Med.	Avg LOS	2.8	3.0	3.3	3.0	3.1		
Chinacian, maa.	Avg. Bill	\$13,966		\$17,819	\$19,173	\$19,944		
	Cases	82	70	71	45	40		
Valley Hospital	Avg LOS	2.5	2.7	2.7	3.1	2.8		
valley Floopital	Avg. Bill	\$15,282	\$16,738	\$17,535	\$20,383	\$20,698		
TOTAL	7 tvg. Dili	438	517	589	573	654		
AVG. LOS		2.1	2.4	2.4	2.4	2.5		
AVG. BILL WASHOE		\$15,706	\$15,791	\$16,430	\$17,474	\$19,605		
WASHUE	00000	0	0	0	0	0		
Landa A Ciliana	Cases	0	0	0	0	0		
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0		
	Avg. Bill	\$0	\$0	\$0	\$0	\$0		
	Cases	17	13	12	20	19		
Northern NV	Avg LOS	1.4	2.6	2.8	3.2	2.3		
	Avg. Bill	\$11,095		\$14,882	\$16,554	\$15,468		
	Cases	100	58	54	75	85		
St. Mary's	Avg LOS	1.7	2.2	2.5	2.3	2.2		
	Avg. Bill	\$10,692		\$14,921	\$16,868	\$19,087		
	Cases	96	97	92	108	142		
Washoe Med.	Avg LOS	2.4	2.6	2.3	2.6	2.3		
	Avg. Bill	\$14,713	\$15,272	\$14,915	\$16,624	\$17,610		
TOTAL		213	168	158	203	246		
AVG. LOS		2.0	2.5	2.4	2.6	2.3		
AVG. BILL		\$12,536	\$14,596	\$14,914	\$16,707	\$17,955		


COUNTY	_	_	CALENDA	\P VEAPS		
NAME		1997	1998	1999	2000	2001
RURAL		1991	1990	1999	2000	2001
RUKAL	0	0	0	0	0	0
D. III. MI.	Cases	0	0	0	0	0
Battle Mtn.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
Carson Tahoe	Cases	24	30	25	35	38
	Avg LOS	2.0	2.1	2.1	2.2	2.1
	Avg. Bill	\$10,384	\$10,645	\$12,627	\$13,668	\$16,736
	Cases	40	42	16	11	13
Churchill	Avg LOS	1.5	2.4	2.3	2.2	1.5
	Avg. Bill	\$11,369	\$13,920	\$14,893	\$15,768	\$15,737
	Cases	0	0	0	0	0
Grover C. Dils	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	6	3	9	11	3
Humboltd Gen.	Avg LOS	1.3	5.0	1.7	2.3	3.0
	Avg. Bill	\$5,750	\$10,940	\$6,849	\$6,435	\$7,316
	Cases	0	0	0	0	0
Mt. Grant	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	14	13	22	27	30
Northeastern	Avg LOS	1.6	1.6	1.5	1.8	2.2
	Avg. Bill	\$7,433	\$7,785	\$8,760	\$11,549	\$14,283
	Cases	0	0	0	0	0
Nye General	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Pershing	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	1	1	1	0
Wm Bee Ririe	Avg LOS	0.0	1.0	2.0	2.0	0.0
	Avg. Bill	\$0	\$9,774	\$11,113	\$9,676	\$0
TOTAL	J =	84	89	73	85	84
AVG. LOS		1.7	2.3	1.9	2.1	2.0
AVG. BILL		\$10,030	\$11,773	\$11,225	\$12,284	\$15,369
V O. DIEL		735	774	820	861	984
ALL COUNT	IFS	2.0	2.4	2.3	2.4	2.4
ALL COUNT						
		\$14,139	\$15,070	\$15,674	\$16,781	\$18,831


DRG 498: SPINAL FUSION EXCEPT CERVICAL W/O CC


Surgical fusions of the spine, including refusions of dorsal and lumbar regions, comprise the procedures covered by DRG 498. In 2001, Nevada hospitals discharged 1532 cases, up sixteen percent over four years. Female cases were higher than male for all four years, as were average lengths of hospital stays. There were no statistically significant differences between male and female average billed charges. Spinal fusions tend to be procedures of mid-life; in 2001, 1090 cases out of 1532 (71 percent) involved patients in the age range 36 through 64. Among patients above age 36, the older the patient the higher the average length of stay and, generally, the higher the average billed charges.

Sunrise Hospital and Washoe Medical Center were the State's leaders in discharges, followed at some distance by Valley Hospital and Dersert Springs. Throughout the four year period, St. Rose Dominican had lower average billed charges than the other hospitals doing spinal fusions; note that in 2001, Sunrise was over \$16,000 lower than University Medical Center and over \$10,000 lower than Valley Hospital, the latter with average lengths of stay similar to Sunrise Hospital's. In the rural sector of Nevada, Carson-Tahoe Hospital performed 49 non-cervical spinal fusions in 2001, billing \$32,212 on an average of 2.8 days in hospital.

GENDER		1997	1998	1999	2000	2001
	Cases	147	694	824	886	829
Female	Avg. LOS	2.9	2.8	2.8	2.8	2.9
	Avg. Bill	\$27,937	\$27,812	\$29,514	\$31,834	\$37,757
	Cases	139	630	704	747	703
Male	Avg. LOS	2.8	2.6	2.7	2.5	2.8
	Avg. Bill	\$29,303	\$27,761	\$29,754	\$31,277	\$37,869
GENDER		1997	1998	1999	2000	2001
	Cases	5	31	25	21	21
Age 0-17	Avg. LOS	5.8	4.3	5.0	4.8	4.1
	Avg. Bill	\$53,627	\$45,025	\$49,721	\$46,112	\$58,841
	Cases	37	168	207	170	173
Age 18-35	Avg. LOS	2.7	2.8	3.0	3.1	3.3
	Avg. Bill	\$27,035	\$29,021	\$31,460	\$34,339	\$41,877
	Cases	119	562	634	713	570
Age 36-49	Avg. LOS	2.7	2.5	2.4	2.4	2.6
	Avg. Bill	\$27,123	\$26,567	\$28,270	\$30,201	\$35,426
	Cases	88	413	467	522	520
Age 50-64	Avg. LOS	2.9	2.6	2.8	2.6	2.7
	Avg. Bill	\$29,728	\$27,213	\$29,356	\$30,996	\$37,594
	Cases	37	150	195	207	248
Age 65 +	Avg. LOS	3.0	3.1	3.2	3.3	3.3
	Avg. Bill	\$28,857	\$28,999	\$30,144	\$34,054	\$39,113
TOTAL		286	1,324	1,528	1,633	1,532
AVG. LOS		2.9	2.7	2.8	2.7	2.9
AVG. BILL		\$28,601	\$27,788	\$29,624	\$31,579	\$37,808







DRG 498: SPINAL FUSION EXCEPT CERVICAL W/O CC

COUNTY		CALENDAD VEADO					
COUNTY		CALENDAR YEARS 1997 1998 1999 2000 2001					
NAME CLARK		1997	1998	1999	2000	2001	
CLARK	0	0	0	0	0	0	
Davidas Oite	Cases	0	0	0	0	0	
Boulder City	Avg LOS	0.0	0.0	0.0	0.0	0.0	
	Avg. Bill	\$0	\$0	\$0	\$0	\$0	
	Cases	30	152	169	129	175	
Desert Springs	Avg LOS	2.3	2.3	2.4	1.9	2.3	
	Avg. Bill	\$25,260	, , ,	\$23,001	\$24,351	\$32,094	
	Cases	15	41	26	40	42	
Lake Mead	Avg LOS	3.2	3.4	3.5	3.1	3.4	
	Avg. Bill	\$28,173		\$28,947	\$35,506	\$40,383	
	Cases	13	54	119	9	2	
Mountain View	Avg LOS	3.2	3.1	2.9	3.8	6.5	
	Avg. Bill	\$26,192	\$26,011	\$32,477	\$24,079	\$27,921	
	Cases	6	13	14	19	4	
St. Rose Domin.	Avg LOS	1.3	2.5	1.8	2.4	1.8	
	Avg. Bill	\$21,389	\$23,819	\$23,075	\$28,036	\$25,549	
	Cases	0	0	0	19	62	
St. Rose Siena	Avg LOS	0.0	0.0	0.0	2.5	3.0	
	Avg. Bill	\$0	\$0	\$0	\$35,283	\$38,046	
	Cases	0	0	1	0	0	
Summerlin	Avg LOS	0.0	0.0	2.0	0.0	0.0	
	Avg. Bill	\$0	\$0	\$21,162	\$0	\$0	
	Cases	110	627	571	694	502	
Sunrise	Avg LOS	2.3	2.4	2.5	2.5	2.4	
	Avg. Bill	\$26,109	\$26,857	\$27,004	\$27,702	\$29,542	
	Cases	2	20	52	79	76	
University Med.	Avg LOS	4.5	4.6	3.5	3.7	3.9	
	Avg. Bill	\$28,083	\$30,873	\$39,092	\$38,011	\$45,712	
	Cases	30	89	185	186	203	
Valley Hospital	Avg LOS	4.3	3.6	3.0	2.7	2.5	
, ,	Avg. Bill	\$36,524	\$31,874	\$30,431	\$34,001	\$40,184	
TOTAL		206	996	1,137	1,175	1,066	
AVG. LOS		2.7	2.6	2.7	2.6	2.6	
AVG. BILL		\$27,539		\$28,083	\$29,390	\$34,044	
WASHOE		7_,,000	+,	4_0,000	+ ,,	+- 1,- 11	
	Cases	0	0	0	0	0	
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0	
monne vinage	Avg. Bill	\$0	\$0	\$0	\$0	\$0	
	Cases	12	59	88	66	23	
Northern NV	Avg LOS	3.3	2.9	2.5	2.6	3.4	
NOTHER IT INV						\$44,498	
	Avg. Bill	\$30,675		\$32,668	\$37,867		
St Manda	Cases	20	106	124	116	127	
St. Mary's	Avg LOS	3.2	2.7	2.8	3.0	3.4	
	Avg. Bill	\$32,792	\$31,061	\$34,535	\$42,257	\$53,357	
\\/\b_\	Cases	48	159	165	257	267	
Washoe Med.	Avg LOS	3.3	3.2	3.5	2.9	3.6	
	Avg. Bill	\$30,892		\$35,494	\$35,697	\$45,890	
TOTAL		80	324	377	439	417	
AVG. LOS		3.2	3.0	3.0	2.9	3.5	
AVG. BILL		\$31,334	\$30,710	\$34,519	\$37,757	\$48,088	


COUNTY						
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	0	0
Battle Mtn.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	4	14	19	49
Carson Tahoe	Avg LOS	0.0	3.0	2.9	3.2	2.8
	Avg. Bill	\$0	\$22,580	\$22,993	\$24,195	\$32,212
	Cases	0	0	0	0	0
Churchill	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Grover C. Dils	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Humboltd Gen.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Mt. Grant	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Northeastern	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Nye General	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Pershing	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Wm Bee Ririe	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
TOTAL		0	4	14	19	49
AVG. LOS		0.0	3.0	2.9	3.2	2.8
AVG. BILL		\$0	\$22,580	\$22,993	\$24,195	\$32,212
		286	1,324	1,528	1,633	1,532
ALL COUNT	IES	2.9	2.7	2.8	2.7	2.9
		\$28,601	\$27,788	\$29,624	\$31,579	\$37,808


DRG 500: BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W/O CC


Spinal canal explorations, inserting and removing spinal stimulators, and related procedures comprise DRG 500. During 2001, 1636 patients underwent these procedures in Nevada's acute care hospitals, an 18.4 percent increase since 1998. During that period, average lengths of hospital stays were flat while average billed charges increased by 26.9 percent. Males consistently outnumbered females over the same four years, while female patients consistently remained in the hospital for a slightly longer time. This difference was statistically reflected in their average billed charges. In 2001, there was a fairly flat discharge count across the three oldest groups of patients and, to a lesser extent, the age category 18 through 35. Average length of hospital stays tended to decrease by age.

Sunrise Hospital dominated statewide discharge counts with 528 in 2001, 48 percent of Clark County's total and 32 percent of the state. Valley Hospital was in second place in Clark County followed closely by Desert Springs Hospital. Washoe Medical Center's 303 cases placed it in second place statewide, with St. Mary's Hospital adding another 161 discharges in 2001. Carson-Tahoe Hospital was the only rural facility to discharge DRG 500 patients. They treated 50 patients in 2001, up 85 percent since 1998, with a 2.0 average length of hospital stay in 2001 and billed charges topping out that year at \$15,966.

GENDER		1997	1998	1999	2000	2001
	Cases	138	605	678	613	762
Female	Avg. LOS	1.9	2.2	2.2	2.0	2.1
	Avg. Bill	\$12,922	\$13,748	\$15,221	\$15,813	\$17,868
	Cases	158	777	856	871	874
Male	Avg. LOS	1.8	1.8	1.9	1.8	1.8
	Avg. Bill	\$13,619	\$13,373	\$14,680	\$15,559	\$16,567
GENDER		1997	1998	1999	2000	2001
	Cases	3	3	6	1	5
Age 0-17	Avg. LOS	2.0	1.3	3.5	2.0	1.4
	Avg. Bill	\$12,844	\$10,699	\$20,854	\$11,653	\$12,425
	Cases	41	246	214	226	246
Age 18-35	Avg. LOS	1.6	1.7	1.7	1.7	1.8
	Avg. Bill	\$11,648	\$12,423	\$14,195	\$14,626	\$15,819
	Cases	103	461	501	474	514
Age 36-49	Avg. LOS	1.6	1.7	2.0	1.7	1.7
	Avg. Bill	\$12,778	\$12,884	\$14,403	\$14,748	\$16,911
	Cases	85	376	407	447	469
Age 50-64	Avg. LOS	2.1	2.1	2.0	1.9	1.8
	Avg. Bill	\$14,155	\$14,315	\$15,286	\$16,213	\$16,763
	Cases	64	296	406	336	402
Age 65 +	Avg. LOS	2.3	2.4	2.4	2.4	2.4
	Avg. Bill	\$14,056	\$14,521	\$15,483	\$16,936	\$18,874
TOTAL		296	1,382	1,534	1,484	1,636
AVG. LOS		1.9	2.0	2.1	1.9	1.9
AVG. BILL		\$13,294	\$13,537	\$14,919	\$15,664	\$17,173







DRG 500: BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W/O CC

COUNTY			ALENDA			0004
NAME		1997	1998	1999	2000	2001
CLARK	ام			•	•	
	Cases	0	0	0	0	0
Boulder City	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	26	120	150	126	167
Desert Springs	Avg LOS	1.6	1.8	1.6	1.8	1.8
	Avg. Bill	\$10,046	\$11,187	\$12,565	\$15,356	\$18,131
	Cases	7	12	9	6	17
Lake Mead	Avg LOS	3.0	1.9	1.9	2.8	2.7
	Avg. Bill	\$15,845	\$13,106	\$14,768	\$24,905	\$28,656
	Cases	16	60	84	45	24
Mountain View	Avg LOS	2.3	2.2	2.2	1.8	2.0
	Avg. Bill	\$12,984	\$13,805	\$14,511	\$12,789	\$11,352
	Cases	7	18	31	42	8
St. Rose Domin.	Avg LOS	1.4	1.2	1.5	2.0	1.8
	Avg. Bill	\$12,588	\$14,809	\$13,957	\$14,202	\$14,321
	Cases	0	0	0	30	121
St. Rose Siena	Avg LOS	0.0	0.0	0.0	1.6	1.9
	Avg. Bill	\$0	\$0	\$0	\$15,051	\$16,401
	Cases	0	0	0	0	0
Summerlin	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	125	649	624	589	528
Sunrise	Avg LOS	1.6	1.7	2.0	1.7	1.7
	Avg. Bill	\$12,453	\$12,470	\$13,826	\$14,047	\$14,134
	Cases	1	26	45	41	63
University Med.	Avg LOS	2.0	3.7	3.2	3.0	2.2
Children's Med.	Avg. Bill	\$9,858	\$17,037	\$21,600	\$18,499	\$18,605
	Cases	19	72	123	148	171
Valley Hospital	Avg LOS	2.3	2.7	2.3	2.2	1.8
valley i lospital	Avg. Bill	\$13,642	\$14,163	\$15,587	\$17,733	\$19,952
TOTAL	Avg. bili		. ,			. ,
TOTAL		201	957	1,066	1,027	1,099
AVG. BILL		1.7	1.9	2.0	1.9	1.8
AVG. BILL		\$12,406	\$12,696	\$14,246	\$14,960	\$16,318
WASHOE	ا					
	Cases	0	0	0	0	0
Incline Village	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	16	46	48	39	23
Northern NV	Avg LOS	1.6	1.3	1.4	1.5	2.0
	Avg. Bill	\$12,652	\$12,666	\$12,032	\$13,727	\$15,768
	Cases	26	148	145	129	161
St. Mary's	Avg LOS	2.2	2.0	2.3	1.9	1.9
	Avg. Bill	\$16,053	\$16,357	\$18,505	\$20,588	\$21,360
	Cases	49	201	234	247	303
Washoe Med.	Avg LOS	2.5	2.5	2.3	2.2	2.2
	Avg. Bill	\$15,783	\$16,096	\$16,739	\$16,801	\$18,355
TOTAL		91	395	427	415	487
AV (O. 1.00		2.2	2.2	2.2	2.0	2.1
AVG. LOS						


COUNTY			CALENDA	AR YEARS	;	
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	0	0	0	0	0
Battle Mtn.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	3	27	40	42	50
Carson Tahoe	Avg LOS	2.0	1.9	2.1	2.1	2.0
	Avg. Bill	\$12,268	\$10,502	\$12,844	\$12,860	\$15,966
	Cases	1	3	1	0	0
Churchill	Avg LOS	2.0	1.3	1.0	0.0	0.0
	Avg. Bill	\$11,353	\$11,975	\$9,106	\$0	\$0
	Cases	0	0	0	0	0
Grover C. Dils	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Humboltd Gen.	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Mt. Grant	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Northeastern	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Nye General	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Pershing	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
South Lyon	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Wm Bee Ririe	Avg LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
TOTAL		4	30	41	42	50
AVG. LOS		2.0	1.8	2.1	2.1	2.0
AVG. BILL		\$12,039	\$10,649	\$12,753	\$12,860	\$15,966
		296	1,382	1,534	1,484	1,636
ALL COUNT	IES	1.9	2.0	2.1	1.9	1.9
		\$13,294	\$13,537	\$14,919	\$15,664	\$17,173


DRG 294: DIABETES AGE >35


DRG 294 covers five years of hospital discharges for diabetes, among patients who were older than age 35. In 2001, 1246 such patients were discharged from Nevada hospitals, up 48.5 percent since 1997. For each reporting year, male patients outnumbered females, especially during 2001. Over the five year period, average length of hospital stays were similar, but average billed charges were higher between 1999 and 2001 compared to 1997 and 1998. Among the three age categories covered in this DRG, discharge counts tended to increase with age category, with ALOS tending to be slightly higher with age although average billed charges did not mirror this pattern.

University Medical Center was the discharge leader in 2001 as well as over the five year reporting period. Sunrise Hospital was in second position year by year, followed by Valley Hospital and Desert Springs Hospital. In 2001, these four hospitals accounted for 66.9 percent of discharges in Clark County, and 51.8 percent statewide. Washoe Medical Center with 96 and St. Mary's Hospital with 58 represented all but 10 discharges in 2001 in Washoe County. Clark and Washoe County average length of hospital stays and average billed charges were quite comparable year by year. All rural hospitals treated adult diabetes patients with Carson-Tahoe Hospital and William Bee Rirrie leading with 33 and 24 discharges each in 2001.

GENDER		1997	1998	1999	2000	2001
	Cases	402	453	559	529	536
Female	Avg. LOS	4.0	4.3	4.8	4.2	4.6
	Avg. Bill	\$9,523	\$11,959	\$14,244	\$12,895	\$15,114
	Cases	437	520	636	590	710
Male	Avg. LOS	4.2	4.6	4.7	4.4	4.5
	Avg. Bill	\$10,985	\$11,682	\$14,558	\$13,446	\$14,846
GENDER		1997	1998	1999	2000	2001
	Cases	0	0	0	0	0
Age 0-17	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	0	0	0	0	0
Age 18-35	Avg. LOS	0.0	0.0	0.0	0.0	0.0
	Avg. Bill	\$0	\$0	\$0	\$0	\$0
	Cases	271	312	351	384	365
Age 36-49	Avg. LOS	3.4	4.0	4.3	4.2	4.4
	Avg. Bill	\$9,678	\$11,254	\$13,289	\$13,347	\$14,403
	Cases	267	289	379	322	411
Age 50-64	Avg. LOS	4.6	4.4	4.6	4.1	4.7
	Avg. Bill	\$11,111	\$12,239	\$13,511	\$13,049	\$15,772
	Cases	301	372	465	413	470
Age 65 +	Avg. LOS	4.3	4.9	5.3	4.6	4.5
	Avg. Bill	\$10,097	\$11,945	\$15,993	\$13,141	\$14,686
TOTAL		839	973	1,195	1,119	1,246
AVG. LOS		4.1	4.5	4.8	4.3	4.5
AVG. BILL		\$10,284	\$11,811	\$14,411	\$13,185	\$14,961







DRG 294: DIABETES AGE >35

COUNTY		CALENDAR YEARS						
NAME			1998		2000	2001		
CLARK								
	Cases	8	6	11	8	14		
Boulder City	Avg LOS	1.9	2.8	3.1	5.0	6.4		
	Avg. Bill	\$3,967	\$6,258	\$7,152	\$10,552	\$15,198		
	Cases	81	102	98	109	117		
Desert Springs	Avg LOS	4.7	4.9	4.0	4.3	3.9		
	Avg. Bill	\$10,591	\$13,561	\$11,062	\$12,742	\$14,974		
	Cases	61	62	74	86	71		
Lake Mead	Avg LOS	4.3	3.5	8.2	3.6	4.7		
	Avg. Bill	\$12,182	\$11,188	\$24,889	\$18,655	\$25,114		
	Cases	44	47	56	54	67		
Mountain View	Avg LOS	4.7	4.1	4.4	4.2	4.7		
	Avg. Bill	\$16,315	\$12,809	\$18,367	\$12,730	\$14,675		
	Cases	40	41	155	40	58		
St. Rose Domin.	Avg LOS	3.0	3.1	4.0	4.0	4.6		
	Avg. Bill	\$9,401	\$8,690	\$16,734	\$14,319	\$14,614		
	Cases	0	0	0	14	56		
St. Rose Siena	Avg LOS	0.0	0.0	0.0	2.9	4.0		
	Avg. Bill	\$0	\$0	\$0	\$8,930	\$12,868		
	Cases	4	25	32	52	53		
Summerlin	Avg LOS	3.8	9.4	3.0	4.8	4.8		
	Avg. Bill	\$6,532	\$22,375	\$9,328	\$18,095	\$19,839		
	Cases	131	149	173	176	169		
Sunrise	Avg LOS	4.0	4.8	5.1	3.9	4.6		
	Avg. Bill	\$12,589	\$13,497	\$14,457	\$13,216	\$16,117		
	Cases	138	184	210	195	240		
University Med.	Avg LOS	4.3	5.0	4.5	4.9	5.5		
	Avg. Bill	\$9,409	\$12,258	\$12,329	\$12,522	\$13,500		
	Cases	94	116	146	134	120		
Valley Hospital	Avg LOS	4.5	4.4	4.9	4.4	4.5		
	Avg. Bill	\$11,181	\$13,116	\$13,406	\$14,328	\$16,860		
TOTAL		601	732	955	868	965		
AVG. LOS		4.2	4.7	4.7	4.3	4.8		
AVG. BILL		\$11,233	\$12,869	\$14,631	\$13,930	\$15,894		
WASHOE								
	Cases	0	1	0	0	0		
Incline Village	Avg LOS	0.0	8.0	0.0	0.0	0.0		
	Avg. Bill	\$0	\$10,700	\$0	\$0	\$0		
	Cases	14	21	10	9	10		
Northern NV	Avg LOS	4.1	3.4	3.2	5.9	3.5		
	Avg. Bill	\$8,825	\$7,659	\$8,193	\$20,218	\$9,793		
	Cases	40	58	64	60	58		
St. Mary's	Avg LOS	4.4	4.5	5.5	4.5	4.9		
, ·	Avg. Bill	\$10,560	\$10,434		\$13,443	\$18,585		
	Cases	74	81	89	94	96		
Washoe Med.	Avg LOS	4.5	3.9	5.5	5.4	4.4		
	Avg. Bill	\$9,849	\$9,325		\$11,837	\$12,981		
TOTAL		128	161	163	163	164		
AVG. LOS		4.4	4.1	5.3	5.1	4.5		
AVG. BILL		\$9,959		\$15,638	\$12,891	\$14,769		
ATO. DILL		Ψ5,303	ψυ,υ10	ψ10,000	ψ12,001	Ψ1-7,703		

COUNTY			CALENDA	AR YEAR	S	
NAME		1997	1998	1999	2000	2001
RURAL						
	Cases	1	4	3	4	1
Battle Mtn.	Avg LOS	2.0	2.5	5.0	1.5	5.0
	Avg. Bill	\$1,624	\$2,473	\$6,377	\$2,382	\$2,589
	Cases	37	36	37	23	33
Carson Tahoe	Avg LOS	3.2	3.4	4.2	2.7	2.8
	Avg. Bill	\$6,589	\$8,733	\$12,487	\$6,353	\$7,781
	Cases	13	11	10	17	16
Churchill	Avg LOS	3.2	3.9	2.8	3.1	3.0
	Avg. Bill	\$6,528	\$7,340	\$6,657	\$8,895	\$9,475
	Cases	5	3	3	4	2
Grover C. Dils	Avg LOS	2.4	3.7	3.3	1.8	2.0
	Avg. Bill	\$2,610	\$3,914	\$5,190	\$2,932	\$2,736
	Cases	6	4	3	6	5
Humboltd Gen.		4.3	1.8	6.3	2.7	3.8
riambolla och.	Avg. Bill	\$5,563	\$4,233	\$5,501	\$3,181	\$3,762
	Cases	7	1	2	4	5
Mt. Grant	Avg LOS	5.0	6.0	2.0	1.8	3.4
	Avg. Bill	\$5,727	\$4,539	\$2,778	\$3,245	\$7,825
	Cases	16	5	9	11	11
Northeastern	Avg LOS	3.2	3.4	3.4	3.8	2.5
	Avg. Bill	\$5,240	\$5,333	\$7,463	\$8,660	\$10,794
	Cases	7	3	1	5	7
Nye General	Avg LOS	2.1	5.7	4.0	4.0	3.0
,	Avg. Bill	\$3,464	\$8,377	\$5,665	\$7,743	\$7,413
	Cases	0	0	1	3	7
Pershing	Avg LOS	0.0	0.0	2.0	5.0	2.3
	Avg. Bill	\$0	\$0	\$2,700	\$4,253	\$3,152
	Cases	4	7	3	6	6
South Lyon	Avg LOS	2.5	2.3	5.0	2.5	2.2
	Avg. Bill	\$2,899	\$3,147	\$6,196	\$3,563	\$2,603
	Cases	14	6	5	5	24
Wm Bee Ririe	Avg LOS	3.1	3.0	1.6	3.4	3.2
WIII DCC TAIIC	Avg. Bill	\$4,729	\$4,653	\$4,069	\$8,557	\$8,307
TOTAL	/g. 2	110	80	77	88	117
AVG. LOS		3.2	3.4	3.8	2.9	2.9
AVG. BILL		\$5,479	\$6,750	\$9,088	\$6,381	\$7,539
		839	973	1,195	1,119	1,246
ALL COUNT	IES	4.1	4.5	4.8	4.3	4.5
ALL GOONTILG		\$10,284	\$11,811		\$13,185	\$14,961